

ioctl VIDIOC_ENUMAUDIO

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 2)

Unknown directive type "c.namespace".

```
.. c:namespace:: V4L
```

Name

VIDIOC_ENUMAUDIO - Enumerate audio inputs

Synopsis

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 18)

Unknown directive type "c.macro".

```
.. c:macro:: VIDIOC_ENUMAUDIO
```

```
int ioctl(int fd, VIDIOC_ENUMAUDIO, struct v4l2_audio *argp)
```

Arguments

fd

File descriptor returned by `c:func:open()`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 26); [backlink](#)

Unknown interpreted text role "c.func".

argp

Pointer to struct `c:type:v4l2_audio`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 29); [backlink](#)

Unknown interpreted text role "c.type".

Description

To query the attributes of an audio input applications initialize the `index` field and zero out the `reserved` array of a struct `c:type:v4l2_audio` and call the `ref:VIDIOC_ENUMAUDIO` ioctl with a pointer to this structure. Drivers fill the rest of the structure or return an `EINVAL` error code when the index is out of bounds. To enumerate all audio inputs applications shall begin at index zero, incrementing by one until the driver returns `EINVAL`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 34); [backlink](#)

Unknown interpreted text role "c.type".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-

`api) (media) (v4l)vidioc-enumaudio.rst, line 34); backlink`

Unknown interpreted text role "ref".

See `ref:VIDIOC_G_AUDIO <VIDIOC_G_AUDIO>` for a description of struct `:ctype:'v4l2_audio'`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 42); [backlink](#)

Unknown interpreted text role "ref".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 42); [backlink](#)

Unknown interpreted text role "ctype".

Return Value

On success 0 is returned, on error -1 and the `errno` variable is set appropriately. The generic error codes are described at the `ref:Generic Error Codes <gen-errors>` chapter.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\v4l\linux-master) (Documentation) (userspace-api) (media) (v4l)vidioc-enumaudio.rst, line 48); [backlink](#)

Unknown interpreted text role "ref".

EINVAL

The number of the audio input is out of bounds.