

How to get information from a running virtual machine

- [Introduction](#)
- [Scenario requirements](#)
- [How to collect information](#)
 - [Filesystem](#)
 - [Result](#)
 - [Guest identity](#)
 - [Result](#)
 - [Network](#)
 - [Result](#)
 - [Network interfaces](#)
 - [Result](#)
 - [Network routes](#)
 - [Result](#)

Introduction

This section shows you how to collection information from a running virtual machine.

Scenario requirements

You've already followed [ref`vmware_rest_run_a_vm`](#) and your virtual machine runs VMware Tools.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs][docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 19);
[backlink](#)

Unknown interpreted text role "ref".

How to collect information

In this example, we use the `vcenter_vm_guest_*` module to collect information about the associated resources.

Filesystem

Here we use `vcenter_vm_guest_localfilesystem_info` to retrieve the details about the filesystem of the guest. In this example we also use a `retries` loop. The VMware Tools may take a bit of time to start and by doing so, we give the VM a bit more time.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs][docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 34)

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_filesystem_information.task.yaml
```

Result

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs][docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 39)

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_filesystem_information.result.json
```

Guest identity

You can use `vcenter_vm_guest_identity_info` to get details like the OS family or the hostname of the running VM.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-

```
devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs]
[docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 46)
```

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_identity_information.task.yaml
```

Result

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-
devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs]
[docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 51)
```

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_identity_information.result.json
```

Network

`vcenter_vm_guest_networking_info` will return the OS network configuration.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-
devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs]
[docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 58)
```

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_networking_information.task.yaml
```

Result

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-
devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs]
[docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 63)
```

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_networking_information.result.json
```

Network interfaces

`vcenter_vm_guest_networking_interfaces_info` will return a list of NIC configurations.

See also [ref:vmware_rest_attach_a_network](#).

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-
devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs]
[docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 70);
```

[backlink](#)

Unknown interpreted text role "ref".

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-
devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs]
[docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 72)
```

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_network_interfaces_information.task.yaml
```

Result

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-
devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs]
[docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 77)
```

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_network_interfaces_information.result.json
```

Network routes

Use `vcenter_vm_guest_networking_routes_info` to explore the route table of your virtual machine.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs][docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 84)

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_network_routes_information.task.yaml
```

Result

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\ansible-devel\docs\docsite\rst\scenario_guides\vmware_rest_scenarios\[ansible-devel][docs][docsite][rst][scenario_guides][vmware_rest_scenarios]vm_tool_information.rst, line 89)

Unknown directive type "literalinclude".

```
.. literalinclude:: task_outputs/Get_guest_network_routes_information.result.json
```