


Installing

Make sure you install the font.

Enabling

In RStudio: - Go to Tools > Global Options > Appearance - Select “Fira Code” as Editor Font. In older versions of RStudio, check “Use Ligatures”. - Hit “OK” and enjoy

A screenshot of the RStudio code editor. The editor window shows R code with the Fira Code font and ligatures enabled. The code is as follows:

```
1 # from https://code.google.com/p/google-motion-cha
2 # lines 249-299
3 toJSONArray ← function(dtf){
4   ## Thanks to Sebastian Kranz for this function
5   ## Thanks also to Wei Luo: http://theweiluo.wo
6
7   #restore.point("toJSONArray")
8   clnms ← colnames(dtf)
9
10  # Transforms a vector into a vector of JSON st
11  # can be pasted together afterwards
12  toJSONvec ← function(vec) {
13    #restore.point("name.value")
14    na.row ← is.na(vec)
15    if(is(vec,'integer')){
16      ret ← vec
17    } else if (is(vec,'numeric')) {
```

The code is displayed with syntax highlighting: comments are green, function names and keywords are blue, and variable names and operators are black. The font is Fira Code, which is evident from the use of ligatures like '←' and '→'.

Figure 1: Example of RStudio using Fira Code (https://github.com/tonsky/FiraCode) with ligatures