# **AUDIO GET STATUS**

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\[linux-master][drivers][staging][media]
[av7110]audio-get-status.rst, line 2)

Unknown directive type "cnamespace".

.. c:namespace:: DTV.audio
```

#### Name

AUDIO\_GET\_STATUS

```
Attention!
```

This ioctl is deprecated

### **Synopsis**

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\[linux-master][drivers][staging][media]
[av7110] audio-get-status.rst, line 20)
Unknown directive type "cmacro".
.. c:macro:: AUDIO_GET_STATUS
```

int ioctl(int fd, AUDIO GET STATUS, struct audio status \*status)

### **Arguments**

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-
master\drivers\staging\media\av7110\[linux-master][drivers][staging][media]
[av7110]audio-get-status.rst, line 27)

Unknown directive type "flat-table".

.. flat-table::
    :header-rows: 0
    :stub-columns: 0

-
    - int fd

- File descriptor returned by a previous call to open().

-
    - struct audio_status \*status

- Returns the current state of Audio Device.
```

## **Description**

This joctl call asks the Audio Device to return the current state of the Audio Device.

#### Return Value

On success 0 is returned, on error -1 and the errno variable is set appropriately. The generic error codes are described at the ref. Generic Error Codes <gen-errors>` chapter.

 $System\,Message:\,ERROR/3\,(\texttt{D:}\nonline) - resources \verb|\sample-onboarding-resources| linux-resources \verb|\sample-onboarding-resources| linux-resources | resources| linux-resources| linux-resourc$ 

 $\label{linux-master} $$\max \operatorname{\operatorname{linux-master}} [drivers] [staging] [media] $$ [av7110] audio-get-status.rst, $$ backlink$$ $$$ 

Unknown interpreted text role 'ref'.