

asyncio

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 7)

Unknown directive type "versionadded".

```
.. versionadded:: 2.0
```

Scrapy has partial support for `mod:'asyncio'`. After you `ref:install the asyncio reactor <install-asyncio>`, you may use `mod:'asyncio'` and `mod:'asyncio'`-powered libraries in any `doc:'coroutine <coroutines>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 9); [backlink](#)

Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 9); [backlink](#)

Unknown interpreted text role "ref".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 9); [backlink](#)

Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 9); [backlink](#)

Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 9); [backlink](#)

Unknown interpreted text role "doc".

Installing the asyncio reactor

To enable `mod:'asyncio'` support, set the `setting:'TWISTED_REACTOR'` setting to `'twisted.internet.asyncioreactor.AsyncioSelectorReactor'`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 19); [backlink](#)

Unknown interpreted text role "mod".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 19); [backlink](#)

Unknown interpreted text role "setting".

If you are using `class:'~scrapy.crawler.CrawlerRunner'`, you also need to install the `class:'~twisted.internet.asyncioreactor.AsyncioSelectorReactor'` reactor manually. You can do that using `func:'~scrapy.utils.reactor.install_reactor'`:

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 22); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 22); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 22); [backlink](#)

Unknown interpreted text role "func".

```
install_reactor('twisted.internet.asyncioreactor.AsyncioSelectorReactor')
```

Using custom asyncio loops

You can also use custom asyncio event loops with the asyncio reactor. Set the `:setting:ASYNCIO_EVENT_LOOP` setting to the import path of the desired event loop class to use it instead of the default asyncio event loop.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 35); [backlink](#)

Unknown interpreted text role "setting".

Windows-specific notes

The Windows implementation of `:mod:asyncio` can use two event loop implementations:

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 45); [backlink](#)

Unknown interpreted text role "mod".

- `:class:`~asyncio.SelectorEventLoop``, default before Python 3.8, required when using Twisted.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 48); [backlink](#)

Unknown interpreted text role "class".

- `:class:`~asyncio.ProactorEventLoop``, default since Python 3.8, cannot work with Twisted.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 51); [backlink](#)

Unknown interpreted text role "class".

So on Python 3.8+ the event loop class needs to be changed.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 56)

Unknown directive type "versionchanged".

```
.. versionchanged:: 2.6.0
   The event loop class is changed automatically when you change the
   :setting:`TWISTED_REACTOR` setting or call
   :func:`~scrapy.utils.reactor.install_reactor`.
```

To change the event loop class manually, call the following code before installing the reactor:

```
import asyncio
asyncio.set_event_loop_policy(asyncio.WindowsSelectorEventLoopPolicy())
```

You can put this in the same function that installs the reactor, if you do that yourself, or in some code that runs before the reactor is installed, e.g. `settings.py`.

Note

Other libraries you use may require `:class:`~asyncio.ProactorEventLoop``, e.g. because it supports subprocesses (this is the case with [playwright](#)), so you cannot use them together with Scrapy on Windows (but you should be able to use them on WSL or native Linux).

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 71); [backlink](#)

Unknown interpreted text role "class".

Awaiting on Deferreds

When the asyncio reactor isn't installed, you can await on Deferreds in the coroutines directly. When it is installed, this is not possible anymore, due to specifics of the Scrapy coroutine integration (the coroutines are wrapped into `:class:`~asyncio.Future`` objects, not into `:class:`~twisted.internet.defer.Deferred`` directly), and you need to wrap them into Futures. Scrapy provides two helpers for this:

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 85); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 85); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 92)

Unknown directive type "autofunction".

```
.. autofunction:: scrapy.utils.defer.deferred_to_future
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 93)

Unknown directive type "autofunction".

```
.. autofunction:: scrapy.utils.defer.maybe_deferred_to_future
```

Tip

If you need to use these functions in code that aims to be compatible with lower versions of Scrapy that do not provide these functions, down to Scrapy 2.0 (earlier versions do not support `:mod:`~asyncio``), you can copy the implementation of these functions into your own code.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\scrapy-master\docs\topics\[scrapy-master] [docs] [topics] asyncio.rst, line 94); [backlink](#)

Unknown interpreted text role "mod".