

Raise a `exc: 'SyntaxError'` when assigning a value to `__debug__` with the Assignment Operator. Contributed by StÃ©phane Wirtel and Pablo Galindo.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 7); [backlink](#)

Unknown interpreted text role "exc".

Doubled the speed of class variable writes. When a non-dunder attribute was updated, there was an unnecessary call to update slots.

The error message emitted when returning invalid types from `__fspath__` in interfaces that allow passing `class: '~os.PathLike'` objects has been improved and now it does explain the origin of the error.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 27); [backlink](#)

Unknown interpreted text role "class".

`gc.get_objects` can now receive an optional parameter indicating a generation to get objects from. Patch by Pablo Galindo.

When the main interpreter exits due to an uncaught KeyboardInterrupt, the process now exits in the appropriate manner for its parent process to detect that a SIGINT or ^C terminated the process. This allows shells and batch scripts to understand that the user has asked them to stop.

Fix `__class_getitem__()` not being called on a class with a custom non-subscriptable metaclass.

Fix a crash on fork when using subinterpreters. Contributed by StÃ©phane Wirtel

Fix a potential double free in Modules/_randommodule.c.

Fix a crash in `slice_richcompare()`: use strong references rather than stolen references for the two temporary internal tuples.

Enable the creation of cell objects by adding a `cell.__new__` method, and expose the type `cell` in `Lib/types.py` under the name `CellType`. Patch by Pierre Glaser.

Use monotonic clock for `pthread_cond_timedwait` when `pthread_condattr_setclock` and `CLOCK_MONOTONIC` are available.

The compiler emits now syntax warnings in the case when a comma is likely missed before tuple or list.

The implementation of `PyInterpreterState` has been moved into the internal header files (guarded by `Py_BUILD_CORE`).

Clarify the errors reported when `object.__new__` and `object.__init__` receive more than one argument. Contributed by Sanyam Khurana.

Signal-handling is now guaranteed to happen relative to the main interpreter.

We added a new internal `_Py_AddPendingCall()` that operates relative to the provided interpreter. This allows us to use the existing implementation to ask another interpreter to do work that cannot be done in the current interpreter, like `decref` an object the other interpreter owns. The existing `Py_AddPendingCall()` only operates relative to the main interpreter.

Fix a possible crash in `meth: 'list.sort'` when sorting objects with `ob_type->tp_richcompare == NULL`. Patch by Zackery Spytz.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 173); [backlink](#)

Unknown interpreted text role "meth".

`:func: 'unittest.mock.patch.dict'` used as a decorator with string target resolves the target during function call instead of during decorator construction. Patch by Karthikeyan Singaravelan.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 183); [backlink](#)

Unknown interpreted text role "func".

Add `statistics.NormalDist`, a tool for creating and manipulating normal distributions of random variable. Features a composite class that treats the mean and standard deviation of measurement data as single entity.

Added `statistics.fmean()` as a faster, floating point variant of the existing `mean()` function.

Removed broken `has_key` method from `multiprocessing.managers.SyncManager.dict`. Contributed by RÃ©mi Lapeyre.

Add support for bytes to `:func: 'shutil.which'`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 225); [backlink](#)

Unknown interpreted text role "func".

Fix `:func:`dataclasses.field`` throwing away empty mapping objects passed as metadata.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 234); [backlink](#)

Unknown interpreted text role "func".

Write expected and actual call parameters on separate lines in `:meth:`unittest.mock.Mock.assert_called_with`` assertion errors. Contributed by Susan Su.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 244); [backlink](#)

Unknown interpreted text role "meth".

The `:mod:`pdb`` debug command now gracefully handles syntax errors.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 255); [backlink](#)

Unknown interpreted text role "mod".

In `http.server` script, rely on `getaddrinfo` to bind to preferred address based on the `bind` parameter. Now default bind or binding to a name may bind to IPv6 or dual-stack, depending on the environment.

Set `__spec__.origin` of `_frozen_importlib` to `frozen` so that it matches the behavior of `_frozen_importlib_external`. Patch by Nina Zakharenko.

Fix a reference issue inside `:class:`multiprocessing.Pool`` that caused the pool to remain alive if it was deleted without being closed or terminated explicitly. A new strong reference is added to the pool iterators to link the lifetime of the pool to the lifetime of its iterators so the pool does not get destroyed if a pool iterator is still alive.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 286); [backlink](#)

Unknown interpreted text role "class".

`re` module, fix wrong capturing groups in rare cases. `:func:`re.search``, `:func:`re.findall``, `:func:`re.sub`` and other functions that scan through string looking for a match, should reset capturing groups between two match attempts. Patch by Ma Lin.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 299); [backlink](#)

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 299); [backlink](#)

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 299); [backlink](#)

Unknown interpreted text role "func".

`:mod:`weakref``: Fix a `RuntimeError` when copying a `WeakKeyDictionary` or a `WeakValueDictionary`, due to some keys or values disappearing while iterating.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 311); [backlink](#)

Unknown interpreted text role "mod".

Implement `:func:`math.prod`` as analogous function to `:func:`sum`` that returns the product of a 'start' value (default: 1) times an iterable of numbers. Patch by Pablo Galindo.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 322); [backlink](#)

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 322); [backlink](#)

Unknown interpreted text role "func".

Performing arithmetic between `:class:`datetime.datetime`` subclasses and `:class:`datetime.timedelta`` now returns an object of the same type as the `:class:`datetime.datetime`` subclass. As a result, `:meth:`datetime.datetime.astimezone`` and alternate constructors like `:meth:`datetime.datetime.now`` and `:meth:`datetime.fromtimestamp`` called with a `tz` argument now *also* retain their subclass.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 333); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 333); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 333); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 333); [backlink](#)

Unknown interpreted text role "meth".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 333); [backlink](#)

Unknown interpreted text role "meth".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 333); [backlink](#)

Unknown interpreted text role "meth".

Add `headers` optional keyword-only parameter to `:class:`xmlrpc.client.ServerProxy``, `:class:`xmlrpc.client.Transport`` and `:class:`xmlrpc.client.SafeTransport``. Patch by CÃ©dric Krier.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 347); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 347); [backlink](#)

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\ [cpython-main] [Misc] [NEWS.d] 3.8.0a2.rst, line 347); [backlink](#)

Unknown interpreted text role "class".

Fix C implementation of pickle.loads to use importlib's locking mechanisms, and thereby avoid using partially-loaded modules. Patch by Tim Burgess.

Fix formatting of --check-hash-based-pycs options in the manpage Synopsis.

Bump minimum sphinx version to 1.8. Patch by Anthony Sottile.

Update documentation and docstrings for pathlib. Original patch by Mike Short.

Avoid test_ttk_guionly ComboboxTest failure with macOS Cocoa Tk.

Add test.support.TEST_HTTP_URL and replace references of <http://www.example.com> by this new constant. Contributed by StÅ©phane Wirtel.

Fix test_ssl for strict OpenSSL configuration like RHEL8 strict crypto policy. Use older TLS version for minimum TLS version of the server SSL context if needed, to test TLS version older than default minimum TLS version.

Added `:func:`test.support.check_syntax_warning``.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Misc\NEWS.d\cpython-main [Misc] [NEWS.d] 3.8.0a2.rst, line 427); [backlink](#)

Unknown interpreted text role "func".

Make test_imap4_host_default_value independent on whether the local IMAP server is running.

multiprocessing: provide unit tests for SyncManager and SharedMemoryManager classes + all the shareable types which are supposed to be supported by them. (patch by Giampaolo Rodola)

Skip test_shutil.test_unpack_archive_xztar to prevent a MemoryError on 32-bit AIX when MAXDATA setting is less than 0x20000000.

Patch by Michael Felt (aixtools)

Assert m_state != NULL to mimic GC traversal functions that do not correctly handle module creation when the module state has not been created.

Added ARM build support to Windows build files in PCBuild.

pathlib no longer raises when checking file and directory existence on drives that are not ready

Uses the base Python executable when invoking venv in a virtual environment

Prevents venv paths being inherited by child processes

Fix sysconfig detection of the source directory and distutils handling of pyconfig.h during PGO profiling

IDLE -- Document settings dialog font tab sample.

Revise IDLE doc for control codes sent to Shell. Add a code example block.

Add docstrings and unittests for colorizer.py.