


PLDM Firmware file format overview

A PLDM firmware package is a binary file which contains a header that describes the contents of the firmware package. This includes an initial package header, one or more firmware records, and one or more components describing the actual flash contents to program.


This diagram provides an overview of the file format:



Package Header

The package header begins with the UUID of the PLDM file format, and contains information about the version of the format that the file uses. It also includes the total header size, a release date, the size of the component bitmap, and an overall package version.

The following diagram provides an overview of the package header:




Device Records

The device firmware records area starts with a count indicating the total number of records in the file, followed by each record. A single device record describes what device matches this record. All valid PLDM firmware files must contain at least one record, but optionally may contain more than one record if they support multiple devices.

Each record will identify the device it supports via TLVs that describe the device, such as the PCI device and vendor information. It will also indicate which set of components that are used by this device. It is possible that only subset of provided components will be used by a given record. A record may also optionally contain device-specific package data that will be used by the device firmware during the update process.


The following diagram provides an overview of the device record area:



Component Info

The component information area begins with a count of the number of components. Following this count is a description for each component. The component information points to the location in the file where the component data is stored, and includes version data used to identify the version of the component.

The following diagram provides an overview of the component area:



+-----+		
	Component Identifier	
+-----+		
	Comparison Stamp	
+-----+		
	Component Options	
+-----+		
	Activation Method	
+-----+		
	Location Offset	
+-----+		
	Component Size	
+-----+		
	Component Version Info	
+-----+		
	Package Data	
+-----+		

Package Header CRC

Following the component information is a short 4-byte CRC calculated over the contents of all of the header information.

Component Images

The component images follow the package header information in the PLDM firmware file. Each of these is simply a binary chunk with its start and size defined by the matching component structure in the component info area.