

```
+++ title = "GitHub OAuth2 Authentication" description = "Grafana OAuth2 Authentication Guide" keywords = ["grafana", "configuration", "documentation", "oauth"] weight = 800 +++
```

## GitHub OAuth2 Authentication

To enable the GitHub OAuth2 you must register your application with GitHub. GitHub will generate a client ID and secret key for you to use.

### Configure GitHub OAuth application

You need to create a GitHub OAuth application (you will find this under the GitHub settings page). When you create the application you will need to specify a callback URL. Specify this as callback:

```
http://<my_grafana_server_name_or_ip>:<grafana_server_port>/grafana/login/github
```

This callback URL must match the full HTTP address that you use in your browser to access Grafana, but with the suffix path of `/login/github`. When the GitHub OAuth application is created you will get a Client ID and a Client Secret. Specify these in the Grafana configuration file. For example:

### Enable GitHub in Grafana

```
[auth.github]
enabled = true
allow_sign_up = true
client_id = YOUR_GITHUB_APP_CLIENT_ID
client_secret = YOUR_GITHUB_APP_CLIENT_SECRET
scopes = user:email,read:org
auth_url = https://github.com/login/oauth/authorize
token_url = https://github.com/login/oauth/access_token
api_url = https://api.github.com/user
team_ids =
allowed_organizations =
```

You may have to set the `root_url` option of `[server]` for the callback URL to be correct. For example in case you are serving Grafana behind a proxy.

Restart the Grafana back-end. You should now see a GitHub login button on the login page. You can now login or sign up with your GitHub accounts.

You may allow users to sign-up via GitHub authentication by setting the `allow_sign_up` option to `true`. When this option is set to `true`, any user successfully authenticating via GitHub authentication will be automatically signed up.

## **team\_ids**

Require an active team membership for at least one of the given teams on GitHub. If the authenticated user isn't a member of at least one of the teams they will not be able to register or authenticate with your Grafana instance. For example:

```
[auth.github]
enabled = true
client_id = YOUR_GITHUB_APP_CLIENT_ID
client_secret = YOUR_GITHUB_APP_CLIENT_SECRET
scopes = user:email,read:org
team_ids = 150,300
auth_url = https://github.com/login/oauth/authorize
token_url = https://github.com/login/oauth/access_token
api_url = https://api.github.com/user
allow_sign_up = true
```

## **allowed\_organizations**

Require an active organization membership for at least one of the given organizations on GitHub. If the authenticated user isn't a member of at least one of the organizations they will not be able to register or authenticate with your Grafana instance. For example

```
[auth.github]
enabled = true
client_id = YOUR_GITHUB_APP_CLIENT_ID
client_secret = YOUR_GITHUB_APP_CLIENT_SECRET
scopes = user:email,read:org
auth_url = https://github.com/login/oauth/authorize
token_url = https://github.com/login/oauth/access_token
api_url = https://api.github.com/user
allow_sign_up = true
# space-delimited organization names
allowed_organizations = github google
```

## **Team Sync (Enterprise only)**

Only available in Grafana Enterprise v6.3+

With Team Sync you can map your GitHub org teams to teams in Grafana so that your users will automatically be added to the correct teams.

Your GitHub teams can be referenced in two ways:

- `https://github.com/orgs/<org>/teams/<slug>`
- `@<org>/<slug>`

Example: `@grafana/developers`

[Learn more about Team Sync]({{< relref “team-sync.md” >}})