

## Static Files

You can serve static files automatically from a directory using `StaticFiles`.

### Use `StaticFiles`

- Import `StaticFiles`.
- “Mount” a `StaticFiles()` instance in a specific path.

```
Python hl_lines="2 6" {!../../../docs_src/static_files/tutorial001.py!}
```

!!! note “Technical Details” You could also use `from starlette.staticfiles import StaticFiles`.

**`**FastAPI**`** provides the same ``starlette.staticfiles`` as ``fastapi.staticfiles`` just as a convenience.

### What is “Mounting”

“Mounting” means adding a complete “independent” application in a specific path, that then takes care of handling all the sub-paths.

This is different from using an `APIRouter` as a mounted application is completely independent. The OpenAPI and docs from your main application won’t include anything from the mounted application, etc.

You can read more about this in the **Advanced User Guide**.

### Details

The first `"/static"` refers to the sub-path this “sub-application” will be “mounted” on. So, any path that starts with `"/static"` will be handled by it.

The `directory="static"` refers to the name of the directory that contains your static files.

The `name="static"` gives it a name that can be used internally by **FastAPI**.

All these parameters can be different than `“static”`, adjust them with the needs and specific details of your own application.

### More info

For more details and options check Starlette’s docs about Static Files.