Daubenmire Datasheet

Date:

Observer: Recorder:

Team lead:

Site:

pre1

Transect:

tpre1a 2

Round:

80m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	3	0	98	0		_		0	63	3	2
10 m	10	0	38	0		3		9	38	38	0,5
20 m	3	0	86	38	2			0	63	10	0,25
30 m	0	0	98	0				0	63	38	0,05
40 m	10	0	63	-0		- #		-0	10	38	0.5
50 m	8(0	0	3	0	_			0	38	10	0.25
60 m	16	0	80	. 0	- /			0	63	16	0.5
70 m	(3	0	(03	0		_		0	63	38	0
80 m	AAAA	AAA			- form		A STATE OF THE STA			conduces a surface	
90 m	144	100	t Um			And the second s					

Robel Pole:

Robel Po	ile.				- 100	7 8000	I di			
	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	12	14	12	14		12	13	14	=	
E	15	10	13		13	12	11	ID		
s	15	15	14	13	13	15	14	14		
W	15	16	12	9	1:(19	13	12		

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm