Daubenmire Datasheet

Date:

Recorder:

Team lead:

Observer: 2000 50

7

Site: Round: Transect: tbcr1a bcr1 2

50m

	0 m	10 m	20	2	30 m	40 m	70 1	20 =	60 m	70 m	80 m	90 m
CS6	W	6	N	0	0	N						
WS6	6	0	N	C	0	160						
Forbs	2/8	63	2/5	000	80	(0.3						
Milkweed		0	7 '	0	0	7						
Common ramet #	d	0	7	C	0	C			u.			
Swamp	0) ()	0	0	3	(
Butterfly ramet #	y) (10	0	0	צ	C	· ar				
Woody		y (C	C	0)						
Bare	(0)	100) =	0	g	8	00					
Leaf	(o 2)	3 5	0	860	0 0	5	100					
Litter	0 20	3 6	50,20	0.1	700	200	3.0					

	z	m	S	8
0 m	00	08)	7	D
10 m	0	(0)	A	6
20 m	0	17	10	3
30 m	03	6	4	2
40 m	6	6	0	6
50 m		94-04		
60 m				
70 m				
80 m				
90 m				

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm