Compiler Construction: Practical Introduction

Projects

Eugene Zouev
Fall Semester 2023
Innopolis University

Project List 1

• Four "toy" languages
For a team of ~four persons each

Dynamic (like JavaScript)

Object-oriented (like Oberon-2)

F Functional (~CoreLisp; like Lisp & Scheme)

I Imperative (like Pascal/Oberon)

Implementation details

- Compiler or interpreter
- Implementation languages: C, C++, C#, Java
- Tools: yacc/bison, hand-made
- Target codes & platforms:
 - MSIL or Java bytecode
 - LLVM bitcode
 - C
 - Own VM ©

Project List 2

• The "real" language: Lua For a team of five persons

(like Lua ⊕) Hand-written Lua->LLVM compiler


• Lightning Go language
For a team of five persons

(The reduced and simplified $Go \odot$)

Project D: Dynamic

- Object types are not specified and can change while program execution
- The language is interpreted
- Major notion: variable & literal (constant)
- Program structure: a sequence of declarations and statements
- Builtin types: built-in: integer, real, boolean, string
 User-defined types: array, tuple, function
- Implicit type conversions
- Statements: assignment, if/while, return, input/output


Project D: Dynamic



Project O: Object-Oriented

- The language is static. Object types are fixed by object declarations and cannot change while program execution.
- Object types are classes either predefined of user-defined.
- Classes contain data declarations and method declarations.
- The single inheritance and virtual functions are supported.
- No expressions! only function calls.
- The language is compiled. The target code is either an assembly language, of LLVM bitcode, or JVM bytecode, or .NET CIL.
- Program structure: a sequence of classes.
- Statements: a standard set (assignment, if/while, return, input/output)


Project O: Object-Oriented



Project F: Functional

- There are three atomic predefined types: integers, reals & booleans.
- There are two basic structures: atoms and lists.
 Atom has the name and the value. The atom value can be either of a predefined type, or, or list. In some contexts atom represents itself.
 A list is an ordered sequence of atoms, literals and lists.
- Basic list access rules include taking the head of the list, the "tail" of the list, and constructing a list from its head and the "tail"..
- The language is dynamically typed and interpreted.
- Program structure: a sequence of lists and/or atoms
- Special forms (lists): functions, lambdas (unnamed functions), control structures.
- A minimal set of predefined functions: arithmetic, lists operations, etc.


Project F: Functional



Project I: Imperative

- The language is static. Object types are fixed by object declarations and cannot change while program execution.
- There are three predefined data types: integer, real and boolean.
 There are two predefined data structures: structs and arrays.
- Full expression syntax with usual set of operators.
- The language is compiled. The target code is either an assembly language, of LLVM bitcode, or JVM bytecode, or .NET CIL.
- Program structure: a sequence of data and routine declarations.
- Statements: a standard set (assignment, if/while, return, input/output)

Project I: Imperative



Project Aul: The Static Lua Compiler


The Task Description

The project is aimed at providing users with a powerful industrial-strength tool for developing application programs in the Lua programming language. In addition, the tool would support efficient compilation of the existing code base written in Lua.

The Aul compiler translates source code written in the Lua programming language directly to the LLVM bitcode that later gets converted to the machine code for the target hardware. Thus, the interpretation phase will be avoided.

- Lua version 5.4.3
 https://www.lua.org/manual/5.4/m
 anual.html
 https://lua.org.ru/contents_ru.html
- The update of the Lua language: static typing added, some tricky features removed.
- A <u>small subset</u> of Lua should be implemented

Project Aul: The Static Lua Compiler



Project Let's Go: The Simplified Go