Started on	Sunday, 22 October 2023, 10:33 PM
State	Finished
Completed on	Sunday, 22 October 2023, 10:35 PM
Time taken	1 min 12 secs
Marks	2.00/2.00
Grade	<b>10.00</b> out of 10.00 ( <b>100</b> %)

## Question **1**

Correct

Mark 2.00 out of 2.00

Match the pieces of text and their functions.

Extending the experiments conducted in [12], Balakrishnan et al. [29] added heap sort to the set of sorting algorithms to compare.

Shows that a paper builds on previous study

The motivation behind having several RQs is justified by the acknowledgment that applying recommender systems to dashboards is a mostly unexplored research area and it is of paramount importance to determine the feasibility as well as effectiveness of the synergy between the two.

Clarifies the aim of the literature review

However, their evaluation in many works remains limited. Often, models are evaluated in the *single-terminology* setting, on the same kind of data they were trained on, and in a very narrow domain devoted to a specific type of texts and/or a specific set of diseases (e.g. oncological) simply divided into training and test parts.

Generalises the limitations of previsous studies.

**~** 

In the remainder of this Chapter, in Seciton 2, we give a brief account of the evolution of distributed architectures until their recent incarnation in the microservice paradigm. In Section 3, we detail the current solutions for developing microservice architectures and how microservices affect the process of software design, development, testing, and maintenance. In Section 4 we discuss the open challenges and the desirable tools for programming microservice architecture. In Section 5 we draw overall conclusions.

Outlines the structure of the rest of the chapter.

Therefore, the remainder of this chapter covers the most frequently used approaches as well as the state-of-the-art findings.

Narrows down the scope of the chapter

Your answer is correct.

The correct answer is:

Extending the experiments conducted in [12], Balakrishnan et al. [29] added heap sort to the set of sorting algorithms to compare.  $\rightarrow$  Shows that a paper builds on previous study,

The motivation behind having several RQs is justified by the acknowledgment that applying recommender systems to dashboards is a mostly unexplored research area and it is of paramount importance to determine the feasibility as well as effectiveness of the synergy between the two. → Clarifies the aim of the literature review,

However, their evaluation in many works remains limited. Often, models are evaluated in the single-terminology setting,

on the same kind of data they were trained on, and in a very narrow domain devoted to a specific type of texts and/or a specific set of diseases (e.g. oncological) simply divided into training and test parts. 

Generalises the limitations of previsous studies.,

In the remainder of this Chapter, in Seciton 2, we give a brief account of the evolution of distributed architectures until their recent incarnation in the microservice paradigm. In Section 3, we detail the current solutions for developing microservice architectures and how microservices affect the process of software design, development, testing, and maintenance. In Section 4 we discuss the open challenges and the desirable tools for programming microservice architecture. In Section 5 we draw overall conclusions. 

Outlines the structure of the rest of the chapter.,

Therefore, the remainder of this chapter covers the most frequently used approaches as well as the state-of-the-art findings.  $\rightarrow$  Narrows down the scope of the chapter