EXPOSURE SCENARIO REPORT www.alcumusgroup.com

Exposure

19/03/2020

19/03/2023

Date Created:

Next Review Date:

4015002 **User making request:** ID#: Dorrett Bryan

Fax: 01462 732629 Phone: 01462 832420

dorrett.bryan@morrisonus.com

Material Code: 106820 Tradename: PROTEUS BITUKLEEN NO 3

Supplier: PROTEUS EQUIPMENT LTD IMC:

19/03/2020

1 OR 2 CANS

Keyword: Cleaner Frequency of use: Daily

Approximately how much of the material is How many people are directly exposed?: 2-5

Are any other people put at risk from How are they exposed?: No

indirect exposure?: Are there any susceptible workers?: No **Susceptible Categories:**

Other info: Is this material being used outside of the

normal temperature range?: No

Additional work practices:

used by one person in one working day:

Date Assessment Reviewed

Existing Control measures:

Exp Limit

Notes

Email:

Files Uploaded File Name

Bitukleen No 3.pdf

Activities

Act No.

13 Spraying (Trigger Bottle) Outside

1/2 to 2 hours per shift 18 Spraying (Trigger Bottle) Outside 4 to 8 hours per shift

Area

Work Area

Work Area Code Sub Area Code

TELECOMS

Safer Substitute Chosen Reason for leaving/swapping material

Method

www.alcumusgroup.com **SUMMARY SHEET**

FACILITY TELECOMS MAIN **TELECOMS SUB** 106820

MATERIAL/PROCESS

PROTEUS BITUKLEEN NO 3

LOW HAZARD

PROTEUS EQUIPMENT LTD **SUPPLIER**

Cleaner

CONTENTS

Full details of constituents not provided by supplier, Classification based upon information supplied below:,

SIGNAL WORD NONE

EXP LIMIT

HEALTH HAZARDS

May cause ill health if ingested in quantity

May cause eye irritation

Skin - irritation and dermatitis may result from prolonged contact

KEYWORD

Proprietary fatty acid methyl ester

MEDIUM ACUTE RISK - FULL EXPOSURE

METHOD Spraying (Trigger Bottle)


AREA Outside **EXPOSURE TIME 1/2 to 2 hours per shift SPILLAGE**

MEDIUM CHRONIC RISK - FULL EXPOSURE

CONTROL MEASURES

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY







OVEREXPOSUR E LIKELY



IF CONTACT LIKELY





WASH AFTER **EXPOSURE**



IF HEAVILY SOILED

Ventilate area

Wear polythene or nitrile gloves

Wear eye protection if contact likely

Wear respiratory protection for large spills in poorly ventilated areas

Wear protective overalls and footwear for large spillages

Absorb in sand or inert absorbent material

Small spills - wipe up with cloth

Collect into a container, close lid

Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate



AVOID SKIN

CONTACT

CONTAINERS



CONTROLLED STORE /WASTE

FIRST AID

Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill

Ingestion - do not induce vomiting, wash out mouth with water

If feeling unwell consult your doctor immediately

Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor

Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

FIRE

Isolated small scale fire:

Water fog - carbon dioxide - powder - foam

Large fire: evacuate area, call fire brigade or follow site procedure

Wear self-contained breathing apparatus and protective clothing



ACTIVITY COMMENTS

Intermittent use of low pressure trigger spray bottle.

This assessment was compiled by Alcumus Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Printed 16/04/2021



CONSIDERATIONS

www.alcumusgroup.com **SUMMARY SHEET**

FACILITY TELECOMS MAIN **TELECOMS SUB** 106820

MATERIAL/PROCESS

PROTEUS BITUKLEEN NO 3

LOW HAZARD

PROTEUS EQUIPMENT LTD **SUPPLIER**

KEYWORD Cleaner

CONTENTS

Full details of constituents not provided by supplier, Classification based upon information supplied below:,

Proprietary fatty acid methyl ester

SIGNAL WORD NONE

EXP LIMIT



May cause ill health if ingested in quantity

May cause eye irritation

Skin - irritation and dermatitis may result from prolonged contact



CONSIDERATIONS

METHOD Spraying (Trigger Bottle)

AREA Outside **EXPOSURE TIME** 4 to 8 hours per shift

MEDIUM CHRONIC RISK - FULL EXPOSURE

CONTROL MEASURES

MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY Wear respiratory protection for large spills in poorly ventilated areas





FILTER TYPE P1





AVOID SKIN CONTACT



MEDIUM ACUTE RISK - FULL EXPOSURE

POLYTHENE OR **NITRILE**



IF CONTACT LIKELY





AND



LEV OR

FIRST AID

SPILLAGE

Ventilate area

Wear polythene or nitrile gloves Wear eye protection if contact likely

Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill Ingestion - do not induce vomiting, wash out mouth with water

Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

Wear protective overalls and footwear for large spillages

Absorb in sand or inert absorbent material Small spills - wipe up with cloth Collect into a container, close lid

If feeling unwell consult your doctor immediately

Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor



WASH AFTER **EXPOSURE**



IF HEAVILY SOILED



CLOSE ALL **CONTAINERS**



CONTROLLED STORE /WASTE

FIRE

Isolated small scale fire:

Water fog - carbon dioxide - powder - foam

Large fire: evacuate area, call fire brigade or follow site procedure Wear self-contained breathing apparatus and protective clothing



ACTIVITY COMMENTS

Intermittent use of low pressure trigger spray bottle.

This assessment was compiled by Alcumus Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Printed 16/04/2021



www.alcumusgroup.com **WORKER REFERENCE SHEET**

FACILITY TELECOMS MAIN **TELECOMS SUB** 106820

MATERIAL/PROCESS

PROTEUS BITUKLEEN NO 3

PROTEUS EQUIPMENT LTD **SUPPLIER**

KEYWORD Cleaner SIGNAL WORD NONE

CONTROL MEASURES





METHOD Spraying (Trigger Bottle)

AREA Outside

EXPOSURE TIME 1/2 to 2 hours per shift

MEDIUM CHRONIC RISK - FULL EXPOSURE

ACTIVITY COMMENTS

Intermittent use of low pressure trigger spray bottle.

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY



MEDIUM ACUTE RISK - FULL EXPOSURE

AVOID SKIN CONTACT



IF OVEREXPOSURE LIKELY



IF CONTACT LIKELY





WASH AFTER **EXPOSURE**



IF HEAVILY SOILED



CLOSE ALL CONTAINERS



CONTROLLED STORE /WASTE

HEALTH HAZARDS

May cause ill health if ingested in quantity

May cause eye irritation

Skin - irritation and dermatitis may result from prolonged contact



This worker sheet was compiled by Alcumus Sypol Limited from the full assessment. Refer to the full assessment for further information regarding all aspects of safe use. For advice call the helpdesk on 01296 678464

Printed 16/04/2021



www.alcumusgroup.com **WORKER REFERENCE SHEET**

SUB FACILITY TELECOMS MAIN **TELECOMS** 106820

MATERIAL/PROCESS

PROTEUS BITUKLEEN NO 3

PROTEUS EQUIPMENT LTD **SUPPLIER**

KEYWORD Cleaner SIGNAL WORD NONE





METHOD Spraying (Trigger Bottle)

AREA Outside

EXPOSURE TIME 4 to 8 hours per shift

ACTIVITY COMMENTS

MEDIUM CHRONIC RISK - FULL EXPOSURE

Intermittent use of low pressure trigger spray bottle.

CONTROL MEASURES

MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY

MEDIUM CHRONIC RISK - INDIVIDUAL ACTIVITY



MEDIUM ACUTE RISK - FULL EXPOSURE





POLYTHENE OR NITRILE



IF CONTACT LIKELY



AND



LEV OR



FILTER TYPE P1



WASH AFTER **EXPOSURE**



IF HEAVILY SOILED



CLOSE ALL CONTAINERS



CONTROLLED STORE /WASTE

HEALTH HAZARDS

May cause ill health if ingested in quantity

May cause eye irritation

Skin - irritation and dermatitis may result from prolonged contact



This worker sheet was compiled by Alcumus Sypol Limited from the full assessment. Refer to the full assessment for further information regarding all aspects of safe use. For advice call the helpdesk on 01296 678464

Printed 16/04/2021



CONTROL SHEET www.alcumusgroup.com

4015002 **User making request:** Dorrett Bryan **REQUEST DETAILS** #ID:

106820 **MATERIAL DETAILS Material Code:** MEDIUM UNCONTROLLED ACUTE RISK

Tradename: PROTEUS BITUKLEEN NO 3 MEDIUM UNCONTROLLED CHRONIC RISK

LOW CONTROLLED ACUTE/CHRONIC RISK

Supplier: IMC: PROTEUS EQUIPMENT LTD

ACTIVITY DETAILS

Method Act No. Area **Exposure**

Spraying (Trigger Bottle) 1/2 to 2 hours per shift 13 Outside 18 Spraying (Trigger Bottle) Outside 4 to 8 hours per shift

SCENARIO DETAILS Additional work practices:

Approximately how much of the material is How many people are 1 OR 2 CANS Frequency of use: Daily 2-5 used by one person in one working day: directly exposed?:

Are any other people put at risk from indirect No

How are they exposed?: exposure?:

Are there any susceptible workers?: **Susceptible Categories:** No

WORK AREA

Work Area Code Sub Area Code

TELECOMS

OTHER INFORMATION

Answer CONSIDERATIONS



Are procedures to ensure the maintenance of controls in place?

YES