- > Project title: CAU-IIKH
- ➤ List of team members: <Class 2 Team 1> 20182705 고주형, 20185784 김호성, 20182610 손희승, 20162874 이준협, 20142611 이하람
- Presentation speaker name: 고주형
- Brief project description (summary)

Efficient kitchen helper that is used for managing a lot of recipes, and planning daily meals like breakfast, lunch or dinner.

By using our kitchen helper, you can SAVE/DELETE/SEARCH for recipes and manage your meal

We also put ascii arts inside our program. Pretty UI makes program livelier and fresher.



B.

- How to compile and execute
 - ① Change directory to Source Code Package Folder
 - ② Open the Solution File with Visual Studio 2019
 - 3 Compile (Ctrl-F5) and Execute
- And also, an executable file is in Release Folder so you can directly execute our project file. (How to use executable file is in README.txt)
- > System requirement for compilation and execution

Target OS: Windows 7 / 10

System Recommendation: Same as Visual Studio 2019 system requirement

- C. Description on functionality that was implemented in your SW system:
 - Add recipe: Add a new recipe to our Database.
 - > Delete recipe: Delete existing recipe from our Database.
 - Search recipe (Print all recipes):

Search existing recipe from our Database by recipe name. It is automatically printed in alphabetical

Also, The containing word(Keyword) Search is supported(If you search "pie", all kinds of recipes whose name includes substring "pie" will be searched. For Example, "apple pie", "raspberry pie" ...)

- Add meal plan: Add new meal plan to our Database.
- > Print meal plan: Print all meal plans' title and breakfast, lunch, dinner's menu. It is automatically printed in alphabetical order.
- > Delete meal plan: Delete existing meal plan from our Database.
- Pretty Ascii art: Maybe it will make user happy and make program fancier.

- D. How you implemented (important implementation issues):
 - At first, we tried to identify the project given to us before designing. What we were trying to create was IIKH, which needed to create and read a database of recipes and plans. Therefore, we focused on the database when designing the program. Recipes and plans have a database that contains recipe data or plan data. We needed to save the database as a file to load and save, and we chose the file format of the database to be csv. We chose csv format because the delimiter of csv was ','. We thought it would be easy to convert.

After that, the story came up to here, there were several things we had to do. One is to create the ability to read and write data using the csv file format, the other is to build the internal structure of the data and the database, and the other is to use the data to retrieve, display, or add data within the program. Based on this, we completed the division of roles, and after some communication, integrated the functions and finally completed the program.

Important Issues


• Issue01: Problem was ambiguous.

Due to ambiguous specification, we had to talked a lot about what is this program, what is our target, what should we implement and how we'll implement this system. Though we had clarified our objective (what we'll implement). The Problems was that the overall program design which is about how we'll implement this program, was chosen by just talking. There was no document or logs about what we talked. Also, after some coding we found out everyone was thinking slightly different design.

By that problem when we are talking about our program, we had many issues such as, Team Member_A thought it is better to make Database Manager for all objects (recipeDBManager, planDBManager, mealDBManaer). But other Team Member_B thought it is better to make integrated Database Manager that can handle all of the objects. By this mismatched when someone coded a Database header, few team members could understand it.

Also, the Plan class was confusing. It was not descripted correctly and specification was made by just talking. For instance, our one team member thought date should be addressed in plan but other team member thought date will be addressed in meal class. Such kinds of situation led our design more complicated and finally became not understandable. So, we had an emergency meeting and unified all of our design. After that we could start programming our given part for each peacefully and confidently.

Below images are meeting logs taken when we were doing Emergency Meeting.




● Issue02: Designing component and giving responsibilities to specific class. We argued a lot about responsibilities. If a specific class controls every class, the dependency becomes high. This was bad. Bad to debug or understand or extend as we learned. For example, meal information was needed in everywhere. A Planner had to know meals for daily meal plan, Database Manager should contain every meal for saving, and meal should contain date for searching meal plan by date. After some coding meal class became too huge, and dependent. So, we lowered the dependency of class by giving responsibility to each class and requesting to other class when other class' responsibility is need.

E. The result of SW system design [UML]

You can check this UML in high quality in our site: https://iamgroooooot.github.io/IIKH/UML-html-docs/

In this site you can open each class and see more details.



F. Execution results: show real examples of program execution. (use screen capture)

Show that each function of the SW system is working correctly.

1. Start Scene



2. Adding Thigh Burger Recipe (Menu 2)

```
You've selected [2] to add recipe
Enter recipe information in [[ NAME -> DESCRIPTION -> TIME -> INGREDIENTS ]] order
Name : 싸이버거
Direction : 1. 계란 2개를 푼 후 허벅지 살을 담군다. 2. 허벅지 살에 튀김을 입힌다. 3. 튀긴다. 4. 빵 사이에 마요네즈와 함께 넣는다.
Cooking Time(min) : 20
Ingredients (If you want to stop enter "stop" ): 뼈 없는 닭 허벅지 살
양상추
소급
일가루
햄버거 빵
작식용유
마늘 가루
양파
파울
```

3. Searching Thigh Burger Recipe that I just added. (Menu 1)

You can see all Recipes containing searched word were being printed.

```
Colive selected [1] to search recise
There is 5 actaching result for "Chicken"

> Procise Name : Aussie Chicken

> Ingredients :

- Lap 5 liced fresh mushroos

- 1 abliespoon dried online flakes

- 1 abliespoon dried online flakes

- 2 bibliespoons chosed fresh rears ley

- 2 purs stresded follty-florerray Jack cheese

- 2 bibliespoons chosed fresh rears ley

- 2 purs stresded follty-florerray Jack cheese

- 2 bibliespoons chosed fresh rears ley

- 3 purs stresded follty-florerray Jack cheese

- 2 bibliespoons chosed fresh rears ley

- 4 purs land for a purs seasoning sall of the florer stress seasoning sall cover and refrigerate for 30 minutes.

- 5 purs stresded florer stress seasoning sall cover and refrigerate for 30 minutes.

- 5 purs stresded florer to chook

- 5 the 1: Not the chicker breasts with the seasoning salt cover and refrigerate for 30 minutes.

- 5 purs stresded florer florers

- 5 purs stresded florers

- 6 purs stresded florers

- 6 purs stresded florers

- 6 purs stresded florers

- 7 purs stresded florers

- 7
```

(This Screen capture is about keyword search)

As you see, by searching "Chicken", all recipes about chicken were printed out.

4. See all Recipes including Thigh Burger Recipe that I just added. (Menu 4)

```
| Compared to the second process | 1 pinch rot second process | 2 pinch rot second process | 2 pinch rot second process | 2 pinch rot second process | 3 pinch r
```

5-1. Trying to Delete Thigh Burger Recipes that I just added. (Menu 3)

```
You've selected [3] to delete recipe
Enter recipe name which you want to delete : 싸이
>> Deletion Failed.
>> There is no matching recipe for "싸이"
>> Did you meant "싸이버거"? try it again
계속하려면 아무 키나 누르십시오 . . .
```


• Deletion Failed because I didn't wrote full name. It gives recommendations.

5-2. Deleting Thigh Burger Recipe that I just added. (Menu 3)

```
You've selected [3] to delete recipe
Enter recipe name which you want to delete : 싸이버거
>>> Deletion Success.
계속하려면 아무 키나 누르십시오 . . .
```

• Deleted Thigh Burger because I wrote full name exactly.

• For convenience, we used CSV format so you can see and edit Recipes in the Excel.



6. Setting Meal Plan for 2019/10/11 (Menu 6)

```
You've selected [6] to add plan
Enter plan information in [[ YEAR -> MONTH -> DAY -> DAYNAME -> BREAKFAST -> LUNCH -> DINNER ]] order
Year : 2019
Month : 10
Month
Dav
Plan Name : CAU 101 Anniversary
Breakfast (If you want to stop enter "stop" ): CAU Burger
Cola
stop
            (If you want to stop enter "stop" ) : CAU Tous les Jours
unch
Milk
stop
            (If you want to stop enter "stop" ) : CAU Burger
Dinner
stop
```


7. You can see all Meal Plans, including Plan you just added (Menu 8)

1. Tou can see all ivical Hairs, including Hair you
You've selected [8] to view plan Plan Name : Presentation Day >> Breakfast - Baked beans - Glass of reduced milk - Tomato - Wholegrain toast with polyunsaturated margarine
>> Lunch - Coffee with milk - Wholegrain sandwich with roast beef
>> Dinner - Boiled rice - Broccoli - Carrots - Fish prepared with olive oil - Potato
Plan Name : My Birthday >> Breakfast - Reduced fat yoghurt - Wholegrain breakfast cereal
>> Lunch - Apple - Sandwich with salad and chicken
>> Dinner - Cake - Pasta with beef mince and red kidney beans
Plan Name : CAU 101 Anniversary >> Breakfast - CAU Burger - Cola
>> Lunch - CAU Tous les Jours - Milk
>> Dinner - CAU Burger
Plan Name : New Year >> Breakfast - Rice Cake
>> Lunch - Rice Cake
>> Dinner - Rice Cake
 계속하려면 아무 키나 누르십시오

8. You can delete Meal Plan with Date. I deleted CAU 101 Anniversary Plan that I just added. (Menu 7)

```
You've selected [7] to delete plan
Enter date [[ YEAR -> MONTH -> DAY]] order to delete plan
Year : 2019
Month : 10
Day : 11
>> Deletion Success.
계속하려면 아무 키나 누르십시오 . . .
```

 For convenience, we used CSV format so you can see and edit Plans in the Excel.



9. You can search Plan by Date.

- G. Explain how you applied object-oriented concepts to the development for your project.
- 1. [Encapsulation] In our OOP class we learned how to hide unnecessary details. We always started from private and when it has to be exposed, we made it public. Plus, we designed the class with their appropriate responsibility. So, our class has only required variables or functions that are related with its responsibility.

```
Recipe.h → X Plan.h
                                       Greeter.h
                                                             main.cpp
™ Team1-IIKH
                                                                                                                             - Recipe
              ⊡// stores recipe's name, description, ingredients, time

[// and performs action related to recipe and it's member
             Eclass Recipe {
                    std∷string name;
                    std::string description;
                      / Recipe's Ingredients: it is set of ingredient(we use "string" for ingredient)
                    std::set<std::string> ingredients;
                     // Recipe's Expected Time it takes to cook
                    int time;
                     std::string ingredientString;
               public:
// CTOR: name, description, time, ingredients will be initialized

Recipe(std::string && n, std::string && d, int t, std::vector<std::string> i) :
name(n), description(d), time(t), ingredients() {
// insert all ingredient to ingredients set
                               ingredients.insert(s);
                    const std::string & getName() const { return name; }
                     const std::string & getDescription() const { return description; }
                     const std::set<std::string> & getIngredients() const { return ingredients; }
                     int getTime() const { return time; }
                     void setName(std::string & n) { name = n; }
                     void setDescription(std::string & d) { description = d; }
                     void setTime(int t) { time = t; }
                    // insert Recipe ingredient to ingredients set, and returns second stored value bool addingredient(std::string & n) { return ingredients.insert(n).second; }
                     bool removeIngredient(std::string & n) { return ingredients.erase(n) -- 1; }
                     bool searchIngredient(std::string & n) { return ingredients.find(n) !- ingredients.end(); }
                     std::string getIngredientsIntoString() {
                          for (auto ingredient : ingredients) {
                              ingredientString.append(ingredient);
ingredientString.append("$");
                         return ingredientString;
                     .
// print Recipe data
                        std::cout << "Recipe Name : " << name << std::endl;
std::cout << "Ingredients : "<< endl;
                          for (std::string s : ingredients) {
```

2. [Inheritance] We looked at the objects relation carefully and made programming more efficient.

For Instance, in case of database manager, many kinds of database managers were needed. We needed Plan Database manager, Meal Database Manager, Recipe Database Manager. Each Database managers was similar to each other and also the code was almost the same but saving format or few functions details were little bit different. So, we made DataBase [parent class] which had all overlapping details of all kinds of Database Managers. Inheriting Database [parent class] traits, making other Database Managers were easier (High Reusability). Also, we could eliminate the same codes.

In addition, with virtual keyword we implemented different details in the Database Managers' functions. That keyword acted like interface and all Database Managers [child class] had implemented mandatory details.

• DataBase [Parent]

```
| delete pair of key and value | foresting | foresting
```

• RecipeDB [Child]

• PlanDB [Child]

- Explain what you felt and learned from the project.

[고주형] It was nice to experience object-oriented programming as a team project. It was good chance to think deeply about object-oriented programming and design.

I was team leader so I kept track of project progress. I had to give everyone's work equally to until the program is fully implemented. Also, I had to think in Bottom Up manner. This gave me enlightenment about what is good design and why we use object-oriented programming. I had to rapidly gathered all of our team member's code and I integrated it into our master branch (we used git). When convention was different, I had hard time understanding it. But, unified convention and nicely encapsulated code was easy to use and I didn't confuse much what to use because unneeded functions or variables were forbidden. [김호성] I've never had a chance to do a project on a team-by-team basis before, and it's been great to be able to do it through this team project, and the process of working together was fun.

[손희승 Coding with others was hard at first but after few days later, it became comfortable. I learned few tips. I know what Github is but didn't use it much. In this project I got chance to know about Git like, how to cooperate using Git, how to invite collaborator. With kind team members, I think I learnt a lot about cooperating.

[이준협] It was interesting to think in various ways because no implementation or details were restricted. And I felt again that teamwork is important.

[이하람] Through this project, I learned and knew about what an Object-oriented programming in the abstract. Also, it was very interesting to discuss together for making the programming because it was the first time for me to learn about c++.

H. Conclusion

Our team project was successful. We argued a lot about what is more good design or what data structure we should use for many models. We learned from each other by talking, arguing and cooperating. We learned how to cooperate in bottom up style code. This kind of experience will be helpful in the future.

Thank You 😉