Notes on Feng & Palomar 2016: Portfolio Optimization with Asset Selection and Risk Control

Zé Vinícius

August 25, 2018

Notation

Vectors are represented by bold, small-case letters, e.g., \boldsymbol{x} . All vectors are column vectors. Given a vector \boldsymbol{x} , both $(\boldsymbol{x})_i$ and x_i represent the *i*-th component of \boldsymbol{x} .

1 Background

Risky parity is a portfolio design technique which aims to promote diversification of risk contributions amongst assets. This approach often leads to a dense portfolio, *i.e.*, a portifolio which has contributions from all its assets. However, investing in all assets is impractical because of, *e.g.*, high transaction costs. The problem of jointly designing a sparse risk-parity portfolio is precisely the subject of study of Feng & Palomar.

Consider a collection of n assets with random returns $\mathbf{r} \in \mathbb{R}^n$ such that $\mathbb{E}[\mathbf{r}] \triangleq \boldsymbol{\mu}$ and $\mathbb{E}\left[(\mathbf{r} - \boldsymbol{\mu})(\mathbf{r} - \boldsymbol{\mu})^T\right]$ are its mean vector and its (positive definite) covariance matrix. Also, let $\mathbf{w} \in \mathbb{R}^n$ denote the normalized portfolio (e.g. $\mathbf{w}^T \mathbf{1} = 1$), which represents the distribution of capital budget allocated over the assets.

Then, for every normalized portfolio \boldsymbol{w} , define the portfolio volatility as $\sigma(\boldsymbol{w}) \triangleq \sqrt{\boldsymbol{w}^T \boldsymbol{\Sigma} \boldsymbol{w}}$. Intuitively, the portfolio volativity is a measure of the risk contributions, i.e., the loss contributions from each asset. Besides, the proper definition of a measure of risk contribution is a paramount step before actually advancing on the study of risk parity portfolio.

Note that the portfolio volatility is a positively homogenous function, which implies that it can be expressed as

$$\sigma(\boldsymbol{w}) = \sum_{i=1}^{n} w_i \frac{\partial \sigma(\boldsymbol{w})}{\partial w_i},\tag{1}$$

in fact, the RHS of (1) is

$$\sum_{i=1}^{n} w_i \frac{\partial \sigma(\boldsymbol{w})}{\partial w_i} = \sum_{i=1}^{n} w_i \frac{(\boldsymbol{\Sigma} \boldsymbol{w})_i}{\sqrt{\boldsymbol{w}^T \boldsymbol{\Sigma} \boldsymbol{w}}}.$$
 (2)

From (2), $w_i \frac{\partial \sigma(\boldsymbol{w})}{\partial w_i}$ can be thought as the risk contribution of the *i*-th asset. Additionally, the risk contributions of every asset in a risk-parity portofolio are the same, therefore

$$w_i \frac{(\Sigma w)_i}{\sqrt{w^T \Sigma w}} = w_j \frac{(\Sigma w)_j}{\sqrt{w^T \Sigma w}} \ \forall i, j.$$
 (3)

2 Problem formulae

The problem of designing risk-parity portfolios with asset selection, as formulated by Feng & Palomar, is given as

minimize
$$F(\boldsymbol{w}) + \lambda_1 ||\boldsymbol{w}||_0 + \lambda_2 R(\boldsymbol{w}, \theta)$$

subject to $\boldsymbol{w}^T \mathbf{1} = 1, \boldsymbol{w} \in \mathcal{W},$ (4)

where

- $F(\boldsymbol{w}) \triangleq \boldsymbol{w}^T(\nu \boldsymbol{\mu} + \Sigma \boldsymbol{w})$
- $R(\boldsymbol{w}, \theta) \triangleq \sum_{i=1}^{n} (g_i(\boldsymbol{w} \theta))^2 \mathbb{I}_{\{w_i \neq 0\}}$

2.1 w - update

For a fixed θ :

$$\begin{array}{ll} \underset{\boldsymbol{w},\boldsymbol{\theta}}{\text{minimize}} & F(\boldsymbol{w}) + \lambda_1 || D_o^k \boldsymbol{w} ||_o^o + \lambda_2 P(\boldsymbol{w},\boldsymbol{\theta}^k) + \tau || \boldsymbol{w} - \boldsymbol{w}^k ||_2^2 \\ \text{subject to} & \boldsymbol{w}^T \mathbf{1} = 1, \boldsymbol{w} \in \mathcal{W}, \end{array}$$

where

$$P(\boldsymbol{w}, \theta) \triangleq \sum_{i=1}^{n} \left\{ \tilde{g}_{i}(\boldsymbol{w}^{k}, \theta) + (\nabla \tilde{g}_{i}(\boldsymbol{w}^{k}, \theta))^{T} (\boldsymbol{w} - \boldsymbol{w}^{k}) \right\}^{2}$$
 (6)