# IbraFSG<sup>™</sup> 8 - Week 12; Algorithms and Efficiency

Ibrahim Chehab

UTM RGASC

April 3, 2024

#### **Table of Contents**

- Introduction
  - FSG HouseKeeping
  - Welcome back to IbraFSGs™
  - A Recap of the UltraSheet<sup>™</sup>
- Algorithms and Efficiency
  - Key Terms
  - The Master Theorem
- Practice Problems
  - Practice Problem I: The Tightest Bound
  - Practice Problem II: FindMiiComplexity
- Conclusion
  - A Final Challenge
  - Goodbye, for now. . .

- **1** Reminder that a new FSG Session has been added:
  - When? Fridays, 12:00-1:00PM
  - Where? IB210

- **1** Reminder that a new FSG Session has been added:
  - When? Fridays, 12:00-1:00PM
  - Where? IB210
- Assignment 2 Deadline Coming Up! Assignment 2 is due today at 5:00PM! Don't forget to submit it on MarkUs!

- Reminder that a new FSG Session has been added:
  - When? Fridays, 12:00-1:00PM
  - Where? IB210
- Assignment 2 Deadline Coming Up! Assignment 2 is due today at 5:00PM! Don't forget to submit it on MarkUs!
- New Study Session Drop Ins! Feeling Stressed about exams? Don't know where to start? Drop by the MN3260 for a study skills session!
  - When: April 3<sup>rd</sup> 1-2PM
  - Where: MN3260

- Reminder that a new FSG Session has been added:
  - When? Fridays, 12:00-1:00PM
  - Where? IB210
- Assignment 2 Deadline Coming Up! Assignment 2 is due today at 5:00PM! Don't forget to submit it on MarkUs!
- New Study Session Drop Ins! Feeling Stressed about exams? Don't know where to start? Drop by the MN3260 for a study skills session!
  - When: April 3<sup>rd</sup> 1-2PM
  - Where: MN3260
- Join the UTM CS Discord Server! https://discord.gg/utmcs
  - **Note:** The server is not affiliated with the RGASC, CSC148H5, or the University of Toronto Mississauga

- Reminder that a new FSG Session has been added:
  - When? Fridays, 12:00-1:00PM
  - Where? IB210
- Assignment 2 Deadline Coming Up! Assignment 2 is due today at 5:00PM! Don't forget to submit it on MarkUs!
- New Study Session Drop Ins! Feeling Stressed about exams? Don't know where to start? Drop by the MN3260 for a study skills session!
  - When: April 3<sup>rd</sup> 1-2PM
  - Where: MN3260
- Join the UTM CS Discord Server! https://discord.gg/utmcs
  - Note: The server is not affiliated with the RGASC, CSC148H5, or the University of Toronto Mississauga
- MEGA FSG Coming Soon! Stay tuned for a MEGA FSG session to help you prepare for the final exam!

### Welcome back to IbraFSGs™

- Welcome back to IbraFSGs<sup>™</sup>! Hello to new people and welcome back to tenured members.
- This week we will be going over algorithms and complexity analysis
- Todays session will act as a prelude to CSC236
  - CSC236 is the course where you will learn about the theory of computation
  - The entire course has a backbone of induction and recursion
  - Towards the end of the course, you will learn about DFAs, NFAs, and Turing Machines (i.e. a DFA is a quintuple  $(Q, \Sigma, \delta, q_0, F)$ )

### Welcome back to IbraFSGs™

- Welcome back to IbraFSGs<sup>™</sup>! Hello to new people and welcome back to tenured members.
- This week we will be going over algorithms and complexity analysis
- Todays session will act as a prelude to CSC236
  - CSC236 is the course where you will learn about the theory of computation
  - The entire course has a backbone of induction and recursion
  - Towards the end of the course, you will learn about DFAs, NFAs, and Turing Machines (i.e. a DFA is a quintuple  $(Q, \Sigma, \delta, q_0, F)$ )
- https://www.bigocheatsheet.com/

### Welcome back to IbraFSGs™

- Welcome back to IbraFSGs<sup>™</sup>! Hello to new people and welcome back to tenured members.
- This week we will be going over algorithms and complexity analysis
- Todays session will act as a prelude to CSC236
  - CSC236 is the course where you will learn about the theory of computation
  - The entire course has a backbone of induction and recursion
  - Towards the end of the course, you will learn about DFAs, NFAs, and Turing Machines (i.e. a DFA is a quintuple  $(Q, \Sigma, \delta, q_0, F)$ )
- https://www.bigocheatsheet.com/
- Fun Fact: In CSC263, you will use something called the Master Theorem to analyze the complexity of divide and conquer algorithms like MergeSort and QuickSort

# A Recap of the UltraSheet™

- An UltraSheet<sup>™</sup> is a "cheat sheet" that you compile for yourself to review course materials
  - Sharing UltraSheets™ is counter-productive and will not help you learn the material
  - However, reviewing content in a group and simultaneously updating your UltraSheets<sup>™</sup> is a good idea
- It acts like your own personalized textbook chapter
  - It allows you to regurgitate all the course information in a contiguous, organized manner and helps you find gaps in your knowledge
  - You should **not** be copying the textbook or lecture slides verbatim; You should be **summarizing** the content in your own words while tying in examples and analogies
- UltraSheets<sup>™</sup> help with type 1 and 2 questions
- In case you didn't notice yet, Petersen *loves Type 1* and *Type 2* questions Use this information how you will ;P

## **Key Terms**

Required Key Terms: The following key terms are required for this week's content. You should be able to define and explain these terms in your UltraSheets<sup>TM</sup>:

- Big-O Notation  $(\mathcal{O}(n))$ 
  - Upper Bound
  - A function f(n) is  $\mathcal{O}(g(n))$  if there exists a constant c>0 and  $n_0>0$  such that  $f(n)\leq c\cdot g(n)$  for all  $n\geq n_0$

## **Key Terms**

**Required Key Terms:** The following key terms are required for this week's content. You should be able to define and explain these terms in your UltraSheets<sup>TM</sup>:

- Big-O Notation  $(\mathcal{O}(n))$ 
  - Upper Bound
  - A function f(n) is  $\mathcal{O}(g(n))$  if there exists a constant c>0 and  $n_0>0$  such that  $f(n)\leq c\cdot g(n)$  for all  $n\geq n_0$
- Big-Theta Notation  $(\Theta(n))$ 
  - Tight Bound
  - A function f(n) is  $\Theta(g(n))$  if and only if f(n) is  $\mathcal{O}(g(n))$  and f(n) is  $\Omega(g(n))$
  - In other words; f(n) is  $\Theta(g(n))$  if and only if there exist constants  $c_1 > 0$ ,  $c_2 > 0$ , and  $n_0 > 0$  such that  $c_1 \cdot g(n) \le f(n) \le c_2 \cdot g(n)$  for all  $n \ge n_0$

# **Key Terms (Cont'd)**

**Suggested Key Terms:** The following key terms are *recommended* for further studying this week's content. Most are out of the scope of the course and are **not** required.

- Big-Omega Notation  $(\Omega(n))$ 
  - Lower Bound
  - A function f(n) is  $\Omega(g(n))$  if there exists a constant c>0 and  $n_0>0$  such that  $f(n) \geq c \cdot g(n)$  for all  $n \geq n_0$

# **Key Terms (Cont'd)**

**Suggested Key Terms:** The following key terms are *recommended* for further studying this week's content. Most are out of the scope of the course and are **not** required.

- Big-Omega Notation  $(\Omega(n))$ 
  - Lower Bound
  - A function f(n) is  $\Omega(g(n))$  if there exists a constant c>0 and  $n_0>0$  such that  $f(n)\geq c\cdot g(n)$  for all  $n\geq n_0$
- The Master Theorem
  - A method for solving recurrence relations of the form  $T(n) = aT(\frac{n}{b}) + f(n)$
  - Allows for finding time complexity of divide and conquer algorithms

# **Key Terms (Cont'd)**

**Suggested Key Terms:** The following key terms are *recommended* for further studying this week's content. Most are out of the scope of the course and are **not** required.

- Big-Omega Notation  $(\Omega(n))$ 
  - Lower Bound
  - A function f(n) is  $\Omega(g(n))$  if there exists a constant c>0 and  $n_0>0$  such that  $f(n)\geq c\cdot g(n)$  for all  $n\geq n_0$
- The Master Theorem
  - A method for solving recurrence relations of the form  $T(n) = aT(\frac{n}{b}) + f(n)$
  - Allows for finding time complexity of divide and conquer algorithms
- Induction (Weak, Strong, Structural)
  - Recall this from MAT102
  - Used to formally prove the correctness and efficiency-class of algorithms

Aaaaand...that's it for today!

Fun Fact: In CSC236, the set of all naturals  $\mathbb N$  contains 0, while in many math courses (i.e. MAT102) it does not.

### **Bonus! The Master Theorem**

NOTE: THIS IS COMPLETELY OUT OF SCOPE FOR CSC148! JUST HERE FOR FUN FACT!! The Master Theorem provides a method for solving recurrence relations of the form:

$$T(n) = aT\left(\frac{n}{b}\right) + f(n)$$

where,

- $a \ge 1$  and b > 1 are constants,
- f(n) is an asymptotically positive function.

#### The theorem is divided into three cases:

- **① Case 1:** If  $f(n) \in O(n^{\log_b a \varepsilon})$  for some  $\varepsilon > 0$ , then  $T(n) \in \Theta(n^{\log_b a})$ .
- **2** Case 2: If  $f(n) \in \Theta(n^{\log_b a} \log^k n)$  for some  $k \ge 0$ , then  $T(n) \in \Theta(n^{\log_b a} \log^{k+1} n)$ .
- **3 Case 3:** If  $f(n) \in \Omega(n^{\log_b a + \varepsilon})$  for some  $\varepsilon > 0$ , and if  $af\left(\frac{n}{b}\right) \le cf(n)$  for some c < 1 and sufficiently large n, then  $T(n) \in \Theta(f(n))$ .

TI;Dr - CS isn't all about coding, there's a lot of math involved too!

TIdrdr - CS gets real hard real fast

# Example of CSC236 Problem (1/3):

Combining our initial conditions, we get:

**Question 1:** Show that if  $f \in \mathcal{O}(g)$  and  $g \in \Theta(h)$ , then  $f + g \in \Theta(h)$ .

#### Proof.

Given  $f \in \mathcal{O}(g)$ , there exists  $c_1, n_0 > 0$  such that  $f(n) \le c_1 g(n)$  for all  $n \ge n_0$ . For  $g \in \Theta(h)$ , there are constants  $c_2, c_3, n_1 > 0$  making  $c_2 h(n) \le g(n) \le c_3 h(n)$  for all  $n \ge n_1$ . We aim to find  $c_4, c_5, n_2 > 0$  satisfying  $c_4 h(n) \le f(n) + g(n) \le c_5 h(n)$  for all  $n \ge n_2$ .

$$0 \le f(n) \le c_1 g(n)$$
$$c_2 h(n) \le g(n) \le c_3 h(n)$$



# Example of CSC236 Problem (2/3):

#### **Continuation of Proof:**

### Proof (continued).

Combining the given, for  $n \ge \max(n_0, n_1)$ :

$$c_2h(n) \leq f(n) + g(n) \leq c_1g(n) + c_3h(n)$$

# Example of CSC236 Problem (2/3):

#### **Continuation of Proof:**

### Proof (continued).

Combining the given, for  $n \ge \max(n_0, n_1)$ :

$$c_2h(n) \leq f(n) + g(n) \leq c_1g(n) + c_3h(n)$$

From the definition of  $\Theta(n)$ , we know that g(n) is upper-bounded by  $c_3 \cdot h(n)$  for all  $n \geq n_1$ . Hence, we can simplify the above inequality to:

$$\implies c_2 \cdot h(n) \le f(n) + g(n) \le c_1 \cdot (c_3 \cdot h(n)) + c_3 \cdot h(n)$$
 for all  $n \ge \max(n_0, n_1)$ 

# Example of CSC236 Problem (2/3):

#### **Continuation of Proof:**

### Proof (continued).

Combining the given, for  $n \ge \max(n_0, n_1)$ :

$$c_2h(n) \leq f(n) + g(n) \leq c_1g(n) + c_3h(n)$$

From the definition of  $\Theta(n)$ , we know that g(n) is upper-bounded by  $c_3 \cdot h(n)$  for all  $n \geq n_1$ . Hence, we can simplify the above inequality to:

$$\implies c_2 \cdot h(n) \leq f(n) + g(n) \leq c_1 \cdot (c_3 \cdot h(n)) + c_3 \cdot h(n)$$
 for all  $n \geq \max(n_0, n_1)$ 

Factoring out h(n) from the RHS, we get:

$$\implies c_2 \cdot h(n) \le f(n) + g(n) \le (c_1 \cdot c_3 + 1) \cdot h(n)$$
 for all  $n \ge \max(n_0, n_1)$ 

# Example of CSC236 Problem (3/3):

#### Finishing off the Proof:

### Proof (continued).

$$\implies c_2 \cdot h(n) \leq f(n) + g(n) \leq (c_1 \cdot c_3 + 1) \cdot h(n)$$
 for all  $n \geq \max(n_0, n_1)$ 

Take  $c_4 = c_2$  and  $c_5 = c_1 \cdot c_3 + 1$ . We have shown that f(n) + g(n) is upper-bounded by  $(c_1 \cdot c_3 + 1) \cdot h(n)$  for all  $n \ge \max(n_0, n_1)$ . We can also show that f(n) + g(n) is lower-bounded by  $c_2 \cdot h(n)$  for all  $n \ge \max(n_0, n_1)$ .

Hence, we have shown that  $f(n) + g(n) \in \Theta(h(n))$ , thus completing the proof.

Note: This proof is a bit more advanced than what you would see in CSC148. It's meant to give you a taste of what you'll see in CSC236.

Note 2: This proof has been heavily condensed for time purposes. The actual proof would be more detailed and rigorous.

### **Jamboard Link**



0403 for April 3<sup>rd</sup>

**Note:** Jamboard isn't ideal because of its limitations, hence I'm working on my own alternative. Stay tuned!

# **Practice Problem I: The Tightest Bound**

Peace and d.aki are arguing over the tightest upper-bound for the following function. Peace argues that it's  $\mathcal{O}(n^2)$  while d.aki argues that it's  $\mathcal{O}(n^3)$ . Given the following function, who is correct? Justify your answer.

```
def mystery(n: int):
   L = []
   for i in range(n):
       for j in range(min(50, n)):
           L.insert(0, j)
```

Hint: Recall the definition of O notation

Hint 2: Consider modeling a piecewise function T(n) dictating the number of steps taken by the function for arbitrary input n

## **Practice Problem I: The Tightest Bound**

Peace and d.aki are arguing over the tightest upper-bound for the following function. Peace argues that it's  $\mathcal{O}(n^2)$  while d.aki argues that it's  $\mathcal{O}(n^3)$ . Given the following function, who is correct? Justify your answer.

```
def mystery(n: int):
   L = []
   for i in range(n):
       for j in range(min(50, n)):
           L.insert(0, j)
```

Hint: Recall the definition of  $\mathcal{O}$  notation

Hint 2: Consider modeling a piecewise function T(n) dictating the number of steps taken by the function for arbitrary input n

Recall: For a function f to be an element of  $\mathcal{O}(g)$ , there must exist constants c>0 and  $n_0>0$  such that  $f(n)\leq c\cdot g(n)$  for all  $n\geq n_0$ 

### **Practice Problem I Debrief**

What if we changed the min to max? Abdulkader thinks it's still  $\mathcal{O}(n^2)$ , but drew thinks it's  $\mathcal{O}(n^3)$ . Who is correct. Justify your answer.

```
def mystery2(n: int):
   L = []
   for i in range(n):
       for j in range(max(50, n)):
           L.insert(0, j)
```

Hint: Modify your piecewise function T(n) to account for the change in the function, then compare the two functions.

# Practice Problem II: FindMiiComplexity

What is the worst-case asymptotic complexity of the following function? Justify your answer.

```
def foo(x: int):
    n = x
    for i in range(50):
        if n <= 50:
            for j in range(n):
                x += 1
        if n <= 100:
            for j in range(n):
            if n <= 75:
                for k in range(n):
                x += 1</pre>
```

Hint: Split each part of the function into its own piecewise function T(n), then combine them to find the overall complexity.

# Practice Problem II: FindMiiComplexity

What is the worst-case asymptotic complexity of the following function? Justify your answer.

```
def foo(x: int):
    n = x
    for i in range(50):
        if n <= 50:
            for j in range(n):
                x += 1
        if n <= 100:
            for j in range(n):
            if n <= 75:
                for k in range(n):
                x += 1</pre>
```

Hint: Split each part of the function into its own piecewise function T(n), then combine them to find the overall complexity.

**Bonus (time permitting):** Change one line of this function to make it  $\mathcal{O}(n)$ 

### A Final Challenge...

**Official Homework:** Q13 and Q14 from the Winter 2023 Final exam (i.e. The one I was subjected to last year). They are *very difficult* compared to todays FSG, however are GREAT practice.

#### **Unofficial Homework:**

The following question is definitely a CSC236-level problem, and you will NOT be tested on it in CSC148 - I REPEAT: **YOU WILL NOT BE TESTED ON THIS IN CSC148**. However, it's a fun problem to think about and will give you a taste of what you'll see in CSC236. Formally prove a  $\Theta$  bound for the mystery2 function shown below.

That is, using induction find and prove that  $\exists c_1, c_2, n_0 > 0$  such that  $c_1 \cdot n^2 \leq T(n) \leq c_2 \cdot n^2$  for all  $n \geq n_0$ .

As a refresher:

```
def mystery2(n: int):
  L = []
  for i in range(n):
     for j in range(max(50, n)):
        L.insert(0, j)
```

# Thank you for coming!



Figure 1: Image courtsey of Looney Tunes™ and Warner Bros.™

## Thank you for coming!



Figure 2: Ibrahim right now because FSGs are over

Genuinely, thank you for coming to my FSGs. If anything, I hope I made CSC148 easier for you. This has truly been an amazing experience for me, and I hope to see you all in the future (potentially as a TA :eyes:) Feel free to reach out to me on Discord or on the UTM CS Discord server if you have any questions or need help with anything.

In all seriousness, keep an eye out for our MEGA FSG coming soon...