

CL203: Database Systems lab

Lab#01

Table of Contents

Data:	2
Database	2
Why Database?	2
Database Management system (DBMS).....	3
Database System:.....	4
Types of DBMS	4
Relational DBMS.....	5
NoSQL or Non-relational Databases:	5
SQL:	6

Data:

Data is a collection of facts, such as numbers, words, measurements, observations.

OR

Data can be facts related to any object in consideration.

For example your name, age, height, weight, etc. are some data related to you. A picture, image, file, pdf etc. can also be considered data.

Database

A database is simply a bunch of information (data) stored on a computer.

This could be a list of all your clients, a list of the products you sell, the results of a chess tournament or everyone in your family tree.

Data could be random, database is a systematic collection of data. Since the data in database is organized it makes data management easy. Databases support storage and manipulation of data.

A database is a shared collection of logically related data, which is stored to meet the requirement of different users of an organization

Logically related data: for example a man is working in a company and we want to get facts/data about such worker. We can gather many data like

➤ Necessary Data

- Name
- FName
- Address
- So many ...


➤ Unnecessary Data

- Size of shoe
- Hair Color
- Height
- Weight
- Eye Color

Why Database?

- Better Data Integrity

- Better data security
- Control of data redundancy
- Data & resource sharing eliminates or at least minimize duplication
- Multiple users access the data at the same time e.g. ATM
- Better Backup and Recovery procedure



Database Management system (DBMS)

A database management system (DBMS) is a software application used to store, manage and administers the database. For example. MySQL, Oracle, Mongo.

In other words Database Management System (DBMS) is a collection of programs which enables its users to access database, manipulate data, reporting / representation of data .

It also helps to control access to the database.

Let's discuss few examples.

Your electricity service provider is obviously using a database to manage billing, client related issues, to handle fault data, etc.


Let's also consider the facebook. It needs to store, manipulate and present data related to members, their friends, member activities, messages, advertisements and lot more.

Database Management Systems are not a new concept and as such had been first implemented in 1960s.

Charles Bachmen's [Integrated Data Store](#) (IDS) is said to be the first DBMS in history.

With time database technologies evolved a lot while usage and expected functionalities of databases have been increased immensely.

Database System:



Database Components (Sanjay Gopal University at Albany)


Types of DBMS

There are 4 major types of DBMS.

- i. Hierarchical
- ii. Network DBMS
- iii. Object Oriented Relation DBMS
- iv. Relational DBMS

Relational DBMS

This type of DBMS defines database relationships in form of tables, also known as relations. Relational DBMS usually have pre-defined data types that they can support. This is the most popular DBMS type in the market. Examples of relational database management systems include MySQL, Oracle, and Microsoft SQL Server database.



NoSQL or Non-relational Databases:

A popular alternative to relational databases. NoSQL database does not have predefined schemas, which makes NoSQL databases a perfect candidate for rapidly changing development environments.

WAMP:

A Windows web development platform .WAMP stands for Windows, Apache, MySQL and PHP. It's a software stack. By installing WAMP means installing Apache, MySQL and PHP on your operating system.

SQL:


SQL stands for Structured Query Language. SQL is a language used to communicate with database. If you want to pull, edit, add or delete data to a database you can use the language SQL to do that.

SQL is the standard language for Relational Database System. All the Relational Database Management Systems (RDMS) like MySQL, MS Access and SQL Server use SQL as their standard database language.

MySQL:

MySQL, is one of the most popular Open Source SQL database management systems.

To start MySQL firstly you have to install wamp / xamp then you would open the MySQL command line client.



```
c:\wamp64\bin\mysql\mysql5.7.14\bin\mysql.exe
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 40
Server version: 5.7.14 MySQL Community Server (GPL)

Copyright (c) 2000, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.


mysql>
```

To create a database you would type the following:

```
mysql> CREATE DATABASE DATABASE_NAME;
```

Notice that you need a semi-colon to end the command.

The following figure shows the creation of database.



```
c:\wamp64\bin\mysql\mysql5.7.14\bin\mysql.exe

mysql> create database fast_dbms;
Query OK, 1 row affected (0.00 sec)


mysql>
```

Task 1.1 Create the fast_dbms database as shown in above Figure.

To check to see if your database has been created you need to use the SHOW

DATABASES command which lists the databases on the MySQL server host.

Task 1.2 Execute the following MySQL command to show the databases that you just created.



```
c:\wamp64\bin\mysql\mysql5.7.14\bin\mysql.exe

mysql> create database fast_dbms;
Query OK, 1 row affected (0.00 sec)

mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| demo         |
| demo2        |
| demo_new     |
| fast2        |
| fast_dbms    |
| fast_nu      |
| first_lect   |
| mysql        |
| performance_schema |
| sys          |
| test1        |
| test2        |
| zxc          |
+-----+
14 rows in set (0.00 sec)

mysql>
```

To work with any specific database you first have to select it, so you need to execute the USE command followed by the name of the database that you want to use.

Task 1.3 Execute the following MySQL command to begin using the fast_dbms database.

mysql> USE fast_dbms;

MySQL will then inform you that the database has changed.

A screenshot of a Windows command prompt window titled "c:\wamp64\bin\mysql\mysql5.7.14\bin\mysql.exe". The window has a yellow title bar and standard Windows window controls (minimize, maximize, close). The command prompt shows the following text:

```
mysql> use fast_dbms;  
Database changed  
mysql>
```