

---

# The Damped Bundle Adjustment Toolbox

## v0.4 for Matlab

Niclas Börnin<sup>1</sup> and Pierre Grussenmeyer<sup>2</sup>

<sup>1</sup>Department of Computing Science, Umeå University, Sweden,  
`niclas.borlin@cs.umu.se`

<sup>2</sup>ICube Laboratory UMR 7357, Photogrammetry and Geomatics Group,  
INSA Strasbourg, France

June 25, 2014

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Purpose . . . . .	3
1.2	Capabilities . . . . .	3
1.3	Legal . . . . .	4
<b>2</b>	<b>Installation</b>	<b>4</b>
<b>3</b>	<b>Usage</b>	<b>4</b>
3.1	Demos . . . . .	4
3.1.1	loadplotdemo . . . . .	5
3.1.2	loadplotdemo2 . . . . .	5
3.1.3	camcaldemo . . . . .	6
3.1.4	romabundledemo . . . . .	11
3.1.5	Camera calibration demos . . . . .	11
3.2	Using your own data . . . . .	12
3.2.1	Export from Photomodeler . . . . .	12
3.2.2	Loading into Matlab . . . . .	12
<b>A</b>	<b>Enabling text export from Photomodeler</b>	<b>14</b>
<b>B</b>	<b>Camera model</b>	<b>14</b>
<b>C</b>	<b>Result file example</b>	<b>14</b>

# 1 Introduction

## 1.1 Purpose

This purpose of the Damped Bundle Adjustment toolbox is to be a high-level toolbox for photogrammetry in general and bundle adjustment in particular. It is the hope of the authors that the high-level nature of the code will inspire algorithm development. The code is written in Matlab and is verified to work with Matlab version 8 (release R2012B). The intention is that at least the computation routines will be Octave-compatible. This has however not been tested yet.

## 1.2 Capabilities

The toolbox currently includes routines for (function names in parentheses):

- File handling:
  - Reading Photomodeler-style text export files (`loadpm`).
  - Writing Photomodeler-style text result files (`bundle_result_file`).
- Photogrammetric calculations, including:
  - Spatial resection (`resect`).
  - Forward intersection (`forwintersect`).
  - Relative orientation based on the Nistér 5-point algorithm (Stewénus et al., 2006) will be added in the future.
- Bundle adjustment
  - Bundle adjustment proper (`bundle`) using either Classical, Gauss-Newton-Armijo, Levenberg-Marquardt, or Levenberg-Marquardt-Powell damping schemes (Börlin and Grussenmeyer, 2013a, 2014).
  - Covariance calculations (`bundle_cov`) from the bundle result.
- Various plotting functions, including:
  - Plot image covered by measurements (`plotcoverage`).
  - Plot camera network (`plotnetwork`), either static (as-loaded) or as an illustration of the bundle iterations.
  - Plot of the iteration trace of parameters estimated by bundle (`plotparams`).
  - Plots of quality statistics from the bundle result (`plotimagestats`, `plotopstats`).
- Demo functions using the above functions. The demo functions are detailed in Section 3.1.

This manual does not contain detailed information about how to use each function. More information may be found by typing `help <function name>` at the Matlab prompt, studying the source code of the demo functions, and reading the source code of each file directly.

Things to be added in the near future:

- Testing of all dampings for return parameter consistency.
- Chirality damping.
- Weights on the observations.
- Test octave compatibility.
- Azimuth-tilt-swing camera model.

## 1.3 Legal

The licence detail are described in the `README.txt` file included in the distribution. In summary:

- You use the code at your own risk.
- You may use the code for any purpose, including commercial, as long as you give due credit. Specifically, if you use the code, or derivatives thereof, for scientific publications, you should refer to on or more of the papers Börnin and Grussenmeyer (2013a,b, 2014) that the code is based on.
- You may modify and redistribute the code as long as the licensing details are also redistributed.

## 2 Installation

1. Download the package file `dbat_0.4.zip`.
2. Unpack the package into a directory `dbat`.
3. Inside Matlab, do the following initialization:  

```
cd dbat % the directory where you installed the files.  
dbatSetup % set paths, etc.
```
4. Test the installation by executing the supplied demos described in Section 3.1.

## 3 Usage

### 3.1 Demos

**Hint:** You may wish to use the commands `clear` and `close all` between the demos to close all windows and clear all variables.




Figure 1: The figure generated by the `loadplotdemo` demo.




Figure 2: The figure generated by the `loadplotdemo2` demo.

### 3.1.1 `loadplotdemo`

The `loadplotdemo` demo loads a modified Photomodeler text export file of the 60-camera, 26000-point project used in Börlin and Grussenmeyer (2013a). The camera network, as computed by Photomodeler, is plotted with camera 1 aligned to the cardinal axes. The result should look like Figure 1. The figure is a standard Matlab 3D figure and may e.g. be rotated or zoomed using the camera toolbar.

### 3.1.2 `loadplotdemo2`

The `loadplotdemo2` demo loads a modified Photomodeler text export file of a 21-camera, 100-point camera calibration project. The camera network, as computed by Photomodeler, is plotted and should look like Figure 2. The figure is a standard Matlab 3D figure and may e.g. be rotated or zoomed using the camera toolbar.

### 3.1.3 camcaldemo

The `camcaldemo` demo loads the camera calibration export file from Section 3.1.2 and runs a camera calibration. The EXIF focal length is used as the initial value. The other values are set to “default” values, e.g. the principal point at the center of the sensor and all lens distortion parameters equal to zero. The initial value for the EO parameters are computed by spatial resection (Haralick et al., 1994; McGlone et al., 2004, Chap. 11.1.3.4) using the control points defined for the Photomodeler calibration sheet. The initial OP coordinates are subsequently computed by forward intersection.

The bundle adjustment is run with Gauss-Newton-Armijo damping. The result is given in a number of plot windows and a Photomodeler-style result text file. The result plots are of two kinds: Plots that show the evolution of the iterations and plots that show the quality of the input or output data. The former plots may be useful to understand how the bundle adjustment works but also to “debug” a difficult network that has convergence difficulties. The latter plots give information about the quality of the result and may also provide clues on how to improve a network when the bundle did converge.


**Evolution plots** The evolution plots are collected in figures 3–7. Figure 3 shows a snapshot of the 3D trace figure at the beginning and end of the iterations. As default, the evolution is presented iteration by iteration with intervening presses of the return key. The figure window is interactive and may be rotated, zoomed, etc. In this example, it is clear in Figure 3b that one camera station had poorer initial values than the rest.

Figures 4–6 contain three plots showing the evolution of the internal orientation (IO), external orientation (EO), and object point (OP), respectively, during the iterations. The IO plot is split into a focal/principal point panel and a radial and tangential distortion panel, where the radial distortion parameters are scaled to provide more information. The EO plot contains a camera center panel and an  $\omega$ - $\phi$ - $\kappa$  Euler angle panel. The EO and OP plots are interactive. Lines in the plots or legends may be selected and all corresponding lines will be highlighted. In the top panel of Figure 5, the motion of one camera stands out. Clicking that line reveals that it belongs to camera station 21, which can be further investigated to decide if it should be excluded from the calibration.

The final evolution plot, shown in Figure 7, illustrates the evolution of the norm of the total residual and the damping behaviour, if any, during the bundle iterations. In this example, the Gauss-Newton-Armijo linesearch damping is active during the first two iterations. For further details on the damping, see Börlin and Grussenmeyer (2013a).


**Quality plots** The quality plots are gathered in figures 8–10. Per-image quality statistics is shown in Figure 9. The statistics presented for each image are the image coverage (rectangular coverage, convex hull coverage, and radial coverage); the number of measured points; the average (RMS) point residual; and the standard deviations for the EO parameters for the camera stations. In this example, the data does not give any obvious support to exclude the suspected image 21 from the calibration.

The image coverage is detailed in a separate Figure 8. The plotted data is selectable. All observations from a specific image, including their convex hull, will be highlighted when a point or line is selected.



(a) Initial network configuration.

Damping: gna. Iteration 7 of 7



(b) Network configuration after convergence, with camera center trace lines.

Figure 3: 3D network evolution during the iterations. Only the EO and OP parameters are illustrated. In this example, the variation of the OP coordinates is barely visible.




Figure 4: Evolution of network parameters during the iteration sequence: IO parameters.




Figure 5: Evolution of network parameters during the iteration sequence: EO parameters.






Figure 6: Evolution of network parameters during the iteration sequence: OP coordinates.




Figure 7: Residual evolution and damping behaviour during the iterations.




Figure 8: Plots of input/output statistics: Image coverage.




Figure 9: Plots of input/output statistics: Image statistics.




Figure 10: Plots of input/output statistics: Object point statistics.

Finally, the per-OP quality statistics in Figure 10 show the number of observations per OP; the maximum ray intersection angle; the average (RMS) point residual; and the OP coordinate standard deviation. The presentation may be zoomed to show only a subset of the OPs by activating the “zoom” function of the figure window.

**Result file** The result file is modelled after the Photomodeler result file. The result file is listed in Appendix C.

### 3.1.4 romabundledemo

The `romabundledemo` function loads the project from Section 3.1.1 and present essentially the same plots and the `camcaldemo`. This demo uses the Photomodeler file as input to the bundle adjustment that runs a few iterations until convergence. The same result file and result plots as `camcaldemo` are essentially generated. Since the project is larger (60 cams/26 000 points) than the previous example (20 cams/100 points), the computation will take a bit longer. Computation time was around one minute running on a HP compaq dc7800 with an Intel Core2 Quad CPU Q9300 @ 2.50GHz under 64-bit Ubuntu 12.04 (kernel 3.5.0-45).

### 3.1.5 Camera calibration demos

The camera calibration demos from Börlin and Grussenmeyer (2014) will be added to the next version of the toolbox.

## 3.2 Using your own data

This section describes how to import you own data using Photomodeler text export files. If you have another type of input file, you may be able to write your own loader. Otherwise, if you have a text file you wish to import, feel free to mail the file to the the toolbox authors and request an import function. Although we cannot guarantee anything, we may adhere to the request, time permitting.

### 3.2.1 Export from Photomodeler

To import a Photomodeler project into the toolbox, the following steps are valid in Photomodeler Scanner 2012:

1. Export the project using the *Export Text File* menu command. If the command is not available, follow the instructions in Appendix A.
2. After export, open the *Project/Cameras...* dialog and select the camera that was used in your project.
3. Open the generated text file in a text editor.
  - (a) On the 2nd line (usually reading 0.00005 20), append the width and height in pixels of your images, e.g. to 0.000500 20 5616 3744.
  - (b) Inspect the 4th line. For instance, the original data in `roma.txt` was (some trailing zeros removed):  
24.3581 18.1143 12.0 35.96404 24.0 0.00022 -0.0 0.0  
0.0 0.0  
The values correspond to the following camera parameters:  
focal pp\_x pp\_y format\_w format\_h K1 K2 K3 P1 P2.  
Notice that most of the significant digits of K1–K3 were lost in the text export.
  - (c) Update the parameter values on the 4th line with values from the camera dialog *for each parameter with a larger number of significant digits in the dialog*. This usually means all parameters except `format_w`. In the `roma.txt` test case, the 4th line was modified to:  
24.3581 18.1143 12 35.96404 24 2.174e-4 -1.518e-7 0  
0 0.

### 3.2.2 Loading into Matlab

1. In matlab, run step 3 from Section 2 if not already done.
2. Set the variable `fName` to the text export file name  
`fName='c:/path/to/exported/file.txt';`, or select it using  
`[f,p]=uigetfile('*.txt');` `fName=[f,p];`
3. Run the `loadplotdemo` script. A figure with your camera network, aligned with the first camera and rotated to have +Z 'up', should now have been generated.

## References

- N. Börlin and P. Grussenmeyer. Bundle adjustment with and without damping. *Photogrammetric Record*, 28(144):396–415, Dec. 2013a. doi: 10.1111/phor.12037.
- N. Börlin and P. Grussenmeyer. Experiments with metadata-derived initial values and linesearch bundle adjustment in architectural photogrammetry. *ISPRS Annals of the Photogrammetry, Remote Sensing, and Spatial Information Sciences*, II-5/W1:43–48, Sept. 2013b.
- N. Börlin and P. Grussenmeyer. Camera calibration using the damped bundle adjustment toolbox. *ISPRS Annals of the Photogrammetry, Remote Sensing, and Spatial Information Sciences*, II(5):89–96, June 2014.
- D. C. Brown. Close-range camera calibration. *Photogrammetric Engineering*, 37(8): 855–866, 1971.
- R. M. Haralick, C.-N. Lee, K. Ottenberg, and M. Nölle. Review and analysis of solutions of the three point perspective pose estimation problem. *Int J Comp Vis*, 13(3): 331–356, 1994.
- C. McGlone, E. Mikhail, and J. Bethel, editors. *Manual of Photogrammetry*. ASPRS, 5th edition, July 2004. ISBN 1-57083-071-1.
- H. Stewénus, C. Engels, and D. Nistér. Recent developments on direct relative orientation. *ISPRS J Photogramm*, 60(4):284–294, June 2006.

## A Enabling text export from Photomodeler

Some versions of Photomodeler do not have the text file export option enabled by default. In that case, the following steps worked in Photomodeler Scanner 2012:

1. Right-click on the main window toolbar, select *Customize toolbar...*
2. In the *Commands* tab, select the *File* category.
3. Drag the *Export Text File...* command to a toolbar of your choice.
4. Now you should be able to export your project as a text file by clicking on the *Export Text File* button.

## B Camera model

Currently, the only supported camera model is the omega-phi-kappa Euler angle camera model (McGlone et al., 2004, Ch. 2.1.2.3) with the Brown (1971) lens distortion model.

## C Result file example

```
Damped Bundle Adjustment Toolbox result file
Project Name: Bundle Soln PhotoModeler Calibration Project
Problems and suggestions:
  Project Problems: Not evaluated
  Problems related to the processing: (1)
    One or more of the camera parameter has a high correlation (see below).
Information from last bundle
Last Bundle Run: 25-Jun-2014 15:33:03
DBAT version:    0.4.0.203 (2014-02-12 16:27:27)
Status:          OK (0)
Sigma0 (pixels): 0.168901
Sigma0 (mm):     0.000539091
Processing options:
  Orientation:      on
  Global optimization: on
  Calibration:      on
  Constraints:      off
  Maximum # of iterations: 20
  Convergence tolerance: 0.001
  Singular test:    off
  Chirality veto:   off
  Damping:          gna
  Camera unit (cu): mm
  Object space unit (ou): m
  Initial value comment: Camera calibration from EXIF value
Total error:
  Number of stages: 1
  Number of iterations: 7
  First error:      9.85752
  Last error:       0.0329067
Precisions / Standard Deviations:
  Camera Calibration Standard Deviations:
    Camera1 (camera unit cu=mm)
      Focal Length:
```

```

Value:      7.45895 cu
Deviation:   0.001 cu
Xp - principal point x:
Value:      3.61664 cu
Deviation:   0.0009 cu
Yp - principal point y:
Value:      2.60895 cu
Deviation:   0.001 cu
Fw - format width:
Value:      7.25319 cu
Fh - format height:
Value:      5.43764 cu
K1 - radial distortion 1:
Value:      0.00457036 cu(-3)
Deviation:   2e-05 cu(-3)
Significance: p=1.00
K2 - radial distortion 2:
Value:      -4.25953e-05 cu(-5)
Deviation:   3e-06 cu(-5)
Significance: p=1.00
Correlations over 95%: K3:-97.9%.
K3 - radial distortion 3:
Value:      -2.15839e-06 cu(-7)
Deviation:   1e-07 cu(-7)
Significance: p=1.00
Correlations over 95%: K2:-97.9%.
P1 - decentering distortion 1:
Value:      -6.56858e-05 cu(-3)
Deviation:   4e-06 cu(-3)
Significance: p=1.00
P2 - decentering distortion 2:
Value:      -2.97019e-05 cu(-3)
Deviation:   4e-06 cu(-3)
Significance: p=1.00
Iw - image width:
Value:      2272 px
Ih - image height:
Value:      1704 px
Xr - X resolution:
Value:      313.306 px/cu
Yr - Y resolution:
Value:      313.306 px/cu
Pw - pixel width:
Value:      0.00319176 cu
Ph - pixel height:
Value:      0.00319176 cu
Rated angle of view: (88, 72) deg
Largest distortion: 0.37 cu (116.4 px, 8.2% of half-diagonal)
Photograph Standard Deviations:
Photo 1: P8250021.JPG
Omega:
Value:      -39.425843 deg
Deviation: 0.009 deg
Phi:
Value:      -1.180802 deg
Deviation: 0.008 deg
Kappa:
Value:      -179.839285 deg
Deviation: 0.003 deg
Xc:
Value:      0.454890 ou
Deviation: 0.0002 ou
Yc:
Value:      1.793761 ou
Deviation: 0.0002 ou
Zc:
Value:      1.469288 ou
Deviation: 0.0002 ou

```

Photo 2: P8250022.JPG

Omega:  
Value: -39.761293 deg  
Deviation: 0.008 deg

Phi:  
Value: -1.846860 deg  
Deviation: 0.009 deg

Kappa:  
Value: -90.121386 deg  
Deviation: 0.003 deg

Xc:  
Value: 0.470426 ou  
Deviation: 0.0002 ou

Yc:  
Value: 2.027244 ou  
Deviation: 0.0002 ou

Zc:  
Value: 1.638798 ou  
Deviation: 0.0002 ou

Photo 3: P8250023.JPG

Omega:  
Value: -27.239614 deg  
Deviation: 0.01 deg

Phi:  
Value: -28.565376 deg  
Deviation: 0.008 deg

Kappa:  
Value: -141.846643 deg  
Deviation: 0.006 deg

Xc:  
Value: -0.644455 ou  
Deviation: 0.0002 ou

Yc:  
Value: 1.466419 ou  
Deviation: 0.0002 ou

Zc:  
Value: 1.581500 ou  
Deviation: 0.0002 ou

Photo 4: P8250024.JPG

Omega:  
Value: -28.558154 deg  
Deviation: 0.009 deg

Phi:  
Value: -30.331823 deg  
Deviation: 0.009 deg

Kappa:  
Value: -49.784434 deg  
Deviation: 0.005 deg

Xc:  
Value: -0.643656 ou  
Deviation: 0.0002 ou

Yc:  
Value: 1.491034 ou  
Deviation: 0.0002 ou

Zc:  
Value: 1.637067 ou  
Deviation: 0.0003 ou

Photo 5: P8250025.JPG

Omega:  
Value: 4.382465 deg  
Deviation: 0.01 deg

Phi:  
Value: -34.669530 deg  
Deviation: 0.009 deg

Kappa:  
Value: -87.136963 deg  
Deviation: 0.005 deg

Xc:



Value: -0.670769 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: 0.417346 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.410400 ou  
 Deviation: 0.0002 ou  
 Photo 6: P8250026.JPG  
 Omega:  
 Value: 2.097667 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: -34.017559 deg  
 Deviation: 0.008 deg  
 Kappa:  
 Value: 1.509495 deg  
 Deviation: 0.006 deg  
 Xc:  
 Value: -0.713593 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: 0.476373 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.464831 ou  
 Deviation: 0.0002 ou  
 Photo 7: P8250027.JPG  
 Omega:  
 Value: 27.348313 deg  
 Deviation: 0.009 deg  
 Phi:  
 Value: -28.303040 deg  
 Deviation: 0.009 deg  
 Kappa:  
 Value: -44.207883 deg  
 Deviation: 0.005 deg  
 Xc:  
 Value: -0.534727 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: -0.349536 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.403703 ou  
 Deviation: 0.0002 ou  
 Photo 8: P8250028.JPG  
 Omega:  
 Value: 26.923373 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: -28.127910 deg  
 Deviation: 0.008 deg  
 Kappa:  
 Value: 44.866709 deg  
 Deviation: 0.006 deg  
 Xc:  
 Value: -0.718941 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: -0.466478 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.715076 ou  
 Deviation: 0.0003 ou  
 Photo 9: P8250029.JPG  
 Omega:  
 Value: 30.389367 deg

```

    Deviation: 0.009 deg
Phi:
    Value:      0.190622 deg
    Deviation: 0.008 deg
Kappa:
    Value:      0.084680 deg
    Deviation: 0.003 deg
Xc:
    Value:      0.524910 ou
    Deviation: 0.0002 ou
Yc:
    Value:      -0.543280 ou
    Deviation: 0.0002 ou
Zc:
    Value:      1.534217 ou
    Deviation: 0.0002 ou
Photo 10: P8250030.JPG
Omega:
    Value:      31.007671 deg
    Deviation: 0.009 deg
Phi:
    Value:      1.729947 deg
    Deviation: 0.009 deg
Kappa:
    Value:      89.539852 deg
    Deviation: 0.003 deg
Xc:
    Value:      0.554112 ou
    Deviation: 0.0002 ou
Yc:
    Value:      -0.593288 ou
    Deviation: 0.0002 ou
Zc:
    Value:      1.617126 ou
    Deviation: 0.0002 ou
Photo 11: P8250031.JPG
Omega:
    Value:      27.634325 deg
    Deviation: 0.01 deg
Phi:
    Value:      30.750264 deg
    Deviation: 0.008 deg
Kappa:
    Value:      42.335672 deg
    Deviation: 0.006 deg
Xc:
    Value:      1.770072 ou
    Deviation: 0.0002 ou
Yc:
    Value:      -0.425193 ou
    Deviation: 0.0002 ou
Zc:
    Value:      1.552593 ou
    Deviation: 0.0002 ou
Photo 12: P8250032.JPG
Omega:
    Value:      24.650099 deg
    Deviation: 0.009 deg
Phi:
    Value:      30.239562 deg
    Deviation: 0.01 deg
Kappa:
    Value:      133.204262 deg
    Deviation: 0.005 deg
Xc:
    Value:      1.864900 ou
    Deviation: 0.0002 ou
Yc:

```

Value: -0.480971 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.614059 ou  
 Deviation: 0.0003 ou  
 Photo 13: P8250033.JPG  
 Omega:  
 Value: 0.525577 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: 33.149904 deg  
 Deviation: 0.009 deg  
 Kappa:  
 Value: 88.705093 deg  
 Deviation: 0.005 deg  
 Xc:  
 Value: 1.630632 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: 0.497602 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.471594 ou  
 Deviation: 0.0002 ou  
 Photo 14: P8250034.JPG  
 Omega:  
 Value: -1.739778 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: 33.635687 deg  
 Deviation: 0.009 deg  
 Kappa:  
 Value: 180.202160 deg  
 Deviation: 0.006 deg  
 Xc:  
 Value: 1.796838 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: 0.525347 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.598322 ou  
 Deviation: 0.0002 ou  
 Photo 15: P8250035.JPG  
 Omega:  
 Value: -30.765541 deg  
 Deviation: 0.009 deg  
 Phi:  
 Value: 28.173152 deg  
 Deviation: 0.009 deg  
 Kappa:  
 Value: 138.430069 deg  
 Deviation: 0.005 deg  
 Xc:  
 Value: 1.671658 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: 1.554521 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.501366 ou  
 Deviation: 0.0002 ou  
 Photo 16: P8250036.JPG  
 Omega:  
 Value: -29.886032 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: 26.975324 deg

Deviation: 0.008 deg  
 Kappa:  
 Value: -134.632200 deg  
 Deviation: 0.006 deg  
 Xc:  
 Value: 1.694046 ou  
 Deviation: 0.0002 ou  
 Yc:  
 Value: 1.619403 ou  
 Deviation: 0.0002 ou  
 Zc:  
 Value: 1.590017 ou  
 Deviation: 0.0003 ou  
 Photo 17: P8250037.JPG  
 Omega:  
 Value: -8.525031 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: -0.515992 deg  
 Deviation: 0.01 deg  
 Kappa:  
 Value: 179.396297 deg  
 Deviation: 0.002 deg  
 Xc:  
 Value: 0.424528 ou  
 Deviation: 0.0003 ou  
 Yc:  
 Value: 0.823029 ou  
 Deviation: 0.0003 ou  
 Zc:  
 Value: 1.972158 ou  
 Deviation: 0.0003 ou  
 Photo 18: P8250038.JPG  
 Omega:  
 Value: -4.780071 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: 0.666412 deg  
 Deviation: 0.01 deg  
 Kappa:  
 Value: 88.786570 deg  
 Deviation: 0.002 deg  
 Xc:  
 Value: 0.481967 ou  
 Deviation: 0.0003 ou  
 Yc:  
 Value: 0.926767 ou  
 Deviation: 0.0003 ou  
 Zc:  
 Value: 1.885336 ou  
 Deviation: 0.0002 ou  
 Photo 19: P8250039.JPG  
 Omega:  
 Value: -4.413682 deg  
 Deviation: 0.01 deg  
 Phi:  
 Value: -0.411819 deg  
 Deviation: 0.01 deg  
 Kappa:  
 Value: 88.244392 deg  
 Deviation: 0.002 deg  
 Xc:  
 Value: 0.461866 ou  
 Deviation: 0.0003 ou  
 Yc:  
 Value: 0.578854 ou  
 Deviation: 0.0003 ou  
 Zc:

```

        Value:      1.875379 ou
        Deviation:  0.0002 ou
Photo 20: P8250040.JPG
    Omega:
        Value:      -7.605746 deg
        Deviation:  0.01 deg
    Phi:
        Value:      -1.556271 deg
        Deviation:  0.01 deg
    Kappa:
        Value:      -180.050870 deg
        Deviation:  0.002 deg
    Xc:
        Value:      0.701783 ou
        Deviation:  0.0003 ou
    Yc:
        Value:      0.782358 ou
        Deviation:  0.0003 ou
    Zc:
        Value:      1.926168 ou
        Deviation:  0.0002 ou
Photo 21: P8250041.JPG
    Omega:
        Value:      -8.697313 deg
        Deviation:  0.01 deg
    Phi:
        Value:      1.049908 deg
        Deviation:  0.01 deg
    Kappa:
        Value:      -182.614506 deg
        Deviation:  0.002 deg
    Xc:
        Value:      0.268717 ou
        Deviation:  0.0003 ou
    Yc:
        Value:      0.821199 ou
        Deviation:  0.0003 ou
    Zc:
        Value:      1.905691 ou
        Deviation:  0.0002 ou
Quality
Photographs
    Total number: 21
    Numbers used: 21
Cameras
    Total number: 1
    Cameral:
        Calibration: yes
        Number of photos using camera: 21
    Photo point coverage:
        Rectangular: 41%-83% (61% average, 92% union)
        Convex hull: 31%-62% (46% average, 87% union)
        Radial:      60%-92% (73% average, 92% union)
Photo Coverage
    References points outside calibrated region:
        none
Point Measurements
    Ray count: 16-21 (20.7 avg)
    Number of control pts: 4
    Number of object pts: 96
Point Marking Residuals
    Overall point RMS: 0.226 pixels
    Mark point residuals:
        Maximum: 0.952 pixels (OP 1003 on photo 5)
    Object point residuals (RMS over all images of a point):
        Minimum: 0.101 pixels (OP 67 over 21 images)
        Maximum: 0.569 pixels (OP 1004 over 21 images)
    Photo residuals (RMS over all points in an image):

```

Minimum: 0.178 pixels (photo 4 over 97 points)  
Maximum: 0.318 pixels (photo 6 over 93 points)  
Point Precision  
Total standard deviation (RMS of X/Y/Z std):  
Minimum: 8.6e-05 (OP 49)  
Maximum: 0.00012 (OP 90)  
Maximum X standard deviation: 5.2e-05 (OP 90)  
Maximum Y standard deviation: 5.5e-05 (OP 90)  
Maximum Z standard deviation: 8.9e-05 (OP 90)  
Point Angles  
Minimum: 79.6 degrees (OP 90)  
Maximum: 90.0 degrees (OP 47)  
Average: 86.4 degrees