



2. Three-sided dice

Problem Set due Feb 28, 2020 05:29 IST Completed

Problem 2. Three-sided dice

9/9 points (graded)

We have two fair three-sided dice, indexed by $i = 1, 2$. Each die has sides labelled 1, 2, and 3. We roll the two dice independently, one roll for each die. For $i = 1, 2$, let the random variable X_i represent the result of the i th die, so that X_i is uniformly distributed over the set $\{1, 2, 3\}$. Define $X = X_2 - X_1$.

1. Calculate the numerical values of following probabilities, as well as the expected value and variance of X :

$$\mathbf{P}(X = 0) =$$

✓ Answer: 1/3

$$\mathbf{P}(X = 1) =$$

✓ Answer: 2/9

$$\mathbf{P}(X = -2) =$$

✓ Answer: 1/9

$$\mathbf{P}(X = 3) =$$

✓ Answer: 0

$$\mathbf{E}[X] =$$

✓ Answer: 0

$$\mathbf{Var}(X) =$$

✓ Answer: 4/3

2. Let $Y = X^2$. Calculate the following probabilities:

$$\mathbf{P}(Y = 0) =$$

✓ Answer: 1/3

$$\mathbf{P}(Y = 1) =$$

✓ Answer: 4/9

$$\mathbf{P}(Y = 2) =$$

✓ Answer: 0



Solution:

1. The sample space for the pair (X_1, X_2) has 9 equally likely outcomes. For each possible value x of X , we count the number of outcomes for which the difference $X_2 - X_1$ equals x , then multiply by $1/9$ to obtain $p_X(x)$.

$$p_X(x) = \begin{cases} 1/9, & x = -2 \text{ or } 2, \\ 2/9, & x = -1 \text{ or } 1, \\ 3/9, & x = 0, \\ 0, & \text{otherwise.} \end{cases}$$

$$\mathbf{E}[X] = \sum_{x=-2}^2 xp_X(x) = (-2) \cdot \frac{1}{9} + (-1) \cdot \frac{2}{9} + (0) \cdot \frac{3}{9} + (1) \cdot \frac{2}{9} + (2) \cdot \frac{1}{9} = 0$$

We can also see that $\mathbf{E}[X] = 0$ because the PMF is symmetric around 0, or because $\mathbf{E}[X_1] = \mathbf{E}[X_2]$, so that $\mathbf{E}[X] = \mathbf{E}[X_2 - X_1] = \mathbf{E}[X_2] - \mathbf{E}[X_1] = 0$.

To find the variance of X , we note that $\text{Var}(X) = \mathbf{E}[(X - \mathbf{E}[X])^2] = \mathbf{E}[X^2]$, and so


$$\mathbf{E}[X^2] = \sum_{x=-2}^2 x^2 p_X(x) = 4 \cdot \frac{1}{9} + 1 \cdot \frac{2}{9} + 0 \cdot \frac{3}{9} + 1 \cdot \frac{2}{9} + 4 \cdot \frac{1}{9} = \frac{4}{3}.$$

2. Let $Y = X^2$. By matching the possible values of X and their probabilities to the possible values of Y , we obtain

$$p_Y(y) = \begin{cases} 2/9, & y = 4, \\ 4/9, & y = 1, \\ 3/9, & y = 0, \\ 0, & \text{otherwise.} \end{cases}$$

A plot of the PMF of Y is shown below:





Submit

You have used 2 of 3 attempts

i Answers are displayed within the problem

Discussion

Hide Discussion

Topic: Unit 4: Discrete random variables: Problem Set 4 / 2. Three-sided dice

Show all posts ▼

by recent activity ▼

✓ Does the order of rolling dice matter?

Does the order of rolling dice matter? eg. rolling the 1st die and then the 2nd Because that seems to have ...

3

© All Rights Reserved

