



## 1. Convergence in probability

Problem Set due May 1, 2020 05:29 IST Completed

### Problem 1. Convergence in probability

7/8 points (graded)

For each of the following sequences, determine whether it converges in probability to a constant. If it does, enter the value of the limit. If it does not, enter the number "999".

1. Let  $X_1, X_2, \dots$  be independent continuous random variables, each uniformly distributed between  $-1$  and  $1$ .

- Let  $U_i = \frac{X_1 + X_2 + \dots + X_i}{i}$ ,  $i = 1, 2, \dots$ . What value does the sequence  $U_i$  converge to in probability? (If it does not converge, enter the number "999". Similarly in all below.)

✓ Answer: 0

- Let  $\Sigma_i = X_1 + X_2 + \dots + X_i$ ,  $i = 1, 2, \dots$ . What value does the sequence  $\Sigma_i$  converge to in probability?

✓ Answer: 999

- Let  $I_i = 1$  if  $X_i \geq 1/2$ , and  $I_i = 0$ , otherwise. Define,

$$S_i = \frac{I_1 + I_2 + \dots + I_i}{i}.$$

What value does the sequence  $S_i$  converge to, in probability?



✗ Answer: 0.25

- Let  $W_i = \max\{X_1, \dots, X_i\}$ ,  $i = 1, 2, \dots$ . What value does the sequence  $W_i$  converge to in probability?

✓ Answer: 1

- Let  $V_i = X_1 \cdot X_2 \cdots X_i$ ,  $i = 1, 2, \dots$ . What value does the sequence  $V_i$  converge to in probability?

✓ Answer: 0

2. Let  $X_1, X_2, \dots$ , be independent identically distributed random variables with  $\mathbf{E}[X_i] = 2$  and  $\text{Var}(X_i) = 9$ , and let  $Y_i = X_i/2^i$ .

- What value does the sequence  $Y_i$  converge to in probability?

✓ Answer: 0

- Let  $A_n = \frac{1}{n} \sum_{i=1}^n Y_i$ . What value does the sequence  $A_n$  converge to in probability?

✓ Answer: 0

- Let  $Z_i = \frac{1}{3}X_i + \frac{2}{3}X_{i+1}$  for  $i = 1, 2, \dots$ , and let  $M_n = \frac{1}{n} \sum_{i=1}^n Z_i$  for  $n = 1, 2, \dots$ . What value does the sequence  $M_n$  converge to in probability?

✓ Answer: 2

### Solution:

- The sequence  $U_i$  converges to 0. From the weak law of large numbers, we have convergence in probability to  $\mathbf{E}[X_i]$ , which is zero in this case.



- The sequence  $S_i$  does not converge in probability to any number. Let  $\Sigma_n = X_1 + \cdots + X_n$ , where the  $X_i$  are i.i.d. uniform random variables. Suppose that  $\Sigma_n$  converges, in probability, to a constant  $c$ . It then follows that  $\Sigma_{n-1}$  also converges, in probability, to a constant  $c$ . But this implies that  $X_n = \Sigma_n - \Sigma_{n-1}$  converges in probability to  $c - c = 0$ , where we are using a fact shown in the [additional theoretical material](#). But the sequence  $X_n$  does not converge to zero in probability. This contradiction establishes that  $\Sigma_n$  does not converge.
- Observe that,  $I_i$ 's are i.i.d. random variables, and  $\mathbf{P}(I_i = 1) = \mathbf{P}(X_i \geq 1/2) = 1/4$ . Therefore,  $\mathbf{E}[I_i] \triangleq \mu = 1/4$ , hence,  $S_i$  converges to  $\mu$  in probability, by the weak law of large numbers.
- The sequence converges to 1. Since  $-1 \leq W_i \leq 1$ , we have  $|W_i - 1| \leq 2$  and so for  $\epsilon > 2$ , we trivially have  $\lim_{i \rightarrow \infty} \mathbf{P}(|W_i - 1| \geq \epsilon) = \lim_{i \rightarrow \infty} 0 = 0$ .

Assuming  $\epsilon \in (0, 2]$ , we have,

$$\begin{aligned}
 \lim_{i \rightarrow \infty} \mathbf{P}(|W_i - 1| \geq \epsilon) &= \lim_{i \rightarrow \infty} \mathbf{P}(1 - W_i \geq \epsilon) \\
 &= \lim_{i \rightarrow \infty} \mathbf{P}(W_i \leq 1 - \epsilon) \\
 &= \lim_{i \rightarrow \infty} \mathbf{P}(\max\{X_1, \dots, X_i\} \leq 1 - \epsilon) \\
 &= \lim_{i \rightarrow \infty} \mathbf{P}(X_1 \leq 1 - \epsilon) \cdots \mathbf{P}(X_i \leq 1 - \epsilon) \\
 &= \lim_{i \rightarrow \infty} \left(1 - \frac{\epsilon}{2}\right)^i \\
 &= 0.
 \end{aligned}$$

- The sequence converges to 0. Note that  $|X_k| \leq 1$  for all  $k$ , and so  $|V_i| = |X_1||X_2| \cdots |X_i| \leq \min\{|X_1|, |X_2|, \dots, |X_i|\} \leq 1$ .

Hence, for any  $\epsilon > 1$ , we trivially have  $\lim_{i \rightarrow \infty} \mathbf{P}(|V_i - 0| \geq \epsilon) = \lim_{i \rightarrow \infty} 0 = 0$ .

For  $\epsilon \in (0, 1]$ , we have

$$\begin{aligned}
 \lim_{i \rightarrow \infty} \mathbf{P}(|V_i - 0| \geq \epsilon) &= \lim_{i \rightarrow \infty} \mathbf{P}(|X_1 X_2 \cdots X_i| \geq \epsilon) \\
 &= \lim_{i \rightarrow \infty} \mathbf{P}(|X_1||X_2| \cdots |X_i| \geq \epsilon) \\
 &\leq \lim_{i \rightarrow \infty} \mathbf{P}(\min\{|X_1|, |X_2|, \dots, |X_i|\} \geq \epsilon)
 \end{aligned}$$



$$\begin{aligned}
&= \lim_{i \rightarrow \infty} \mathbf{P}(|X_1| \geq \epsilon) \mathbf{P}(|X_2| \geq \epsilon) \cdots \mathbf{P}(|X_i| \geq \epsilon) \\
&= \lim_{i \rightarrow \infty} (1 - \epsilon)^i \\
&= 0.
\end{aligned}$$

2.

- The sequence converges to 0. We have  $\mathbf{E}[Y_i] = \mathbf{E}[X_i]/2^i = 2/2^i = 1/2^{i-1}$  and  $\text{Var}(Y_i) = \text{Var}(X_i)/(2^i)^2 = 9/2^{2i}$ . By the Chebyshev inequality, for any  $\epsilon > 0$ ,

$$\mathbf{P}\left(\left|Y_i - \frac{1}{2^{i-1}}\right| \geq \epsilon\right) \leq \frac{9}{2^{2i} \cdot \epsilon^2}.$$

Taking the limit as  $i \rightarrow \infty$ , we have

$$\lim_{i \rightarrow \infty} \mathbf{P}(|Y_i - 0| \geq \epsilon) = 0.$$

- The sequence converges to 0. We have,

$$\begin{aligned}
\mathbf{E}[A_n] &= \left[ \frac{1}{n} \sum_{i=1}^n Y_i \right] \\
&= \frac{1}{n} \left[ \sum_{i=1}^n \frac{X_i}{2^i} \right] \\
&= \frac{1}{n} \left( \sum_{i=1}^n \frac{2}{2^i} \right) \\
&= \frac{1}{n} \left( 2 - \frac{2}{2^n} \right),
\end{aligned}$$

and

$$\text{Var}(A_n) = \text{Var}\left(\frac{1}{n} \sum_{i=1}^n Y_i\right)$$



$$\begin{aligned}
&= \frac{1}{n^2} \text{Var} \left( \sum_{i=1}^n \frac{X_i}{2^i} \right) \\
&= \frac{1}{n^2} \left( \sum_{i=1}^n \frac{9}{2^{2i}} \right) \\
&= \frac{1}{n^2} \left( 3 - \frac{3}{2^{2n}} \right).
\end{aligned}$$

Note that  $\lim_{n \rightarrow \infty} \mathbf{E}[A_n] = 0$  and  $\lim_{n \rightarrow \infty} \text{Var}(A_n) = 0$ .

By the Chebyshev inequality, for any  $\epsilon > 0$ ,

$$\mathbf{P} \left( \left| A_n - \frac{1}{n} \left( 2 - \frac{2}{2^n} \right) \right| \geq \epsilon \right) \leq \frac{1}{n^2 \epsilon^2} \left( 3 - \frac{3}{2^{2n}} \right).$$

Taking the limit as  $n \rightarrow \infty$ , we have

$$\lim_{n \rightarrow \infty} \mathbf{P}(|A_n - 0| \geq \epsilon) = 0.$$

- The sequence converges to 2. Note that

$$M_n = \frac{1}{3} \cdot \frac{1}{n} \sum_{i=1}^n X_i + \frac{2}{3} \cdot \frac{1}{n} \sum_{i=1}^n X_{i+1}.$$

By the weak law of large numbers, the first term converges in probability to  $(1/3) \cdot \mathbf{E}[X_i]$  and the second term converges in probability to  $(2/3) \cdot \mathbf{E}[X_i]$ . As discussed in lecture, if two sequences of random variables each converge in probability, then their sum also converges in probability to the sum of the two limits. Therefore,  $M_n$  converges in probability to  $(1/3) \cdot \mathbf{E}[X_i] + (2/3) \cdot \mathbf{E}[X_i] = 2$ .

Submit

You have used 4 of 4 attempts



**i** Answers are displayed within the problem

## Discussion

Hide Discussion

**Topic:** Unit 8: Limit theorems and classical statistics: Problem Set 8 / 1.  
Convergence in probability

Show all posts ▼

by recent activity ▼

- ? Explanation of  $W_i$   
For  $W_i$ , how did you know that it converges to 1? Also, how did you get  $(1-e/2)^i$  for the final answer rather ... 3
- 🗨 [Staff] Sick, waiting on results of COVID-19 test  
Hi Staff, I submitted a contact request yesterday to see if I'm eligible for an extension, and the response I g... 4
- 🗨 Problem 7  
Hi. I ended up hitting submit when I tried to hit save. Has happened to me before!. Lost my last "submit" o... 5
- 🗨 Any hints on 2.3 is appreciated. Got everything else correct  
I am not sure what I am doing wrong in calculating  $E[Z_i]$  1
- ? Question 1.2  
My reasoning is:  $X$  uniformly distributed between -1 and 1, so in cas of infinite  $n$  positive and negative valu... 2
- 🗨 Suggestion  
I recommend this video the first thing is to demonstrate the mean square convergence and therefore the c... 1
- 🗨 Hints for part 2.?  
I watched all solved problem videos (first ones are most relevant here) but can't figure out how to do part ... 11
- 🗨 simulation, intuition, and algebra  
I was able to see the answers for the first 7 questions intuitively, without needing to use calculations. But I ... 4
- ?  $A_n$  and  $M_n$   
Regarding: what value does  $A_n$  converge to in probability? The upper range for  $i$  in those questions is  $i=n$ ... 2
- 🗨 Hint 1
- ? Solutions?  
Would be good to see a solutions for this problem after I submitted answers. Especially I am interesting in ... 4
- ? Part 2.1 how to interpret the sequence  $Y_i$ ? 4