

RenderHeads.UnityOmeka.Data.  
Vocabularies.ArchaeologicalFinding  
RecordVocabulary.ApplyVocabulary

RenderHeads.UnityOmeka.Data.  
Vocabularies.ArchaeometricInvestigation  
RecordVocabulary.ApplyVocabulary

RenderHeads.UnityOmeka.Data.  
Vocabularies.DublicCoreVocabulary.  
ApplyVocabulary

RenderHeads.UnityOmeka.Data.  
Vocabularies.Property.FromRoot

```
graph LR; A[RenderHeads.UnityOmeka.Data.ArchaeologicalFindingRecordVocabulary.ApplyVocabulary] --> D[RenderHeads.UnityOmeka.Data.Vocabularies.Property.FromRoot]; B[RenderHeads.UnityOmeka.Data.ArchaeometricInvestigationRecordVocabulary.ApplyVocabulary] --> D; C[RenderHeads.UnityOmeka.Data.Vocabularies.DublicCoreVocabulary.ApplyVocabulary] --> D;
```

The diagram illustrates a mapping or inheritance relationship. Three source boxes on the left, each containing a fully qualified class name and a method, have blue arrows pointing to a single target box on the right. The target box also contains a fully qualified class name and a method. The source boxes are: 1. 'RenderHeads.UnityOmeka.Data.ArchaeologicalFindingRecordVocabulary.ApplyVocabulary', 2. 'RenderHeads.UnityOmeka.Data.ArchaeometricInvestigationRecordVocabulary.ApplyVocabulary', and 3. 'RenderHeads.UnityOmeka.Data.Vocabularies.DublicCoreVocabulary.ApplyVocabulary'. The target box is 'RenderHeads.UnityOmeka.Data.Vocabularies.Property.FromRoot'. The target box is shaded gray, while the source boxes are white with black borders.