

```

import java.awt.BorderLayout;
import java.awt.EventQueue;

import javax.swing.JFrame;
import javax.swing.JPanel;
import javax.swing.border.EmptyBorder;
import javax.swing.JLabel;
import javax.swing.JOptionPane;

import java.awt.Font;
import javax.swing.JTextField;
import javax.swing.JButton;
import java.awt.event.ActionListener;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.awt.event.ActionEvent;

public class Reset extends JFrame {

    private JPanel contentPane;
    private JTextField newpass;
    private JTextField verifypass;
    Connection con=null;
    ResultSet rs=null;
    PreparedStatement pst=null;
    public String user;
    public Reset(String username)
    {
        this.user=username;
    }

    /**
     * Launch the application.
     */
    public static void main(String[] args) {
        EventQueue.invokeLater(new Runnable() {
            public void run() {
                try {
                    Reset frame = new Reset();
                    frame.setVisible(true);
                } catch (Exception e) {
                    e.printStackTrace();
                }
            }
        });
    }

    /**
     * Create the frame.
     */
    public Reset() {
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        setBounds(100, 100, 549, 347);
        contentPane = new JPanel();
        contentPane.setBorder(new EmptyBorder(5, 5, 5, 5));
        setContentPane(contentPane);
        contentPane.setLayout(null);
    }

```

```

JLabel lblNewLabel = new JLabel("New Password");
lblNewLabel.setFont(new Font("Times New Roman", Font.PLAIN, 25));
lblNewLabel.setBounds(40, 58, 156, 21);
contentPane.add(lblNewLabel);

JLabel lblNewLabel_1 = new JLabel("Verify Password");
lblNewLabel_1.setFont(new Font("Times New Roman", Font.PLAIN, 23));
lblNewLabel_1.setBounds(40, 139, 167, 33);
contentPane.add(lblNewLabel_1);

newpass = new JTextField();
newpass.setBounds(234, 51, 210, 33);
contentPane.add(newpass);
newpass.setColumns(10);

verifypass = new JTextField();
verifypass.setBounds(234, 139, 210, 33);
contentPane.add(verifypass);
verifypass.setColumns(10);

JButton btnNewButto = new JButton("Reset");
btnNewButto.addActionListener(new ActionListener() {
    public void actionPerformed(ActionEvent arg0) {
        if(newpass.getText().equals(verifypass.getText()))
        {
            try{
                String updateQuery="UPDATE `record` SET
`Password`= ? WHERE username="+user+"";

                con=DriverManager.getConnection("jdbc:mysql://localhost/test","root"," ");
                pst=con.prepareStatement(updateQuery);
                pst.executeUpdate();

                JOptionPane.showMessageDialog(null,"Reset
Successfully");

            }
            catch(Exception ex)
            {
                JOptionPane.showMessageDialog(null, ex);
            }
        }
        else
        {
            JOptionPane.showMessageDialog(null,"code not match");
        }
    }
});
btnNewButto.setFont(new Font("Times New Roman", Font.PLAIN, 25));
btnNewButto.setBounds(92, 214, 132, 33);
contentPane.add(btnNewButto);
}
}

```