

#flo #hw

1 | Linear Maps

no one gets excited about vector spaces -axler

the interesting part: linear maps!

```
title: learning objectives
- fundamentals theorem of linear maps
- matrix of linear map w.r.t. given bases
- isomorphic vec spaces
- product spaces
- quotient spaces
- duals spaces
  - vector space
  - linear map
```

2 | The vector space of linear maps

key definition!

```
title: linear map
aka *linear transformation.*
```

a *linear map* from V to W is a function $T: V \rightarrow W$ with the following properties:

****additivity****

$T(u+v) = Tu + Tv$ for all $u, v \in V$;

****homogeneity****

$T(\lambda v) = \lambda(Tv)$ for all $\lambda \in F$ and $v \in V$.

the functional notation $T(V)$ is the same as the notation Tv when talking about linear maps.

$\text{KBxL}(V \text{ to } W)$

2.0.1 | examples of linear maps

- 0?
 - 0 is the func that takes each ele from some vec space to the additive iden of another vec space.
 - * $0v = 0$
 - * left: func from V to W , right: additive iden in W
 - * #question what does it mean for it to be a function from V to W ?
- identity, denoted I
 - $Iv = v$
 - maps each element to itself linear transformation like a `.map?`

- differentiation and integration!
- multiplication by x^2 (on polynomials)
- shifts! defined as, $T(x_1, x_2, x_3, \dots) = (x_2, x_3, \dots)$
 - #question this is an example, but how do we define it as a transformation? or is giving an example in the general case the same thing as defining a transformation?
- from $R^3 \rightarrow R^2$? #question what? how does this work?
- #review how this dimension shift works..

1. linear maps and basis of domain

title: linear maps and basis of domain

Suppose v_1, \dots, v_n is a basis of V and $w_1, \dots, w_n \in W$. Then there exists a unique linear map T such that $Tv_j = w_j$ for each $j=1, \dots, n$.

we can uniquely map between the basis of a subspace and a list of equal len in a diff subspace?

#question wait how does the uniqueness proof work here at the end?

2.0.2 | algebraic operations on $L(V, W)$

title: addition and SCAMUL

Suppose $S, T \in L(V, W)$ and $\lambda \in F$. The *sum* of $S+T$ and the *product* λT are the linear maps $(S+T)(v) = Sv + Tv$ and $(\lambda T)(v) = \lambda(Tv)$ for all $v \in V$.

oh jeez..

title: $L(V, W)$ is a vector space!

with the operations of addition and SCAMUL as defined above, $L(V, W)$ is a [[file:KBe20math530refVectoror

and another one.

1. product of linear maps

title: product of linear maps

if $T \in L(U, V)$ and $S \in L(V, W)$, then the *product* $ST \in L(U, W)$ is defined by $(ST)(u) = S(Tu)$ for all $u \in U$.

$S \circ T$?? what is this symbol!! $\circ \rightarrow \circ$

title: algebraic props of products of linear maps

- associative
- identity
- distributive properties

multiplication of linear maps is not commutative! ie. $ST = TS$ isn't always true.

title: linear maps take 0 to 0

suppose T is a linear map from V to W . Then $T(0) = 0$

#review this chapter...

bassically all just result blocks and nothing else

i don't have an intuitive understanding of the concept of a map. perhaps look into 3b1b vid on line