
```
n*‘
```

```
// add a colon to activate
```

```
<g.C />
```

```
import { Canvas, useFrame } from 'https://cdn.skypack.dev/react-three-fiber'
```

```
function Box(props) {
  // This reference gives us direct access to the THREE.Mesh object
  const ref = useRef()
  // Hold state for hovered and clicked events
  const [hovered, hover] = useState(false)
  const [clicked, click] = useState(false)
  // Subscribe this component to the render-loop, rotate the mesh every frame
  useFrame((state, delta) => (ref.current.rotation.x += 0.01))
  // Return the view, these are regular Threejs elements expressed in JSX
  return (
    <mesh
      {...props}
      ref={ref}
      scale={clicked ? 1.5 : 1}
      onClick={(event) => click(!clicked)}
      onPointerOver={(event) => hover(true)}
      onPointerOut={(event) => hover(false)}>
      <boxGeometry args={[1, 1, 1]} />
      <meshStandardMaterial color={hovered ? 'hotpink' : 'orange'} />
    </mesh>
  )
}
```

```
<Canvas>
  <ambientLight intensity={0.5} />
  <spotLight position={[10, 10, 10]} angle={0.15} penumbra={1} />
  <pointLight position={[-10, -10, -10]} />
  <Box position={[-1.2, 0, 0]} />
  <Box position={[-1.2, 2, 0]} />
  <Box position={[1.2, 0, 0]} />
  <Box position={[4, 0, 0]} />
</Canvas>
```

```
<div style={{textAlign: "center", fontStyle: "italic"}}>oh no</div>
```

this is better because you dont even need to think about escaping. try, see if can change muscle mem?
<https://github.com/zhou13/vim-easyescape>

might be interesting: [obsidian://show-plugin?id=obsidian-latex-suite](https://obsidian.md/show-plugin?id=obsidian-latex-suite) better than the current plugin?

super clean proof that $1 = 0.\overline{999}$:

$$\begin{aligned}x &= 0.\overline{999} \\10x &= 9.\overline{999} \\9x &= 9 \\x &= 1\end{aligned}$$

<https://jeremykun.com> "math \cap programming"

sneak vim plugin <https://www.youtube.com/watch?v=HkY3LoQqKVA>

constructor theory? look into this later #review

fatherly config plans: <https://topnotch.app>

<https://www.youtube.com/watch?v=Qnos8aApa9g> vim harpoon demo

<https://www.townscapergame.com/> <https://www.youtube.com/watch?v=0bcZb-SsnrA> wave function collapse maybe with genetic algorithym?? human selection factor ray style land construction?

"most of the time, you are stuck." - Sheldon Axler

huh, looks interesting. check this out later <https://docs.helix-editor.com/keymap.html>

datum, being the singular form of data! this is why you say "these data" instead of "this data"

https://docs.google.com/document/d/1Dos29w-PMHbPD9ZFyTp_8CkZP3e72KeR6VxetF0nRR4/edit category theory mahn doc

dil·et·tante

a person who cultivates an area of interest, such as the arts, without real commitment or knowledge.

"a wealthy literary dilettante"

mahn, <https://github.com/starship/starship>

this is sick https://www.reddit.com/r/unixporn/comments/souvlt/bspwm_i_was_told_you_guys_would_like_my_startup/

"Categorical compositional distributional semantics, also known as DisCoCat for short,"

quantum resources, from tim! - <https://www.quantinuum.com-qubit.guide> - [https://topos.site/topos-colloquium/-ZX-calculus? like, pauli matrices?](https://topos.site/topos-colloquium/-ZX-calculus?like,pauli%20matrices) - <https://graphicallinearalgebra.net> - we can have three dimensional algebra?? - search for: diagramatic category theory, string / sheet diagrams - associahedron - tropical geometry?

intresting category theory reading from [cite/t:@nickm] <https://drive.google.com/file/d/1lKQZ6dMxGTHZggNVbQG9JgGGB/view> and also, <https://drive.google.com/file/d/1lC70eM7FTx7cVVv3ILijqJVtugoEtVE/view> #readingsuggestion

#name posit

<https://github.com/yoav-lavi/melody> this could make writing regex wayy easier, check it out later!

gini coefficient is crazy elegant! super #cool way of quantification

toon shaded mandlbulb!!! <https://youtu.be/h9NSV3Tj8Q8?t=34> KBxBlenderFractals gotta try and replicate.

this font is epic <https://dtinth.github.io/comic-mono-font/> use in tuts! #notcursed

one of the best units: grams/mile! ~barak (for car emissions)

helpful to change speed of media easily on multiple different sites `js document.querySelector('video').playbackRate = 3`

got published in that journal one time... figure out what it was and update resume stuff also, add National ctf time team rank 59

to experiment with, when on windows: <https://www.nvidia.com/en-us/studio/canvas/>

#name ch!!i like the pepper! figma design is here

planck's constant is denoted as h because it was meant to be a placeholder! so he called it, holder!

want to get this working: <https://github.com/Lorago/vfetch> <https://github.com/Rosettea/bunnyfetch> <https://github.com/o2sh/onefetch> <https://github.com/kiedtl/gfetch>

quantum mechanics, "I know everything about your car but unfortunately I can't tell you anything about any of its parts."

```
dbg!(foo) // the superior way to print debug in rust.  
// no more wack dedub traik println!-ing!
```

better way to floor in js `js num | 0` turns out, `parseInt` sucks! hint: `parseInt(0.0000000000002)`

really nice arch config: https://www.reddit.com/r/unixporn/comments/sh2lme/bspwm_levuaska_my_attempt_on_making_a_color_scheme/

good article on mathematics/quantum/index from thomas rimer: <https://quantum.country/qcvc> check this out later!

ternary operators are epic. python `# python (falseValue, trueValue)[test]` the only thing is, this evaluates both things... instead, can use

```
a if x else b
```

"don't become a monk in a monestary" - barry, referring to note taking

github has a quickswitcher! this is a gamechanger, thx [cite/t:@zbuster05].

"classes of representation and how they move together" is what algebra is! ~-ted

<https://github.com/Exr0nProjects/obsidian-sage> yoooo?? [cite/t:@exr0n] made a sick plugin! to try out.

<https://github.com/daaru00/obsidian-commander> could be interesting. would love it to show the output below the block, <https://forum.obsidian.md/t/new-plugin-sagecell/13364> style.

w/ darkreader, makes lots of ugly pages look nice

```
html {  
  /* max-width: 111vh; */  
  max-width: 78rem;  
  padding: 3em 1em;  
  margin: auto;  
  line-height: 1.75;  
  font-size: 1rem;  
}
```

modified from <https://www.swyx.io/css-100-bytes/>

python infix operators? this is sick. <http://tomerfiliba.com/blog/Infix-Operators/> essentially, of `add(add(add(5,6),7),8)`... we can write `py 5 |add| 6` with a bit of trickery.

<https://www.yourdictionary.com/equivalate> is a word! this is amazing.

#name vacuo

"the game I play is a very interesting one: it's imagination in a tight straight-jacket" - feynman

#name ilk

abstract math is "like a metaphor" - ted

<https://www.patreon.com/posts/52586182?scrlybrkr=6e7abbc0> #cool blender stuff <https://www.youtube.com/watch?v=NmZxWxeIjJI>

#stack to finish: <https://youtu.be/mTzOGXj8NNO?t=1418>

vim in browser, to try <https://github.com/glacambre/firenvim> <https://github.com/gelguy/wilder.nvim> <https://github.com/machakann/vim-sandwich> could be interesting: <https://github.com/hrsh7th/nvim-cmp> <https://github.com/akinsho/bufferline.nvim>

#cool chrome extension, <https://chrome.google.com/webstore/detail/draft-by-slite/ljkidlijlaapmiilabpldhmhelhl=en> super easy capture

"Like gods, these mathematical models were opaque, their workings invisible to all but the highest priests in their domain: mathematicians and computer scientists." (Cathy O'Neil)

#name lohah

super #cool artwork utilizing noise-based volume displacement <https://leegriggs.com/volume-mesh> can't really be done easily in blender.. tried here [KBxBlenderFractals](#)

procedurally generate language from arrival

super #cool things made with curl noise and flow fields!

#cool lisp interpreter in conways game of life <https://github.com/woodrush/lisp-in-life>

look into this working /w taproot: [obsidian://show-plugin?id=obsidian-icons-plugin](#)

this is crazy #cool, https://www.youtube.com/watch?v=-th6w_ZIvpA&ab_channel=BenThroop

#name for something: etude. means, a peice of music for the point of demonstration.

#cool word: grok. to understand something intuitively \ truly

could be a #name for smt: azimuth

very good scoring in this scene. use for later

1 | moonshot

Google X Moonshot. Dream job?

surreal numbering system: completely ordered class of the reals and the infinite and infinitesimal, coined by knuth and proven using conways game of life and combinatorial game theory! #cool

#cool word: beleaguered!

atlas by bicep: sick music video, would love to replicate the effect.

quick proj idea: GAN to generate kanji! dataset, here: <https://www.kaggle.com/nmamdbts/yumincho-kanji>

predictability horizon! #cool concept

would love to buy some silicon, either this or this.

config! <https://github.com/sainnhe/tmux-fzf>

category theory. to #review KBxSystemsofSystemsinNatureandDeepLearning#category theory

read this later! supposed to be generalization of godel's incompleteness theorem <https://ncatlab.org/nlab/show/Lawvere%27s+fixed+point+theorem>

proximal: possible #name! distal: also a good #name?

mechanical pencils! want to get: https://www.amazon.com/A1-Star-Graphite-Mechanical-Pencil-L126/dp/B000FA5EH0/ref=sr_1_1?crid=1AGSNPXV81ZUF&dchild=1&keywords=lamy+mechanical+pencil&qid=1633903922&s=office-products&sprefix=lamy+mechan%2Coffice-products%2C232&sr=1-1 Or, https://www.amazon.com/Mechanical-Pencil-Roulette-Silver-M510171P-26/dp/B0040HNTVC/ref=sr_1_3?dchild=1&keywords=kuru%2Btoga&qid=1633903910&s=office-products&sr=1-3&th=1 maybe https://www.amazon.com/Black-Lacquer-Mechanical-Pencil/dp/B08BZQDYT7/ref=sr_1_3?dchild=1&keywords=luxury+mechanical+pencils&qid=1633903451&sr=8-3

dismaland: besument park. by banksy. check it out.

Vox Populi: the beliefs of the majority

simplex: simplileft geometric shape in a given dimension? #cool concept

eom: good #name for something. means: end of sentence but it sounds cool!

defining new term: gardening, as the term for knowledge organization.

explanation of power of emergent property: "that even when the underlying rules for a system are extremely simple, the behavior of the system as a whole can be essentially arbitrarily rich and complex." ~wolfram computational irreducibility

hypergraph! edges are sets of points not connections. one model for etomolgysarus or, bipartite with roots and words or, store as one and represent subset as another.

bfs and look for number of shared.. roots? plug in for force

graph theory! i wanna take it. ~"most likely will exist next year" ~exr0n

#cool #name: orhac

analog, as something that is analogous

<div style="border: 1px solid red, width: 200px, height: 200px, background-color: red"> testing a div??

<https://jasonwarta.github.io/latex-matrix/> is very useful

lemma sort is #cool!

convecto, #name for smt means gather in latin

- shopping list:
 - phone case:
 - * <https://rhinoshield.io/pages/solidsuit?device=iphone-12-pro>
 - glasses cleaning cloth
 - * <https://www.amazon.com/MagicFiber-Microfiber-Cleaning-Cloths-PACK/dp/B0050R67U0>
 - card holder
 - * https://www.amazon.com/Carbon-Blocking-Minimalist-Aluminum-Version/dp/B07C1N6L2D/ref=sr_1_24?dchild=1&keywords=thin+card+holder&qid=1631938390&sr=8-24

– desk pad

* https://www.amazon.com/Glorious-PC-Gaming-Race-G-XXL/dp/B07C84TQ74/ref=sr_1_21?dchild=1&keywords=extra%2Blarge%2Bcloth%2Bdesk%2Bmat&qid=1631940333&sr=8-21&th=1

– screen protector

* <https://www.amazon.com/Mkeke-Compatible-12-Protector-Pro/dp/B08CV2B3DC>

#name for someting: taba

realized, intrested in the concept of granularity

this is another note

new note

```
CodeMirror.Vim.map('jf', '<Esc>', 'insert')
CodeMirror.Vim.map('j', 'gj', 'normal')
CodeMirror.Vim.map('k', 'gk', 'normal')
```
