

## 1 | Part A

- What are the best and worst possible scores it could get?
  - When using f1 score, the best possible score would be 1, and the worst would be 0.
- Why do you think the model is getting the score you're seeing?
  - The score I'm seeing is 1. This is expected, as I am testing a decision tree on the iris data it was trained on.
- How do the scores between the training and testing sets compare?
  - I would assume that the testing set score would have a lower f1 score than the training set, as the model is specifically fitted for the training data.

## 2 | Part B

Please answer the following questions and briefly explain your answer:

- Thinking about the  $R^2$  metric used for evaluating regression, answer the following questions:
  - What is the best highest possible score you could get?
    - \* The highest possible score is 1, representing a perfect fit. In order to achieve an  $R^2$  of 1, the error must be 0.
  - If your model simply predicted the average value of the training set no matter what the input was, what score would you get on a test set whose average matched that of the training set?
    - \* The score would be 0, as the denominator and numerator would be equal. This would result in the equation  $1-1$ , which equals 0.
  - What is the lowest score that you can get?
    - \* Negative infinity.
- When using accuracy to measure your model's performance on a classification problem:
  - What is the best possible score you could get?
    - \* 1. In a scenario with  $x$  samples, an entirely correct classification would lead to  $x/x$ , which is 1.
  - If your model always predicted the same class no matter what the input, what score would you get on a test set where 85% of the items were in that class?
    - \* 85%
- What is the worst possible score you can get on a dataset that only has two classes?
  - 1. Every sample could be sorted incorrectly as long as there is more than one class.
- A model gets a recall score of 0 for class A on a test set with classes A, B, and C. If you take one of the test items that is in class A and have this model predict what class it is, what will it predict?

- A recall score of 0 for class A means that every item in class A was labeled incorrectly. When given another sample in class A, the model will predict either class B or class C.
- A model gets a precision score of 1 for class A on a test set with classes A, B, and C. If you take one of the test items that is in class A and have your model predict what class it is, what will it predict?
  - The model could predict any of the three classes. A precision value is only effected by true positive and false positive rate, meaning that when given a sample in class A, predicting C or B would not lower class A's precision.
- If a model with classes A and B has an AUC score of 1 and you give it an item from the test set that is in class A, what class will it predict and what probability will it give for that class?
  - It will predict class A, and give a probability of 100%. This is because an AUC score of 1 represents a perfect model.
- If a model with classes A and B has an AUC score of 0 and you give it an item from the test set that is in class A, what class will it predict and what probability will it give for that class?
  - This means that the model is always perfectly incorrect. If you were to give it a sample from class B, it will always pick class A, and vice versa. The model would still give a probability of 100%.