

Incident Lifecycle Automation in ServiceNow

Project Title

Incident Lifecycle Automation in ServiceNow Using Incident Lifecycle, Knowledge, and Change Integration

1. IDEATION PHASE

1.1 Problem Identification

Organizations receive a large number of incidents through different channels such as email, phone calls, service portals, and internal communication. Managing these incidents manually can result in several problems, including:

- Improper or delayed incident recording
- Incorrect incident categorization and prioritization
- Assignment of incidents to the wrong support teams
- Delays in incident investigation and resolution
- Lack of proper escalation for unresolved incidents
- Difficulty in tracking related or child incidents
- Lack of integration between incidents and knowledge articles
- Difficulty in handling emergency changes required to resolve incidents
- Poor visibility of Service Level Agreement (SLA) status
- Repeated resolution of similar incidents because previous solutions are not properly documented

Therefore, there is a need for a **structured and automated Incident Lifecycle Management system** that manages an incident from its creation until its final resolution and closure.

1.2 Proposed Solution

The proposed solution is an **Incident Lifecycle Automation System using ServiceNow**.

The system provides an end-to-end process for handling incidents. It allows users and support teams to create incidents, classify them according to category and priority, assign them to appropriate support groups, track their progress, escalate unresolved incidents, create related child incidents, use existing knowledge articles, create emergency change requests when necessary, and finally resolve and close the incident.

The solution also uses ServiceNow features such as incident management, assignment groups, knowledge management, change management, related records, and SLA tracking to provide a centralized incident-management process.

1.3 Project Objective

The main objective of this project is to design and implement an automated incident lifecycle management process in ServiceNow that improves the efficiency, consistency, and traceability of incident handling.

The system should ensure that every incident follows a defined process from **creation** → **classification** → **assignment** → **investigation** → **escalation/change handling** → **resolution** → **closure**.

1.4 Business Objectives

The major business objectives are:

- Enable Service Desk agents to create and manage incidents efficiently.
- Improve incident classification using appropriate categories, subcategories, impact, urgency, and priority.
- Assign incidents to appropriate support groups.
- Reduce manual effort involved in incident management.
- Provide Level 2 escalation for incidents that require advanced technical support.
- Support the creation and tracking of child incidents.
- Integrate Knowledge Management with Incident Management.
- Allow emergency change requests to be associated with incidents when infrastructure or application changes are required.
- Track SLA performance throughout the incident lifecycle.
- Maintain complete information about incident activities and related records.
- Improve incident-resolution time.
- Maintain reusable solutions through knowledge articles.
- Improve visibility and accountability among support teams.

1.5 Scope of the Project

The project covers the complete lifecycle of an incident in ServiceNow.

The major functionalities included in the scope are:

1. Service/Service Offering creation
2. Incident record creation
3. Incident classification
4. Assignment and escalation
5. Knowledge integration
6. Emergency change-request creation
7. Child incident creation
8. Incident resolution
9. Knowledge creation
10. SLA and related-record validation

1.6 Expected Outcome

At the completion of the project, a functional ServiceNow-based incident management workflow will be available.

The solution will:

- Record incidents systematically.
 - Categorize incidents correctly.
 - Route incidents to appropriate support teams.
 - Support escalation to higher-level teams.
 - Connect incidents with relevant knowledge articles.
 - Maintain relationships between parent and child incidents.
 - Associate emergency changes with incidents.
 - Track incident status throughout its lifecycle.
 - Monitor SLA information.
 - Document solutions for future reference.
-

2. REQUIREMENT ANALYSIS PHASE

2.1 Introduction

The Requirement Analysis phase identifies the functional and non-functional requirements required to implement the Incident Lifecycle Management solution in ServiceNow.

The requirements are derived from the activities that a Service Desk agent and technical support team perform while handling an incident.

2.2 Stakeholders

End User / Caller

The end user reports an issue or service interruption and provides the necessary information regarding the problem.

Service Desk Agent

The Service Desk Agent creates the incident, verifies the information, classifies the incident, performs initial investigation, communicates with the user, and resolves simple incidents.

Level 2 Support Team

The Level 2 Support Team handles incidents requiring deeper technical investigation and expertise.

Assignment Group

The assignment group is responsible for investigating and resolving incidents assigned to a particular technical area.

Change Management Team

The Change Management Team handles changes required to resolve incidents, including emergency changes.

Knowledge Management Team

The Knowledge Management Team maintains reusable solutions and knowledge articles.

ServiceNow Administrator

The administrator configures users, groups, services, workflows, permissions, SLAs, and other required ServiceNow components.

2.3 Functional Requirements

FR1 – Service/Service Offering Creation

The system should allow the required service or service offering to be created and made available for incident management.

The screenshot shows the 'Service Remote Access' form in ServiceNow. The form is titled 'Service Remote Access' and has a breadcrumb trail 'Service Remote Access'. The form contains the following fields:

- Name: Remote Access
- Model ID: [Searchable]
- Owned by: [Searchable]
- Business criticality: 2 - somewhat critical
- Version: [Searchable]
- Used for: Production
- Operational status: Operational
- Service classification: Business Service
- Comments: [Text area]
- Approval group: [Searchable]
- Support group: [Searchable]
- Change Group: [Searchable]
- Managed by: [Searchable]
- SLA: [Searchable]
- Location: [Searchable]
- Vendor: [Searchable]

Below the form, there is a 'Related Items' section with a search bar and a '+ Add' button. Below that, there are buttons for 'Open in CMDB Workspace', 'Update', 'Convert to Service Instance', and 'Delete'. At the bottom, there is a 'Related Links' section with links to 'Convert to business service', 'Convert to technology management service', and 'Subscribe'.

The screenshot shows the 'Service Offering Corporate VPN' form in ServiceNow. The form is titled 'Service Offering Corporate VPN' and has a breadcrumb trail 'Service Offering Corporate VPN'. The form contains the following fields:

- Name: Corporate VPN
- Model ID: [Searchable]
- Owned by: [Searchable]
- * Parent: Remote Access [Searchable]
- Used for: Production
- Operational status: Operational
- Vendor: [Searchable]
- Approval group: [Searchable]
- Support group: [Searchable]
- Change group: [Searchable]
- Managed by: [Searchable]
- Version: [Searchable]
- Business criticality: 2 - somewhat critical
- SLA: [Searchable]
- Location: [Searchable]
- Short Description: [Text area]
- Description: [Text area]
- Comments: [Text area]

Below the form, there is a 'Related Items' section with a search bar and a '+ Add' button. Below that, there are buttons for 'Open in CMDB Workspace', 'Update', and 'Delete'. At the bottom, there is a 'Contract' field with a search bar.

FR2 – Incident Creation

The Service Desk Agent should be able to create a new incident.

The incident should contain important information such as:

- Caller
- Short description
- Description
- Service
- Service offering
- Category
- Subcategory
- Configuration Item
- Impact
- Urgency
- Priority
- Assignment group
- Assigned to
- State

The screenshot shows the ServiceNow interface for creating an incident. The browser address bar displays the URL: <https://dev437008.service-now.com/now/sow/record/incident/cb545069938f47d096a270918bba10b4/params/extra-params/su...>. The page title is "Service Operations Workspace". The incident title is "Unable to connect to Corporate VPN from home office". The incident number is INC0010003. The state is "Resolved". The caller is "Michael Hoefer". The impact is "3 - Low". The urgency is "2 - Medium". The priority is "4 - Low". The description is "Michael advised he was able to connect yesterday evening, but this morning received an authentication error. The Internet works fine." The activity log shows two entries by David Loo: "Field changes" on 2026-09-04 08:34:56 and "Incident state Resolved was On Hold" on 2026-09-04 08:34:37. The record information section shows the caller's details: Michael Hoefer, Development, Brasilia - 10:39:15, America/Los_Angeles. The SLAs and timings section shows the Response SLA as "Completed" and the Resolution SLA as "Paused".

ServiceNow

Application scope: Incident Li...
Update set: Default [Incident ...]

Home INC0010003 +

Unable to connect to Corporate VPN from home o... Save Edit knowledge Close Reopen

Overview Details Related records

Incident

Short description *

Unable to connect to Corporate VPN from home office

Description

Michael advised he was able to connect yesterday evening, but this morning received an authentication error. The Internet works fine.

Number INC0010003 State Resolved

Caller * Michael Hoefer Impact 3 - Low

Location SHS quadra 5, Bloco E., B Urgency 2 - Medium

Channel Priority 4 - Low

Stacked view

Work notes More

Only internal users can see work notes

Activity 11

David Loo Field changes 2026-09-04 08:34:56

Incident state Resolved was On Hold

David Loo Field changes 2026-09-04 08:34:37

Record Information

Last updated by David Loo 2026-09-04 08:34:54

SLAs and timings

Response SLA Completed Resolution SLA Paused

View all SLAs

Caller

MH Michael Hoefer Development Brasilia - 10:39:15 America/Los_Angeles

Contact

Recent incidents >

Recent interactions >

Assigned agents >

FR3 – Incident Classification

The system should support the classification of incidents based on their nature and business impact.

The classification should include:

- Category
- Subcategory
- Impact
- Urgency
- Priority

Correct classification helps ensure that critical incidents receive appropriate attention.

FR4 – Incident Assignment

The incident should be assigned to the appropriate support group based on the type of issue.

The assigned support team should be able to investigate and update the incident.

FR5 – Incident Escalation

When an incident cannot be resolved by the initial Service Desk team, it should be escalated to the appropriate **Level 2 support team**.

All investigation details should remain available during escalation.

FR6 – Knowledge Integration

Support agents should be able to search for relevant knowledge articles while investigating an incident.

If an appropriate solution already exists, the agent can use the knowledge article to resolve the incident more quickly.

FR7 – Emergency Change Request

If resolving an incident requires an urgent change to the IT environment, an emergency change request should be created and associated with the incident.

This provides traceability between the incident and the change performed to resolve it.

FR8 – Child Incident Creation

The system should support the creation of child incidents when multiple incidents are associated with a common parent issue.

The relationship between parent and child incidents should be maintained.

The screenshot displays the ServiceNow 'Service Operations Workspace' interface. The main header shows the application scope as 'Global' and the update set as 'Default [Global]'. The incident title is 'Unable to connect to Corporate VPN from home o...'. The incident ID is 'INC0010003'. The 'Related records' section is active, showing a list of 'Child Incidents'. The table has columns for 'Number', 'Short description', 'Caller', 'Category', and 'Service'. One child incident is listed with the number 'INC0010004', description 'Unable to connect to Corporate VPN', caller 'Abraham Lincoln', and category 'Inquiry / Help'. The 'Record Information' panel on the right shows the incident was last updated by David Loo on 2026-09-04 08:34:54. It also displays SLA and timing information, including 'Response SLA' (Completed) and 'Resolution SLA' (Paused). The caller information shows 'Michael Hoefler' from Development in Brasilia, with a contact button. The bottom of the interface shows 'Showing 1-1 of 1' records and 'Records per page 20'.

FR9 – Incident Resolution

Once the issue is fixed, the support agent should update the incident with appropriate resolution information.

The resolution information should include:

- Resolution code
- Resolution notes
- Fix details
- Relevant comments

https://dev437008.service-now.com/now/sow/record/incident/cb545069938f47d096a270918bba10b4/params/extra-params/su...

Service Operations Workspace

Application scope: Incident LI...
Update set: Default [Incident ...]

Home INC0010003 +

Unable to connect to Corporate VPN from home o...

Save Edit knowledge Close Reopen

Overview Details Related records

Incident

Short description *

Unable to connect to Corporate VPN from home office

Description

Michael advised he was able to connect yesterday evening, but this morning received an authentication error. The Internet works fine.

Number INC0010003 State Resolved

Caller * Michael Hoefler

Impact 3 - Low

Location SHS quadra 5, Bloco E

Urgency 2 - Medium

Work notes More

Only internal users can see work notes

Activity 11

David Loo Field changes • 2026-09-04 08:34:56

Incident state Resolved was *On Hold*

David Loo Field changes • 2026-09-04 08:34:37

Resolution... Workaround provided was Empty

Record Information

Last updated by David Loo
2026-09-04 08:34:54

SLAs and timings

Response SLA Completed Resolution SLA Paused

View all SLAs

Caller

MH Michael Hoefler
Development
Brasilia - 10:39:15
America/Los_Angeles

Contact

Recent incidents >
Recent interactions >

https://dev437008.service-now.com/now/sow/record/incident/cb545069938f47d096a270918bba10b4/params/extra-para...

Service Operations Workspace

Application scope: Global
Update set: Default [Global ...]

List INC0010003 +

Details INC0010004 x

Unable to connect to Corporate VPN

Save Create incident task Assign to me Close

Overview Details Related records

Summary

Short description

Unable to connect to Corporate VPN

Description

User receiving VPN authentication failure error.

Number INC0010004 Priority 4 - Low

Opened 2026-09-04 08:30:26 Impact 3 - Low

State 3 - Low

Resolved 3 - Low

Compose

Work notes More Stacked view

Only internal users can see work notes

Activity 3

David Loo Comments • 2026-09-04 08:34:55

Resolved based on resolution of Parent Incident.

David Loo Field changes • 2026-09-04 08:34:55

Record Information

Last updated by David Loo
2026-09-04 08:34:55

SLAs and timings

Response SLA No matching SLA Resolution SLA Paused

View all SLAs

Caller

AL Abraham Lincoln
02:34:12 America/Los_Angeles

Contact

Recent incidents >
Recent interactions >

FR10 – Knowledge Creation

If the solution to an incident can be useful for future incidents, a knowledge article should be created.

The article should describe the problem, cause, and resolution steps.

The screenshot shows the ServiceNow interface for incident record INC0010003. The title is "Unable to connect to Corporate VPN from home o...". The "Related records" section is active, displaying a table of "Created Knowledge".

Number	Short description	Knowledge base	Workflow
KB0010001	Unable to connect to Corporate VPN from home office	IT	○ — ○ — ○ —

On the right, the "Record Information" panel shows the caller as Michael Hoefer (Development, Brasilia - 02:27:37, America/Los_Angeles) and SLA status as "Completed" for Response SLA and "Paused" for Resolution SLA.

The screenshot shows the ServiceNow interface for editing knowledge article KB0010001 v0.01. The "Details" tab is active.

Knowledge

Knowledge base: IT | Workflow: Draft

Category: [Empty]

Short description: Unable to connect to Corporate VPN from home office

Article body:

Verdana 10pt | B I U [Icons]

Issue - Michael advised he was able to connect yesterday evening, but this morning received an authentication error. The Internet works fine.

Resolution - Restarted VPN-SRV-02 service as per emergency change request.


On the right, the "Agent Assist" panel shows suggested articles: "How to configure VPN for Apple..." and "Automatic Replies (Out Of Office)".

FR11 – SLA Tracking

The system should track the applicable SLA for the incident.

Support teams should be able to verify whether the incident is:

- Within SLA
- Approaching SLA breach
- Breached



FR12 – Related Record Validation

The system should maintain and display relationships between the incident and other records such as:

- Child incidents
- Change requests
- Knowledge articles
- SLA records

2.4 Non-Functional Requirements

Usability

The system should provide an easy-to-use interface for creating, updating, and tracking incidents.

Performance

Incident records and related information should be retrieved without unnecessary delays.

Security

Only authorized users should be able to view or modify incident, change, and knowledge information according to their roles.

Reliability

Incident information should be stored reliably without loss of data.

Scalability

The system should support an increasing number of incidents and users.

Maintainability

ServiceNow administrators should be able to modify configurations and workflows when business requirements change.

Auditability

Important changes to incident records should be traceable through activity history.

2.5 Requirement Analysis Outcome

After requirement analysis, the major modules required for the solution are identified as:

Incident Management, Service Management, Assignment Management, Knowledge Management, Change Management, SLA Management, and Related Record Management.

3. PROJECT DESIGN PHASE

3.1 System Design

The Incident Lifecycle Management system follows a centralized workflow in ServiceNow.

The overall process is:

Incident Reported



Incident Record Created



Incident Classified



Impact & Urgency Determined



Priority Determined



Assignment Group Selected



Initial Investigation



Knowledge Article Search



Incident Resolved OR Escalated



Level 2 Investigation



Child Incident / Emergency Change if Required



Solution Identified



Incident Resolved



Knowledge Updated/Created



SLA & Related Records Validated



Incident Closed

3.2 Incident Lifecycle Design

Stage 1 – New

A new incident is created when a user reports an issue.

Required information about the issue is recorded.

Stage 2 – Classification

The incident is classified using category, subcategory, impact, and urgency.

The priority is determined according to the severity of the issue.

Stage 3 – Assignment

The incident is assigned to the appropriate support group or technical team.

Stage 4 – Investigation

The support agent investigates the issue and searches existing knowledge articles for possible solutions.

Stage 5 – Escalation

If the first-level support team cannot resolve the incident, it is escalated to Level 2 support.

Stage 6 – Related Activities

Depending on the issue, the support team may:

- Create a child incident.
- Associate existing knowledge.
- Create an emergency change request.
- Update investigation details.
- Reassign the incident.

Stage 7 – Resolution

Once the problem is fixed, the incident is marked as resolved with appropriate resolution notes and code.

Stage 8 – Closure

After confirming the resolution and validating the required records, the incident can be closed.

3.3 Data Design

The primary record used in the project is the **Incident Record**.

Important incident attributes include:

- Incident Number
- Caller
- Service
- Service Offering
- Configuration Item
- Category
- Subcategory
- Short Description
- Description
- State
- Impact
- Urgency
- Priority
- Assignment Group
- Assigned To
- Resolution Code
- Resolution Notes

3.4 Integration Design

Incident and Knowledge Integration

Knowledge articles are searched during incident investigation. Existing articles can provide solutions for known issues.

Incident and Change Integration

When an incident requires an urgent system modification, an emergency change request is created and linked to the incident.

Parent and Child Incident Integration

Related incidents can be organized using parent-child relationships to simplify the management of common issues.

Incident and SLA Integration

SLA information is associated with the incident to measure response and resolution performance.

3.5 User Roles

The project uses role-based interaction.

End User → Reports problem

Service Desk Agent → Creates, classifies, investigates and updates incident

Level 2 Support → Performs advanced troubleshooting

Change Team → Handles emergency change

Knowledge Team → Maintains reusable knowledge

Administrator → Configures the ServiceNow environment

4. PROJECT PLANNING PHASE

4.1 Project Goal

The goal is to implement and demonstrate a complete incident lifecycle in ServiceNow, including incident creation, classification, knowledge integration, assignment, escalation, related incidents, emergency changes, resolution, and SLA validation.

4.2 Implementation Plan

Activity 1 – Service Configuration

Configure or identify the required business service/service offering that will be associated with incidents.

Activity 2 – Incident Record Creation

Create a sample incident containing all required information.

Verify that an incident number is automatically generated.

Activity 3 – Incident Classification

Configure/select:

- Category
- Subcategory
- Impact
- Urgency
- Priority

Verify that the incident has been classified correctly.

Activity 4 – Assignment

Assign the incident to the appropriate assignment group and agent.

Activity 5 – Knowledge Integration

Search for relevant knowledge articles and associate/use appropriate information during troubleshooting.

Activity 6 – Level 2 Escalation

Escalate the incident when it cannot be resolved by the initial support team.

Assign it to Level 2 support.

Activity 7 – Emergency Change

Create an emergency change request when the incident requires an urgent change.

Associate the change with the incident.

Activity 8 – Child Incident

Create a child incident for a related issue and validate the parent-child relationship.

Activity 9 – Incident Resolution

Resolve the incident after completing troubleshooting.

Enter:

- Resolution code
- Resolution notes

- Solution details

Activity 10 – Knowledge Creation

Create a reusable knowledge article containing the solution to the incident.

Activity 11 – SLA and Related Record Validation

Verify:

- SLA information
- Child incidents
- Change request
- Knowledge article
- Other related records

4.3 Resources Required

Platform

ServiceNow Instance

ServiceNow Modules

- Incident Management
- Knowledge Management
- Change Management
- Service Management
- SLA Management

Users/Roles

- End User
- Service Desk Agent
- Level 2 Agent
- Change Management User
- Knowledge User
- Administrator

4.4 Risks and Mitigation

Risk: Incorrect incident classification

Mitigation: Clearly define category, subcategory, impact, and urgency.

Risk: Incorrect assignment

Mitigation: Verify assignment groups before assigning incidents.

Risk: SLA breach

Mitigation: Monitor SLA status and escalate incidents when required.

Risk: Duplicate incident records

Mitigation: Search existing incidents before creating related records.

Risk: Insufficient resolution documentation

Mitigation: Make resolution notes clear and complete.

Risk: Incorrect change association

Mitigation: Verify related records before closing the incident.

5. PROJECT DEVELOPMENT PHASE

5.1 Service/Service Offering Setup

The required service or service offering is first created or identified in ServiceNow.

This service is used while creating the incident so that the incident can be associated with the affected business service.

The service configuration is verified before proceeding with incident creation.

5.2 Incident Record Creation

A new incident is created from the Incident module.

The following information is entered:

- Caller
- Service/Service Offering
- Short Description
- Detailed Description
- Category
- Subcategory
- Impact
- Urgency
- Assignment information

After submission, ServiceNow generates a unique incident number.

The incident initially enters the appropriate active state.

5.3 Incident Classification

The newly created incident is classified based on the reported problem.

The appropriate category and subcategory are selected.

Impact represents the extent to which the incident affects business operations, while urgency represents how quickly the incident needs to be resolved.

Based on impact and urgency, an appropriate priority is established.

This ensures that high-impact and high-urgency incidents receive faster attention.

5.4 Knowledge Integration

Before performing extensive troubleshooting, the Service Desk Agent searches the ServiceNow Knowledge Base.

Relevant knowledge articles are reviewed to determine whether the problem already has a documented solution.

If an appropriate article is available, the steps mentioned in the article are used during investigation.

Knowledge integration reduces repeated troubleshooting and improves resolution speed.

5.5 Assignment and Escalation

After classification, the incident is assigned to the appropriate support group.

The assigned agent performs initial troubleshooting.

If the Service Desk Agent cannot resolve the problem, the incident is escalated to a Level 2 support team.

The incident retains its complete activity history so that the Level 2 team can understand the actions already performed.

5.6 Emergency Change Request Creation

During investigation, it may be identified that resolving the incident requires an urgent modification to the system or infrastructure.

In such a case, an **Emergency Change Request** is created.

The change request contains information about:

- Reason for change
- Description of proposed change
- Affected service/system
- Implementation details
- Risk information
- Required approvals

The emergency change is associated with the original incident.

This ensures traceability between the problem reported by the user and the technical change implemented to fix it.

5.7 Child Incident Creation

If the same underlying problem affects multiple users or services, a child incident can be created.

The original incident is maintained as the parent incident.

The child incident is linked to the parent so that related problems can be tracked together.

This improves visibility and reduces duplicate investigation.

5.8 Incident Resolution

After the root issue has been corrected, the support agent updates the incident.

The agent enters:

- Resolution code
- Resolution notes
- Details of actions performed
- Relevant user communication

The incident is then moved to the **Resolved** state.

The resolution notes should clearly explain what caused the issue and how it was corrected.

5.9 Knowledge Creation

If the solution discovered during investigation can help resolve similar incidents in the future, a new knowledge article is created.

The knowledge article contains:

Problem: Description of the issue.

Symptoms: Observable behavior experienced by the user.

Cause: Identified reason for the problem.

Resolution: Steps required to solve the problem.

Additional Information: Precautions or supporting information.

Creating a knowledge article converts the incident-resolution experience into reusable organizational knowledge.

5.10 SLA Validation

The SLA information associated with the incident is verified.

The project checks whether the required response and resolution targets have been met.

The SLA records provide visibility into the performance of the support process.

5.11 Related Record Validation

Before completing the lifecycle, all related records are validated.

These may include:

- Parent incident
- Child incident
- Emergency change request
- Knowledge article
- SLA records
- Assignment information

This confirms that the complete lifecycle of the incident has been documented correctly.

PROJECT TESTING

The implemented project is tested using different scenarios.

Test Case 1 – Incident Creation

Input: User reports an issue.

Expected Result: A new incident should be created with a unique incident number.

Test Case 2 – Incident Classification

Input: Category, impact and urgency are selected.

Expected Result: The incident should contain the appropriate classification and priority.

Test Case 3 – Assignment

Input: Incident is assigned to a support group.

Expected Result: The selected support group should receive responsibility for the incident.

Test Case 4 – Level 2 Escalation

Input: Initial support cannot resolve the incident.

Expected Result: Incident should be reassigned/escalated to Level 2 support while retaining previous activity details.

Test Case 5 – Knowledge Integration

Input: Agent searches for an existing solution.

Expected Result: Relevant knowledge information should be available for troubleshooting.

Test Case 6 – Emergency Change

Input: Incident requires an urgent technical change.

Expected Result: Emergency change request should be created and associated with the incident.

Test Case 7 – Child Incident

Input: Related issue requires another incident.

Expected Result: Child incident should be created and linked to the parent incident.

Test Case 8 – Incident Resolution

Input: Technical issue is fixed.

Expected Result: Incident should move to Resolved after entering the required resolution information.

Test Case 9 – Knowledge Creation

Input: A reusable solution is identified.

Expected Result: Knowledge article should be created containing the solution.

Test Case 10 – SLA Validation

Input: Incident lifecycle is completed.

Expected Result: Applicable SLA information should be visible and verifiable.

PROJECT RESULTS

The Incident Lifecycle Automation project successfully demonstrates the complete process of handling an IT incident using ServiceNow.

The implementation demonstrates:

- Creation of incident records
- Incident classification and prioritization
- Assignment to support teams
- Level 2 escalation
- Knowledge integration
- Emergency change-request integration
- Parent-child incident management
- Incident investigation and resolution
- Knowledge creation
- SLA monitoring
- Related-record validation

The project provides a centralized mechanism for managing incidents and improves the visibility of activities performed throughout the incident lifecycle.

BENEFITS OF THE PROJECT

The proposed solution provides several benefits to an organization:

- Faster incident resolution
- Improved incident tracking
- Proper prioritization of critical incidents
- Better assignment of incidents
- Reduced manual coordination
- Improved escalation process
- Reuse of existing solutions through Knowledge Management
- Better management of related incidents
- Traceability between incidents and emergency changes
- Improved SLA monitoring
- Complete incident history
- Better communication between support teams
- Improved quality of IT service delivery

FUTURE ENHANCEMENTS

The project can later be enhanced by introducing:

- Automatic incident categorization
 - Automatic assignment based on incident category
 - Notifications for SLA breaches
 - Automated escalation rules
 - AI-based incident summarization
 - Similar-incident recommendations
 - Automatic knowledge-article recommendations
 - Virtual Agent integration
 - Incident dashboards and analytics
 - Predictive identification of high-priority incidents
 - Automated duplicate-incident detection
-

CONCLUSION

The **Incident Lifecycle Automation in ServiceNow** project provides a structured approach for managing incidents throughout their complete lifecycle.

The project begins with service and incident creation, followed by classification, prioritization, assignment, investigation, knowledge integration, and escalation. It also demonstrates advanced incident-management activities such as child incident creation and emergency change-request integration.

After the technical issue is resolved, resolution details are recorded and reusable knowledge can be created for future incidents. Finally, SLA information and related records are validated to ensure that the entire incident lifecycle has been properly documented.

By integrating **Incident Management, Knowledge Management, Change Management, Assignment Management, and SLA Management**, the project demonstrates how ServiceNow can provide an efficient and traceable process for managing IT service disruptions from initial reporting through final resolution and closure.