

Joël Maximilian Mai

11118561

Media informatics

Exposé for a bachelor thesis

Merging Human-computer interaction with agile software development

Contents

| | |
|----------------------------------|----|
| Tags | 1 |
| Motivation and problems to solve | 1 |
| Status Quo | 1 |
| Derived Thesis | 2 |
| Procedure | 3 |
| Project Plan | 3 |
| References | II |

Tags

Human-computer interaction, agile, Lean Startup, Agile Experience Design, agile project management, Human-centered design, Toolbox

Motivation and problems to solve

A project needs to deliver fast business value, to be technically feasible and desirable by the end-user [1]. To solve this problem, the agile movement came up with many ideas, such as splitting the workload into smaller chunks, to tackle these tasks [2]. But they came at a cost. Integrating the agile manifest meant, that all members of the project and the Client had to commit to it [1]. Therefore a big share of all Web Agencies kept parts of the original waterfall phases in their processes [3]. This led to stiff deadlines which had to be met by an agile team of developers and sometimes also designers [4].

Additionally, there is a different strategy out there, that claims to solve similar problems such as agile. Human-computer interaction (HCI) methods to create a feasible design concept are also used.

More often than not, the end-user is only kept in mind during early concepts. After the solutions are sketched, wireframed, or mocked up there is little to no discussion if the final product pleases the end-user [5]. HCI methods keep the end-user in mind and focus on perfecting the Interaction between the user and the computer or system, as the name suggests.

So to wrap up, the waterfall phases are highly outdated and come with huge risks for the company [6]. Some of those phases were improved. Such as iterative design processes and agile development. But both only put focus on their phase and dictate others [7].

To improve this process and to archive the goal, methods from HCI are needed and have to be integrated and the overall process of creating products has to be modified. Another problem is the mentioned little collaboration between Departments [8]. While designers are driven by deadlines and collaborate less with developers, which leads to not viable solutions, developers on the other hand build working software, which is no longer valuable to the end-user [5, 9].

Once the Quality Assurance Department, if there is one, has done its job, the final product gets deployed and only receives irregular updates [10]. This is neither agile nor a sustainable view of digital products. Requirements will change, therefore the way of reaching a solution must too [11].

We still need to keep in mind the time, budget, and scope of projects. But a subgoal should also be to minimize waste and unused documentation. The Goal will be to bring it all together.

Status Quo

Currently, it is State of the art to use agile management methods, such as scrum, lean start-up, or design thinking, to generate business value faster, reduce risks, increase flexibility and improve customer satisfaction.

Therefore, there are many publications available that discuss integrating user-centered approaches into agile development [12, 13] some even going as far as to call it human-centered [14, 15, 16]. The difference is, that user-centered is end-user focussed, and human-centered means, keeping the focus on all humans interacting with the system.

As for Human-computer interaction, the most talked-about strategy is human-centered design, which is similar to an agile iterative process, but it focuses on the humans that will use the final product. Agile Experience Design [17] is another strategy that tries to improve on the negatives of agile as it is.

Another approach is to integrate agile into the human-centered design by working one sprint ahead of the design team, or working parallel and closely together, thereby sharing their finished increments and improving on each other. Last but not least there is an approach where the UX Steps of Iteration are completely integrated into the sprint. By working together and not before or aside from the development team, UX becomes an important part of the sprint which results in a product that is not only technically feasible but also usable and has improved user experience [18].

Surrounding Human-computer interaction, the most complete set of methods and strategies as well as recommendations can be received by the DIN Standards Committee Ergonomics on their Norms [19, 20, 21]. More Information on how to write valuable user stories is found in Jeff Patton's publication "User Story Mapping" [22]. There are still a few publications about the compatibility of HCI and Agile [23] and Human-computer Interface expert systems for agile methods [24].

But none of the above differentiate between starting a new project and maintaining a product.

Derived Thesis

Currently, the agile strategy is not concerned with differentiating between a new project and maintaining a product. It is the goal of this thesis to improve on all phases of the processes. The result will take the minimal-waste aspects of lean-startup, human-centered in phases of design and development due to Human-computer interaction methods, and make faster business value through the splitting of workload into smaller, more manageable chunks, following the scrum process. For example, using the Software Architects early on, during the concept phase, will result in much more feasible solutions. Combining that with the required research of HCI will result in a feasible and human-centered solution.

Therefore, the main thesis is: "Merging Human-computer interaction with agile software development"

But this thesis will also answer questions like, why integrating Human-computer interaction methods is the key to improving satisfaction, why other strategies fail to bring value/satisfaction, and also why software architects should be used early on in a project? To answer these questions, it is needed to discuss other existing strategies, analyze studies and develop a toolbox with methods and strategies for most use cases. At the end of this thesis, there will be a recommendation to new and old agencies, that want to improve their workflow, to become faster reacting and ready for a change in requirements, while still being able to satisfy the expectations of their clients and end-users.

Procedure

The first step will be to research the available agile frameworks, keeping the focus on the established and mainly used in common working environments. Thereafter, current solutions to the key problems will be analyzed and rated. Following this, it is to decide if further methods are needed, or if the existing ones just have to be modified to accommodate a feasible workflow. All listed methods and strategies will be compared in their benefits and differentiated due to their disadvantages. Next, the decisions have to be made if the set goal of this thesis can be accomplished. Furthermore, the refined methods/tools will be recommended and enhanced by a refined vocabulary based on expert opinions. This toolbox will be additionally added with notes, which are useful for new projects or maintaining an existing product. At last, it is discussed if all gaps were successfully closed, and which are remaining, leading to follow-up projects.

Project Plan

| | |
|--------------------|--|
| July 18, 2022 | Submit Exposé |
| July 25, 2022 | Register thesis |
| July 28, 2022 | Research the Strategies |
| August 4, 2022 | Analyze current solutions |
| August 15, 2022 | Refine methods and tools |
| August 29, 2022 | Refine workflow |
| September 15, 2022 | Decide if further methods are needed |
| September 16, 2022 | Comparing benefits and disadvantages |
| September 25, 2022 | Decide if goal of thesis can be accomplished |
| September 27, 2022 | Establish Toolbox and Vocabulary |
| October 3, 2022 | Write Conclusion and check for errors |
| October 23, 2022 | Thesis submission |
| October 26, 2022 | Colloquium |

References

- [1] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. 11. New Riders, 2011.
- [2] K. Drozd, "The art of thinking big and working small — atlassian." <https://www.atlassian.com/agile/agile-conversations/think-big-work-small>. (Accessed on 07/18/2022).
- [3] A. Windolph, "10 spannende einblicke zum stand des projektmanagements 2022 [statistik] - projekte leicht gemacht." <https://projekte-leicht-gemacht.de/blog/projektmanagement/einblicke-projektmanagement-2022>, January 2022. (Accessed on 07/12/2022).
- [4] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. 4. New Riders, 2011.
- [5] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. 33. New Riders, 2011.
- [6] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. 14. New Riders, 2011.
- [7] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. 22. New Riders, 2011.
- [8] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. iv. New Riders, 2011.
- [9] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. 18. New Riders, 2011.
- [10] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, p. 18. New Riders, 2011.
- [11] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*, pp. 30–31. New Riders, 2011.
- [12] L. Rojas and J. Macías in *An Agile Information-Architecture-Driven Approach for the Development of User-Centered Interactive Software*, pp. 1–8, 09 2015.
- [13] D. Bluestone, "How to combine user-centered design and agile development :: Uxmatters." <https://www.uxmatters.com/mt/archives/2015/12/how-to-combine-user-centered-design-and-agile-development.php>, December 2015. (Accessed on 07/14/2022).

- [14] L. Montalbano, Joseph, "Human-centered design with safe - scaled agile framework." <https://www.scaledagileframework.com/using-human-centered-design-with-safe/>. (Accessed on 07/14/2022).
- [15] P. Forbrig and M. Herczeg in *Managing the Agile Process of Human-Centred Design and Software Development*, 2015.
- [16] T. Memmel, F. Gundelsweiler, and H. Reiterer, "Agile human-centered software engineering," in *Proceedings of the 21st British HCI Group Annual Conference on People and Computers: HCI...but Not as We Know It - Volume 1*, BCS-HCI '07, (Swindon, GBR), p. 167–175, BCS Learning and Development Ltd., 2007.
- [17] L. Ratcliffe and M. McNeill, *Agile experience design: A digital designer's guide to agile, lean, and continuous*. New Riders, 2011.
- [18] M. Minge and A. Föhl, *Bringing It Together: Three Approaches to Combine Agile Software Development and Human-Centered Design*, pp. 21–27. 01 2019.
- [19] D. S. C. Ergonomics, "Din en iso 9241-110: Interaction principles," tech. rep., DIN Standards Committee Ergonomics, Am DIN-Platz, Burggrafenstr. 6, 10787 Berlin, August 2020.
- [20] D. S. C. Ergonomics, "Din en iso 9241-210: Human-centred design for interactive systems," tech. rep., DIN Standards Committee Ergonomics, Am DIN-Platz, Burggrafenstr. 6, 10787 Berlin, März 2020.
- [21] D. S. C. Ergonomics, "Din en iso 9241-220: Processes for enabling, executing and assessing human-centred design within organizations," tech. rep., DIN Standards Committee Ergonomics, Am DIN-Platz, Burggrafenstr. 6, 10787 Berlin, Juli 2020.
- [22] J. Patton, *User Story Mapping*. 1005 Fravenstein Highway Noth, Sebastopol, CA: O'Reilly Media, Inc, 2014.
- [23] A. Elssamadisy, "Human computer interaction (hci) and agile compatibility." https://www.infoq.com/news/2007/06/hci_agile/, June 2007. (Accessed on 07/14/2022).
- [24] C. S. A. Peixoto, "Human-computer interface expert system for agile methods," in *Proceedings of the ITI 2009 31st International Conference on Information Technology Interfaces*, pp. 311–316, 2009.