

References:

1. Olziikhutag, N. (Ed). (1983). Latin-Mongolian-Russian Dictionary of Vascular Plants of Mongolia (p. 204). Ulaanbaatar: Press of Mongolian Academy of Sciences.
2. Gubanov, I.A. (1996). Conspectus on Mongolian Flora (vascular plants) (p. 79). Moscow: Valang Press.
3. Malishev, L.I., and Peshkova, G.A. (1979). Flora of Central Siberia (Vol. 2, p. 676). Novosibirsk: Science Printing.
4. Sanchir, Ch., Batkhuu, J., Boldsaikhan, B., and Komatsu, K. (2005). Illustrated Guide of Mongolian Useful Plants. (Vol. 2, p. 28). Ulaanbaatar: Admon Printing.
5. Ligaa, U., Davaasuren, B., and Ninjil, N. (2005). Medicinal Plants of Mongolia Used in Western and Eastern Medicine. (p. 651). Ulaanbaatar: JCK Printing.
6. Yuthok Yonten Gonpo., Four Medical Tantras, VIII-IXth century.
7. Danzanpuntsag., Crystal rosary. XVIIIth century.
8. Sokolov, P.D. *et al.* (1988). Plants Review of USSR: Family Rutaceae-Elaeagnaceae. (p. 86). Leningraad: Science Printing.
9. Minaeva, V.G., Volkhonskaya, T.A., and Valutskaya, A.G. (1985). Comparative investigation of flavonoid consitiution of some *Bupleurum* species of Siberia. *Rastit. Resur.* 1, 233.
10. Tserendulam, L. (2002). Chemical and chemical-technological investigation of *Bupleurum* species. (p. 53). A thesis submitted for the degree of Doctor of Philosophy in Pharmacy. Ulaanbaatar: Medical University of Mongolia.
11. Tan, L., Zhang, Q.Y., Li, J.S., Wang, B., Tu, G.Z., and Zhao, Y.Y. (2005). Studies on lignan glycosides from the roots of *Bupleurum scorzonerifolium*. *Yao Xue Xue Bao* 40, 428.
12. Chang, W.L., Chiu, L.W., Lai, J.H., and Lin, H.C. (2003). Immunosuppressive flavones and lignans from *Bupleurum scorzonerifolium*. *Phytochemistry* 64, 1375.
13. Tan, L., Zhao, Y., Tu, G., Wang, B., Cai, S., and Zhang, R. (1999). Saikosaponins from roots of *Bupleurum scorzonerifolium*. *Phytochemistry* 50, 139.
14. Oyuungerel, Z., Tserendulam, L., and Shiirevdamba, Ts. (1994). Herb of *Bupleurum scorzonerifolium*, Mongolian National Standard 4198–94.