Distribution: Khovs., Khent., Khang., Mong-Dag., Dund. Khalkh, Dor. Mong., Khyang., Khovd, Mong. Alt., Ikh n., Olon n., Gobi-Alt., Zyyngar, Alt. ovor.

Habitat: Damp waterside and alkaline meadows, river and spring banks, lake shores, swampy meadows, ruderal places [2–5].

Part used: Herb

Traditional Uses: The taste is sweet and the potency is cool and blunt. It is used for the following: treating hemorrhages, diarrhea, hemiparesis, headache, and fever. It is an ingredient of the following traditional prescriptions: Erkhem-6 and Donti-13 [5–8].

Chemical constituents: Sugars: glucose, fructose, rhamnose [9], vitamin: carotene, coumarin: ellagic acid [10], 4.18–10.64% tannins [9,10], 1.8% flavonoids: quercetin, quercitrin, quercetin glycoside, kaempferol and myricetin glycoside [10], leucoanthocyanidin [11].

Bioactivities: Antibacterial activity and stimulates digestive tract [10].

References:

- 1. Olziikhutag, N. (Ed). (1983). Latin-Mongolian-Russian Dictionary of Vascular Plants of Mongolia (p. 159). Ulaanbaatar: Press of Mongolian Academy of Sciences.
- 2. Gubanov, I.A. (1996). Conspectus on Mongolian Flora (vascular plants) (p. 60). Moscow: Valang Press.
- 3. Malishev, L.I. and Peshkova, G.A. (1979). Flora of Central Siberia (Vol. 2, p. 560). Novosibirsk: Science Printing.
- 4. Sanchir, Ch., Batkhuu, J., Boldsaikhan, B., and Komatsu, K. (2005). Illustrated Guide of Mongolian Useful Plants. (Vol. 2, p. 215). Ulaanbaatar: Admon Printing.
- 5. Ligaa, U., Davaasuren, B., and Ninjil, N. (2005). Medicinal Plants of Mongolia Used in Western and Eastern Medicine. (p. 127). Ulaanbaatar: JCK Printing.
- 6. Yuthok Yonten Gonpo., Four Medical Tantras, VIII-IXth century.
- 7. Danzanpuntsag., Crystal rosary. XVIIIth century.
- 8. Boldsaikhan, B. (2004). Encyclopedia of Mongolian Medicinal Plants (p. 26). Ulaanbaatar: Mongolian University of Science and Technology.
- 9. Eisenreichová, E., Bučková, A., Leifertová, I., and Babinská, M. (1974). Studium trieslovin a cukrov v *Potentilla anserina* L. *Čs. Farm.* 23, 82.
- 10. Sokolov, P.D. et al. (1987). Plants Review of USSR: Family Hydrangeaceae-Haloragaceae. (p. 59). Leningrad: Science Printing.
- 11. Bednarska, D. (1971). Leukoantocyjany w *Potentilla anserina* L. *Farm. Pol.* 27, 359.