Practice quiz: Classification with logistic regression

Puntos totales 4


1. Which is an example of a classification task?

1 punto

- Based on the size of each tumor, determine if each tumor is malignant (cancerous) or not.
- Based on a patient's blood pressure, determine how much blood pressure medication (a dosage measured in milligrams) the patient should be prescribed.
- Based on a patient's age and blood pressure, determine how much blood pressure medication (measured in milligrams) the patient should be prescribed.
- **2.** Recall the sigmoid function is $g(z) = \frac{1}{1+e^{-z}}$

1 punto

sigmoid function




If z is a large positive number, then:

- \bigcirc g(z) will be near 0.5
- \bigcirc g(z) will be near zero (0)

- \bigcirc g(z) is near negative one (-1)

3.

1 punto



A cat photo classification model predicts 1 if it's a cat, and 0 if it's not a cat. For a particular photograph, the logistic regression model outputs g(z) (a number between 0 and 1). Which of these would be a reasonable criteria to decide whether to predict if it's a cat?

- \bigcirc Predict it is a cat if g(z) >= 0.5
- Predict it is a cat if g(z) < 0.7
- \bigcirc Predict it is a cat if g(z) = 0.5
- \bigcirc Predict it is a cat if g(z) < 0.5

4.

1 punto

True/False? No matter what features you use (including if you use polynomial features), the decision boundary learned by logistic regression will be a linear decision boundary.

- True
- False