

CCC '09 S4 - Shop and Ship

Time Limit: 4.0s

Java 8: 8.0s

Python: 10.0s

Memory Limit: 256M

Python: 768M

In Doubleclickland, there are N cities ($N \leq 5\,000$), with each city having various trade routes to other cities. In total, there are T trade routes ($0 \leq T \leq 25\,000\,000$) in Doubleclickland. For each trade route between two cities x and y , there is a transportation cost $C(x, y)$ to ship between the cities, where $C(x, y) > 0$, $C(x, y) \leq 10\,000$ and $C(x, y) = C(y, x)$. Out of the N cities, K ($1 \leq K \leq N$) of these cities have stores with really nice pencils that can be purchased on-line. The price for each pencil in city x is P_x ($0 \leq P_x \leq 10\,000$).

Find the minimal price to purchase one pencil on-line and have it shipped to a particular city D ($1 \leq D \leq N$) using the cheapest possible trade-route sequence. Notice that it is possible to purchase the pencil in city D and thus require no shipping charges.

Input Specification

The first line of input contains N , the number of cities. You can assume the cities are numbered from 1 to N . The second line of input contains T , the number of trade routes. The next T lines each contain 3 integers, x , y , $C(x, y)$, to denote the cost of using the trade route between cities x and y is $C(x, y)$. The next line contains the integer K , the number of cities with a store that sells really nice pencils on-line. The next K lines contains two integers, z and P_z , to denote that the cost of a pencil in city z is P_z . The last line contains the integer D , the destination city.

Output Specification

Output the minimal total cost of purchasing a pencil on-line and shipping it to city D .

Sample Input

```
3
3
1 2 4
2 3 2
1 3 3
3
1 14
2 8
3 3
1
```

Sample Output

CCC problem statements in large part from the [PEG OJ](#)