

Proposal for Loops manual contents.

This ordering is based on the Interlisp Reference manual. Numbers in [[]]'s indicate the corresponding sections in the (new) IRM.

[[Volume 1 -- Language]]

Introduction [[1]]

Classes [[2]]

 The hierarchy

 Tofu

 Object

 Class

 LispClassTable

Instances [[3]]

MetaClasses [[4]]

 The Golden Braid

 MetaClass

 AbstractClass

AnnotatedValues [[5]]

 NotSetValue

Methods [[6]]

 Categories

 DefaultComment

 SubclassResponsibility

Conditionals and Iterative Statements [[9]]

 Date type predicates

 Object?

 Class?

 Instance?

 (*type? annotatedValue form*)

 Other predicates

 HasIV, HasIV!, HasCV

 Understands

 InstOf, InstOf!

 Iterative statements

 in-supers-of

Message sending forms [[10]]

 List all message sending forms (even if described elsewhere)

 Looking up methods

 FetchMethod

 FetchMethodOrHelp

Miscellaneous [[12]]

System version information

Pattern match functions

FEATURES

[[Volume 2 -- Environment]]

Browsing and Exec Level Commands [[13]]

UNDOable version of PutValue?

LASTWORD set by DefineMethods

LASTCLASS set by DefineClass

Loops Icon

Browsers, in general

MaxLatticeHeight

MaxLatticeWidth

Class Browsers

File Browsers

Other Browsers

Top level commands

DefineClass

DefineMethod

Errors and Breaks [[14]]

LoopsDebugFlg

ErrorOnNameConflict

IVMissing

IVValueMissing

MessageNotUnderstood

Breaking and Tracing [[15]]

Breaking and Tracing IV access

Breaking and Tracing methods

Gauges

Editing [[16]]

File Package [[17]]

Compiling [[18]]

Macros for GetValue, PutValue

Referring to Loops objects in compiled code

Masterscope [[19]]

DWIM [[20]]

No method, but a fn=> use the fn. How about other way?

Performance Issues [[22]]

Garbage Collection

Space

Speed

Caching

ClearAllCaches
 Method lookup caches
 IV Lookup caches

Processes [[23]]

 _Process, _Process!

[[Volume 3 -- Input/Output]]

Reading and Printing [[25]]

 The # read macro character

 How Classes print

 How Instances print

 ObjectAlwaysPPFlag

 ObjectDontPPFlag

 How AnnotatedValues print

 DefaultActiveValueClassName

 UIDs

 When assigned

User Input/Output Packages [[26]]

 Inspector

 Extensions to ?=

Loops windows [[28]]

[[Loops Library Packages Manual]]

Virtual Copies [[no chapter]]

Composite Objects [[no chapter]]

[[Release Notes]]

Installation

Customer Support

Conversion From old Loops

Future Directions