

Q1.

The discrete random variable Y has the probability function

$$P(Y = y) = \begin{cases} 2ky & y = 1, 2, 3, 4 \\ 0 & \text{otherwise} \end{cases}$$

where k is a constant.

Show that $\text{Var}(5Y - 2) = 25$

(Total 6 marks)

Q2.

The discrete random variable R has the following probability distribution.

r	-2	0	a	4
$P(R = r)$	0.3	b	c	0.1

It is known that $E(R) = 0.2$ and $\text{Var}(R) = 3.56$

Find the values of a , b and c .

(Total 4 marks)

Q3.

Participants in a school jumping competition gain a total score for each jump based on the length, L metres, jumped beyond a fixed point and a mark, S , for style.

L may be regarded as a continuous random variable with probability density function

$$f(l) = \begin{cases} wl & 0 \leq l \leq 15 \\ 0 & \text{otherwise} \end{cases}$$

where w is a constant.

S may be regarded as a discrete random variable with probability function

$$P(S = s) = \begin{cases} \frac{1}{15}s & s = 1, 2, 3, 4, 5 \\ 0 & \text{otherwise} \end{cases}$$

Assume that L and S are independent.

The total score for a participant in this competition, T , is given by $T = L^2 + \frac{1}{2}S$

Show that the expected total score for a participant is $114\frac{1}{3}$

(Total 5 marks)

Q4.

The random variable T can take the value $T = -2$ or any value in the range $0 \leq T < 12$

The distribution of T is given by $P(T = -2) = c$, $P(0 \leq T \leq t) = 225k - k(15 - t)^2$

- (a) (i) Show that $1 - c = 216k$

(3)

- (ii) Given that $c = 0.1$, find the value of $E(T)$

(3)

- (b) Show that $E(\sqrt{|T|}) = \frac{5\sqrt{2} + 52\sqrt{3}}{50}$

(3)

(Total 9 marks)

Q5.

In a computer game, players try to collect five treasures. The number of treasures that Isaac collects in one play of the game is represented by the discrete random variable X .

The probability distribution of X is defined by

$$P(X = x) = \begin{cases} \frac{1}{x+2} & x = 1, 2, 3, 4 \\ k & x = 5 \\ 0 & \text{otherwise} \end{cases}$$

- (a) (i) Show that $k = \frac{1}{20}$.

(2)

- (ii) Calculate the value of $E(X)$.

(2)

- (iii) Show that $\text{Var}(X) = 1.5275$.

(3)

- (iv) Find the probability that Isaac collects more than 2 treasures.

(2)

- (b) The number of points that Isaac scores for collecting treasures is Y where

$$Y = 100X - 50$$

Calculate the mean and the standard deviation of Y .

(4)

(Total 13 marks)

Q6.

A house has a total of five bedrooms, at least one of which is always rented.

The probability distribution for R , the number of bedrooms that are rented at any given time, is given by

$$P(R = r) = \begin{cases} 0.5 & r = 1 \\ 0.4(0.6)^{r-1} & r = 2, 3, 4 \\ 0.0296 & r = 5 \end{cases}$$

- (a) Complete the table below.

r	1	2	3	4	5
$P(R = r)$	0.5				0.0296

(2)

- (b) Find the probability that fewer than 3 bedrooms are **not** rented at any given time.

(3)

- (c) (i) Find the value of $E(R)$.

(2)

- (ii) Show that $E(R^2) = 4.8784$ and hence find the value of $\text{Var}(R)$.

(3)

- (d) Bedrooms are rented on a monthly basis.

The monthly income, $\pounds M$, from renting bedrooms in the house may be modelled by

$$M = 1250R - 282$$

©2025 Exam Papers Practice. All rights reserved.

Find the mean and the standard deviation of M .

(3)

(Total 13 marks)

Q7.

- (a) A red biased tetrahedral die is rolled. The number, X , on the face on which it lands has the probability distribution given by

x	1	2	3	4
$P(X = x)$	0.2	0.1	0.4	0.3

- (i) Calculate $E(X)$ and $\text{Var}(X)$.

(3)

- (ii) The red die is now rolled **three** times. The random variable S is the sum of the

three numbers obtained.

Find $E(S)$ and $\text{Var}(S)$.

(2)

- (b) A blue biased tetrahedral die is rolled. The number, Y , on the face on which it lands has the probability distribution given by

$$P(Y = y) = \begin{cases} \frac{y}{20} & y = 1, 2 \text{ and } 3 \\ \frac{7}{10} & y = 4 \end{cases}$$

The random variable T is the value obtained when the number on the face on which it lands is multiplied by 3.

Calculate $E(T)$ and $\text{Var}(T)$.

(6)

- (c) Calculate:

(i) $P(X > 1)$;

(1)

(ii) $P(X + T \leq 9 \text{ and } X > 1)$;

(4)

(iii) $P(X + T \leq 9 \mid X > 1)$.

(2)

(Total 18 marks)

Q8.

©2025 Exam Papers Practice. All rights reserved.

A discrete random variable X has the probability distribution

$$P(X = x) = \begin{cases} \frac{3x}{20} & x = 1, 2, 3, 4 \\ \frac{x}{20} & x = 5 \\ 0 & \text{otherwise} \end{cases}$$

- (a) Calculate $E(X)$.

(2)

- (b) Show that:

(i) $E\left(\frac{1}{x}\right) = \frac{7}{20}$;

(2)

(ii) $\text{Var}\left(\frac{1}{X}\right) = \frac{7}{160}$.

(4)

- (c) The discrete random variable Y is such that $Y = \frac{40}{X}$.

Calculate:

(i) $P(Y < 20)$;

(3)

(ii) $P(X < 4 \mid Y < 20)$.

(3)

(Total 10 marks)

Q9.

- (a) Ali has a bag of 10 balls, of which 5 are red and 5 are blue. He asks Ben to select 5 of these balls from the bag at random.

The probability distribution of X , the number of red balls that Ben selects, is given in the **Table 1**.

Table 1

x	0	1	2	3	4	5
$P(X = x)$	$\frac{1}{252}$	$\frac{25}{252}$	$\frac{100}{252}$	a	$\frac{25}{252}$	$\frac{1}{252}$

- (i) State the value of a .

(1)

- (ii) Hence write down the value of $E(X)$.

(1)

- (iii) Determine the standard deviation of X .

(5)

- (b) Ali decides to play a game with Joanne using the same 10 balls. Joanne is asked to select 2 balls from the bag at random.

Ali agrees to pay Joanne 90p if the two balls that she selects are the same colour, but nothing if they are different colours. Joanne pays 50p to play the game.

The probability distribution of Y , the number of red balls that Joanne selects, is given in **Table 2**.

Table 2

y	0	1	2
$P(Y = y)$	$\frac{2}{9}$	$\frac{5}{9}$	$\frac{2}{9}$

- (i) Determine whether Joanne can expect to make a profit or a loss from playing the game once.
- (ii) Hence calculate the expected size of this profit or loss after Joanne has played the game 100 times.

(3)
(Total 10 marks)

Q10.

- (a) The number of strokes, R , taken by the members of Duffers Golf Club to complete the first hole may be modelled by the following discrete probability distribution.

r	≤ 2	3	4	5	6	7	8	≥ 9
$P(R = r)$	0	0.1	0.2	0.3	0.25	0.1	0.05	0

- (i) Determine the probability that a member, selected at random, takes at least 5 strokes to complete the first hole.

(1)

- (ii) Calculate $E(R)$.

(2)

- (iii) Show that $\text{Var}(R) = 1.66$.

(4)

- (b) The number of strokes, S , taken by the members of Duffers Golf Club to complete the second hole may be modelled by the following discrete probability distribution.

s	≤ 2	3	4	5	6	7	8	≥ 9
$P(S = s)$	0	0.15	0.4	0.3	0.1	0.03	0.02	0

Assuming that R and S are independent:

- (i) show that $P(R + S \leq 8) = 0.24$;

(5)

- (ii) calculate the probability that, when 5 members are selected at random, at least 4 of them complete the first two holes in fewer than 9 strokes;

(3)

- (iii) calculate $P(R = 4 \mid R + S \leq 8)$.

(3)

Q11.

A small supermarket has a total of four checkouts, at least one of which is always staffed. The probability distribution for R , the number of checkouts that are staffed at any given time, is

$$P(R = r) = \begin{cases} \frac{2}{3} \left(\frac{1}{3}\right)^{r-1} & r = 1, 2, 3 \\ k & r = 4 \end{cases}$$

- (a) Show that $k = \frac{1}{27}$. (2)

- (b) Find the probability that, at any given time, there will be at least 3 checkouts that are staffed. (1)

- (c) It is suggested that the total number of customers, C , that can be served at the checkouts per hour may be modelled by

$$C = 27R + 5$$

Find:

- (i) $E(C)$; (3)

- (ii) the standard deviation of C . (4)

(Total 10 marks)

©2025 Exam Papers Practice. All rights reserved.

Q12.

Joanne has 10 identically-shaped discs, of which 1 is blue, 2 are green, 3 are yellow and 4 are red. She places the 10 discs in a bag and asks her friend David to play a game by selecting, at random and without replacement, two discs from the bag.

- (a) Show that:

- (i) the probability that the two discs selected are the same colour is $\frac{2}{9}$; (2)

- (ii) the probability that exactly one of the two discs selected is blue is $\frac{1}{5}$. (2)

- (b) Using the discs, Joanne plays the game with David, under the following conditions:

If the two discs selected by David are the same colour, she will pay him 135p. If exactly one of the two discs selected by David is blue, she will pay him 145p. Otherwise David will pay Joanne 45p.

- (i) When a game is played, X is the amount, in pence, **won by David**. Construct the probability distribution for X , in the form of a table. (2)
- (ii) Show that $E(X) = 33$. (2)
- (c) Joanne modifies the game so that the amount per game, Y pence, that **she wins** may be modelled by
- $$Y = 104 - 3X$$
- (i) Determine how much Joanne would expect to win if the game is played 100 times. (3)
- (ii) Calculate the standard deviation of Y , giving your answer to the nearest 1p. (4)
- (Total 15 marks)

Q13.

A discrete random variable X has the probability distribution

$$P(X = x) = \begin{cases} \frac{x}{20} & x = 1, 2, 3, 4, 5 \\ \frac{x}{24} & x = 6 \\ 0 & \text{otherwise} \end{cases}$$

- (a) Calculate $P(X \geq 5)$. (2)
- (b) (i) Show that $E\left(\frac{1}{X}\right) = \frac{7}{24}$. (2)
- (ii) Hence, or otherwise, show that $\text{Var}\left(\frac{1}{X}\right) = 0.036$, correct to three decimal places. (3)
- (c) Calculate the mean and the variance of A , the area of rectangles having sides of length $X + 3$ and $\frac{1}{X}$. (5)

Q14.

- (a) The number of text messages, N , sent by Peter each month on his mobile phone never exceeds 40.

When $0 \leq N \leq 10$, he is charged for 5 messages.

When $10 < N \leq 20$, he is charged for 15 messages.

When $20 < N \leq 30$, he is charged for 25 messages.

When $30 < N \leq 40$, he is charged for 35 messages.

The number of text messages, Y , that Peter is charged for each month has the following probability distribution:

y	5	15	25	35
$P(Y = y)$	0.1	0.2	0.3	0.4

- (i) Calculate the mean and the standard deviation of Y .

(4)

- (ii) The Goodtime phone company makes a total charge for text messages, C pence, each month given by

$$C = 10Y + 5$$

Calculate $E(C)$.

(1)

- (b) The number of text messages, X , sent by Joanne each month on her mobile phone is such that

$$E(X) = 8.35 \quad \text{and} \quad E(X^2) = 75.25$$

The Newtime phone company makes a total charge for text messages, T pence, each month given by

$$T = 0.4X + 250$$

Calculate $\text{Var}(T)$.

(4)

(Total 9 marks)

Q15.

The number of mistakes, X , that Holli makes as a learner driver when she drives from Ampthill to Bedford can be modelled by the following discrete probability distribution:

x	≤ 1	2	3	4	5	6	≥ 7
-----	----------	---	---	---	---	---	----------

$P(X = x)$	0	0.40	0.25	0.18	0.12	k	0
------------	---	------	------	------	------	-----	---

(a) Find the value of k . (1)

(b) Find:

(i) $E(X)$; (1)

(ii) $\text{Var}(X)$. (3)

(c) When Holli makes the return journey by the same route, the number of mistakes, Y , that she makes can be approximated by

$$Y = 2X - 3$$

Find:

(i) $E(Y)$; (1)

(ii) the standard deviation of Y . (3)

(Total 9 marks)

Q16.

The number of fish, X , caught by Pearl when she goes fishing can be modelled by the following discrete probability distribution:

x	1	2	3	4	5	6	≥ 7
$P(X = x)$	0.01	0.05	0.14	0.30	k	0.12	0

(a) Find the value of k . (1)

(b) Find:

(i) $E(X)$; (1)

(ii) $\text{Var}(X)$. (3)

(c) When Pearl sells her fish, she earns a profit, in pounds, given by

$$Y = 5X + 2$$

Find:

- (i) $E(Y)$; (1)
- (ii) the standard deviation of Y . (3)

(Total 9 marks)

Q17.

A discrete random variable X has probability distribution as given in the table.

x	1	2	3	4
$P(X = x)$	p	p	p	$1 - 3p$

- (a) Show that, for this to be a valid distribution, $0 \leq p \leq \frac{1}{3}$. (3)
- (b) (i) Find an expression, in terms of p , for $E(X)$. (1)
- (ii) Show that $\text{Var}(X) = 2p(7 - 18p)$. (3)
- (c) (i) Find the value of p for which $\text{Var}(X)$ is a maximum. (2)
- (ii) Find the maximum value of the standard deviation of X . (3)

©2025 Exam Papers Practice. All rights reserved.

(Total 12 marks)

Q18.

On a multiple choice examination paper, each question has five alternative answers given, only one of which is correct. For each question, candidates gain 4 marks for a correct answer but lose 1 mark for an incorrect answer.

- (a) James guesses the answer to each question.
 - (i) Copy and complete the following table for the probability distribution of X , the number of marks obtained by James for each question.

x	4	-1
$P(X = x)$		

- (ii) Hence find $E(X)$. (1)

(2)

- (b) Karen is able to eliminate two of the incorrect answers from the five alternative answers given for each question before guessing the answer from those remaining.

Given that the examination paper contains 24 questions, calculate Karen's expected total mark.

(4)

(Total 7 marks)

Q19.

The Globe Express agency organises trips to the theatre. The cost, $\pounds X$, of these trips can be modelled by the following probability distribution:

x	40	45	55	74
$P(X = x)$	0.30	0.24	0.36	0.10

- (a) Calculate the mean and standard deviation of X .
- (b) For special celebrity charity performances, Globe Express increases the cost of the trips to $\pounds Y$, where

$$Y = 10X + 250$$

Determine the mean and standard deviation of Y .

(2)

(Total 6 marks)

Q20.

The number of aces, X , served by a tennis player during a set can be modelled by the following probability distribution.

x	0	1	2	3	4	5
$P(X = x)$	0.01	0.09	0.13	0.50	0.15	0.12

- (a) Calculate the mean, μ , and the standard deviation, σ , of X .
- (b) For a set selected at random, calculate $P(\mu - \sigma < X < \mu + \sigma)$.

(4)

(3)

(Total 7 marks)

Q21.

Morecrest football team always scores at least one goal but never scores more than four goals in each game. The number of goals, R , scored in each game by the team can be

modelled by the following probability distribution.

r	1	2	3	4
$P(R = r)$	$\frac{7}{16}$	$\frac{5}{16}$	$\frac{3}{16}$	$\frac{1}{16}$

- (a) Calculate exact values for the mean and variance of R .

(4)

- (b) Next season the team will play 32 games. They expect to win 90% of the games in which they score at least three goals, half of the games in which they score exactly two goals and 20% of the games in which they score exactly one goal.

Find, for next season:

- (i) the number of games in which they expect to score at least three goals;

(1)

- (ii) the number of games that they expect to win.

(2)

(Total 7 marks)

Q22.

The discrete random variable R has the following probability distribution.

r	1	2	4
$P(R = r)$	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{1}{4}$

- (a) Calculate exact values for $E(R)$ and $\text{Var}(R)$.

(4)

- (b) (i) By tabulating the probability distribution for $X = \frac{1}{R^2}$, show that $E(X) = \frac{25}{64}$.

(3)

- (ii) Hence find the value of the mean of the **area** of a rectangle which has sides of length $\frac{8}{R}$ and $\left(R + \frac{8}{R}\right)$

(3)

(Total 10 marks)

Q23.

The probability distribution of a random variable X is given in the table below.

x	1	2	3	4
-----------------------	---	---	---	---

$P(X = x)$	0.1	0.4	0.4	0.1
------------	-----	-----	-----	-----

- (a) Show that the mean of X is 2.5.

(1)

- (b) Calculate the variance of X .

(3)

(Total 4 marks)

Q24.

A random variable X has a probability distribution defined by:

x	0	2	3	5	7
$P(X = x)$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{3}{8}$	$\frac{2}{8}$	k

- (a) Write down the value of k .

(1)

- (b) Calculate:

- (i) the mean of X ;

(2)

- (ii) the variance of X .

(3)

(Total 6 marks)

Q25.

©2025 Exam Papers Practice. All rights reserved.
The probability distribution of a random variable X is given in the table below.

x	-2	-1	0	1	2
$P(X = x)$	0.1	0.1	0.2	2	0.3

Calculate:

- (a) the mean of X ;

(2)

- (b) the variance of X .

(3)

(Total 5 marks)

Q26.

The probability distribution for the number, R , of unwrapped sweets in a tin is given in the following table.

r	0	1	2	3	4
$P(R = r)$	0.1	0.2	0.4	0.2	0.1

(a) Show that:

(i) $E(R) = 2$;

(1)

(ii) $\text{Var}(R) = 1.2$.

(2)

(b) The number, P , of partially wrapped sweets in a tin is given by

$$P = 3R + 4.$$

Find values for $E(P)$ and $\text{Var}(P)$.

(3)

(c) The total number of sweets in a tin is 200. Sweets are either correctly wrapped, partially wrapped or unwrapped.

(i) Express C , the number of correctly wrapped sweets in a tin, in terms of R .

(2)

(ii) Hence find the mean and variance of C .

(2)

(Total 10 marks)

Q27. ©2025 Exam Papers Practice. All rights reserved.

The probability distribution of a random variable X is given in the table below.

x	1	2	3	4
$P(X = x)$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{2}$

Calculate the mean and variance of X .

(Total 4 marks)

Q28.

The discrete random variable S has the following probability distribution.

s	1	5	10	20
-----	---	---	----	----

$P(S = s)$	0.5	0.3	0.1	0.1
------------	-----	-----	-----	-----

A rectangle has sides of length S and $\left(2 + \frac{40}{S}\right)$.

- (a) Given that $E(S) = 5$ and $\text{Var}(S) = 33$, find values for the mean and variance of the **area** of the rectangle.

(4)

- (b) (i) By tabulating the probability distribution for $T = \frac{40}{S}$, or otherwise, show that $E(T) = 23$.

(3)

- (ii) Hence find the mean of the **perimeter** of the rectangle.

(2)

(Total 9 marks)

Q29.

The probability distribution of a random variable X is given in the table below.

x	2	4	6	8
$P(X = x)$	0.25	0.35	0.25	0.15

Calculate the mean and variance of X .

(Total 4 marks)

Q30.

A biased six-sided die is to be rolled once. The probabilities of scoring 1, 2, 3 and 4 are each equal to $\frac{1}{8}$. The probability of scoring 5 is equal to the probability of scoring 6. The score is represented by a random variable X .

- (a) Copy and complete the following table to show the distribution fully.

x	1	2	3	4	5	6
$P(X = x)$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$		

(1)

- (b) Calculate the mean and variance of X .

(5)

(Total 6 marks)

Q31.

The probability distribution for the number of vehicles, V , involved in each minor accident on a particular stretch of road can be modelled as follows.

v	1	2	3	4	5
$P(V = v)$	0.15	0.45	0.20	0.15	0.05

- (a) Show that $E(V) = 2.5$ and $\text{Var}(V) = 1.15$.

(3)

- (b) The total cost, $\pounds C$, of removing all the damaged vehicles following a minor accident is given by:

$$C = 30V + 25.$$

Determine the mean and variance of C .

(3)

- (c) The total repair cost, $\pounds R$, for all the vehicles involved in a minor accident is given by:

$$R = 40V^2 + 15V + 50.$$

Determine the value of $E(R)$.

(3)

(Total 9 marks)

Q32.

Two independent discrete random variables, M and R , are such that $E(M) = 1.7$ and $\text{Var}(M) = 0.81$, with R having the following probability distribution.

r	2	4	6
$P(R = r)$	$\frac{1}{8}$	$\frac{9}{16}$	$\frac{5}{16}$

- (a) Given that M_1 , M_2 , and M_3 are three independent observations on M , write down the value of:

(i) $E(M_1 + M_2 + M_3)$;

(1)

(ii) $\text{Var}(M_1 + M_2 + M_3)$.

(1)

- (b) (i) Calculate values for $E(R)$ and $\text{Var}(R)$.

(4)

(ii) Hence find values for the mean and variance of $\frac{1}{2}R$.

(3)

(c) The discrete random variable T is defined by:

$$T = \frac{1}{2}R + M_1 + M_2 + M_3.$$

Evaluate:

(i) $E(T)$;

(1)

(ii) $\text{Var}(T)$.

(2)

(Total 12 marks)

Q33.

The probability distribution of a random variable X is given in the table below.

x	2	3	4	5
$P(X = x)$	0.2	0.3	0.4	0.1

Calculate:

(a) the mean of X ;

(2)

(b) the variance of X .

(3)

(Total 5 marks)

©2025 Exam Papers Practice. All rights reserved.

Q34.

The probability distribution for the discrete random variable R is tabulated below.

r	1	2	3	4	5
$P(R = r)$	0.1	0.2	0.4	0.2	0.1

(a) Given that $E(R) = 3$ and $\text{Var}(R) = 1.2$, find the mean and variance of $5(2R - 1)$.

(3)

(b) (i) Write down the probability distribution for $\frac{60}{R}$.

(2)

(ii) Show that $E\left(\frac{60}{R}\right) = 24.2$.

(1)

(iii) Given that $E\left(\frac{3600}{R^2}\right) = 759.4$, determine the variance of $\frac{60}{R}$.

(2)

(Total 8 marks)

Q35.

A computer program selects a digit, D , at random from the digits 1, 2, ..., 9.

(a) Explain why $E(D) = 5$

(2)

(b) Given that $E(D^2) = \frac{95}{3}$, find the exact value of $\text{Var}(D)$.

(2)

(c) A number, N , is calculated using

$$N = 3(D + 5).$$

Calculate values for $E(N)$ and $\text{Var}(N)$.

(3)

(Total 7 marks)

Q36.

The probability distribution of a random variable X is given in the table below.

x	1	2	3
$P(X = x)$	$\frac{1}{2}$	$\frac{1}{3}$	p

(a) Find the value of p .

(1)

(b) Show that the mean of X is $\frac{5}{3}$ and find the variance of X .

(4)

(Total 5 marks)

Q37.

The radius, R centimetres, of a circle, in a computer-generated picture, is a discrete random variable with

$$E(R) = 2, E(R^2) = 5 \text{ and } \text{Var}(R) = 1.$$

Determine, in terms of π ,

- (a) the mean and variance of the **circumference** of a circle,

(4)

- (b) the mean of the **area** of a circle.

(2)

(Total 6 marks)

Q38.

In a school athletics competition, a competitor in the long jump is allowed four attempts. Each of these jumps could be disallowed. For one competitor, the table below shows the probability distribution of the number of jumps disallowed.

Number of jumps disallowed	0	1	2	3	4
Probability	0.1	0.4	0.3	0.1	0.1

Calculate the mean and variance of the number of jumps disallowed for this competitor.

(Total 5 marks)

Q39.

The probability distribution of a random variable X is given in the table below.

x	1	2	3	4
$P(X = x)$	$\frac{1}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{8}$

Calculate the mean and variance of X .

©2025 Exam Papers Practice. All rights reserved.

(Total 4 marks)

Q40.

The amount charged, $\pounds X$, for entry to a museum depends on the status of the visitor. The following table shows the charges together with the probability that a visitor will have a particular status.

Status	Charge, $\pounds x$	$P(X = x)$
Child under 16	1.00	0.35
Student	1.50	0.21
Senior citizen	2.00	0.24
Adult	3.00	0.20

- (a) For entrance charges paid by visitors to the museum calculate:

- (i) the mean;
- (ii) $E(X^2)$;
- (iii) the standard deviation. (6)
- (b) Find the probability that the charge for a randomly selected visitor will be greater than or equal to:
- (i) the mean;
- (ii) the mode. (4)
- (c) Children under 5 are admitted free and have been omitted from the probability distribution shown above. If they were included in the probability distribution, explain whether:
- (i) the mean would increase, stay the same or decrease;
- (ii) the standard deviation would increase, stay the same or decrease. (4)
- (Total 14 marks)

Q41.

A village inn offers bed and breakfast and has four bedrooms available for customers. The number of bedrooms occupied each night may be modelled by the random variable, X , with the following probability distribution.

x	$P(X = x)$
0	0.22
1	0.25
2	0.20
3	0.14
4	0.19

- (a) Calculate:
- (i) the mean of X ;
- (ii) $E(X^2)$;
- (iii) the standard deviation of X . (6)
- (b) Find the probability that the number of occupied bedrooms:

- (i) is less than 3;
- (ii) exceeds the mean;
- (iii) exceeds the median.

(5)
(Total 11 marks)



EXAM PAPERS PRACTICE

©2025 Exam Papers Practice. All rights reserved.