Rajalakshmi Engineering College

Name: Ishwaryaa N

Email: 240701196@rajalakshmi.edu.in

Roll no: 240701196 Phone: 9655727550

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 7_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 18

Section 1: MCQ

1. What is the result of the following NumPy operation?

import numpy as np arr = np.array([1, 2, 3]) r = arr + 5 print(r)

Answer [6 7 8]

Status: Correct Marks: 1/1

2. What is the output of the following code?

import numpy as np

```
a = np.arange(10)
print(a[2:5])
Answer
```

[2, 3, 4]

Status: Correct Marks: 1/1

3. In NumPy, how do you access the first element of a one-dimensional array arr?

Answer

arr[0]

Status: Correct Marks: 1/

4. What will be the output of the following code snippet?

```
import numpy as np
arr = np.array([1, 2, 3])
result = np.concatenate((arr, arr))
print(result)
```

Answer

[1 2 3 1 2 3]

Status : Correct Marks:

5. What is the output of the following NumPy code?

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
r = arr[2:4]
print(r)
```

Answer

[3 4]

Status : Correct Marks: 1/

6. Which NumPy function is used to find the indices of the maximum and minimum values in an array? Answer argmax() and argmin() Status: Correct Marks: 1/1 7. Which of the following is a valid way to import NumPy in Python? Answer Marks : 1/1 import numpy as np Status: Correct 8. What will be the output of the following code? import pandas as pnd pnd.Series([1,2], index= ['a','b','c']) Answer Value Error Status: Correct Marks: 1/1 9. Which NumPy function is used to create an identity matrix? **Answer** numpy.identity() Status: Correct Marks: 1/1 10. What is the primary data structure used in NumPy for numerical computations? Answer Array

Status: Correct Marks: 1/1

11. What is the purpose of the following NumPy code snippet?

```
import numpy as np
arr = np.zeros((3, 4))
print(arr)
```

Answer

Displays a 3x4 matrix filled with zeros

Status: Correct Marks: 1/1

12. What is the output of the following NumPy code snippet?

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
r = arr[arr > 2]
print(r)
```

Answer

[3 4 5]

Status: Correct Marks: 1/1

13. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Status: Correct Marks: 1/1

14. What does the np.arange(10) function in NumPy do?

Answer

Creates an array with values from 0 to 10

Marks: 0/1 15. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'? import pandas as pd data = {'Name': ['Tom', 'Jack', 'nick', 'juli'], 'marks': [99, 98, 95, 90]} df = pd.DataFrame(data, index=['rank1', 'rank2', 'rank3', 'rank4']) print(df) **Answer** rank2 Status: Correct Marks: 1/1 16. Minimum number of argument we require to pass in pandas series? Answer Status: Wrong Marks: 0 17. What is the primary purpose of Pandas DataFrame? Answer To store data in tabular form for analysis and manipulation Status: Correct Marks: 1/1 The important data structure of pandas is/are

Status: Wrong

Answer

Both Series and Data Frame

Status: Correct Marks: 1/1

19. What does NumPy stand for?

Answer

Numerical Python

Status: Correct Marks: 1/1

20. Which function is used to create a Pandas DataFrame?

Answer

pd.DataFrame()

Status: Correct Marks: 1/1

40101106

040707196

2,40701100

240701196

240701196

040701196

240101706

040101100