0.1 Member State	IT
0.2.1 Species code	1656
0.2.2 Species name	Gentiana ligustica
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

## 1. National Level

#### **1.1 Maps**

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

## 2. Biogeographical Or Marine Level

## 2.1 Biogeographical Region

#### 2.2 Published sources

## Mediterranean (MED)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

MARTINI E., 1984 - Segnalazioni Floristiche Italiane: 184-188. 185. Gentiana ligustica Villm. Et Chop. (Gentianaceae). Inf. Bot. Ital., 14 (2-3) (1982): 292-294. MARTINI E., 1986 - Fiori protetti in Liguria. Microart's, Recco (Genova). 190 pp. MORALDO B., 2001 - Gentiana ligustica. In: Pignatti S., Menegoni P., Giacanelli V. (eds.), Liste rosse e blu della flora italiana: 174-175. ANPA, Roma. PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

POLIDORI J.L., SALANON R., 2003 - Gentiana ligustica R. de Vilmorin et Chopinet, endémique des Alpes austro-occidentales franco-italiennes: analyse bibliographique, morphologie, aire de distribution et principaux biotopes. Bull.

Soc. Linn. Provence, 54: 81-117.

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti).

#### 2.3 Range

02/04/2014 09:53:54 Page 1 of 7

, , , , , , , , , , , , , , , , , , , ,	•		
<ul> <li>2.3.1 Surface area - Range (km²)</li> <li>2.3.2 Method - Range surface area</li> <li>2.3.3 Short-term trend period</li> <li>2.3.4 Short-term trend direction</li> <li>2.3.5 Short-term trend magnitude</li> <li>2.3.6 Long-term trend period</li> <li>2.3.7 Long-term trend direction</li> <li>2.3.8 Long-term trend magnitude</li> <li>2.3.9 Favourable reference range</li> </ul>	1600 Estimate based on particle 2001-2012 stable (0) min  N/A min area (km²) operator unkown method Use of different met	max  max  approximately equa  No  Expert judgment	extrapolation and/or modelling (2)
2.4 Population			
<ul><li>2.4 Population</li><li>2.4.1 Population size</li><li>(individuals or agreed exception)</li></ul>	Unit N/A min	max	
<ul><li>2.4.2 Population size (other than individuals)</li><li>2.4.3 Additional information</li></ul>	Unit number of I min 15 Definition of locality	ocalities (localities) max 15 grid 2x2 km centr	roids
2.4.4 Year or period 2.4.5 Method – population size	Conversion method Problems 2012 Estimate based on pa		for the number of individuals extrapolation and/or modelling (2)
<ul><li>2.4.6 Short-term trend period</li><li>2.4.7 Short term trend direction</li><li>2.4.8 Short-term trend magnitude</li><li>2.4.9 Short-term trend method</li></ul>	2001-2012 stable (0) min	max	confidence interval
2.4.10 Long-term trend period 2.4.11 Long term trend direction 2.4.12 Long-term trend magnitude	N/A min	max	or minimal sampling (1)  confidence interval
2.4.13 Long-term trend method 2.4.14 Favourable reference population		mately equal to (≈)	
2.4.15 Reason for change		udgment e/more accurate data	Use of different method
2.5 Habitat for the Species			
2.5.1 Surface area - Habitat (km²) 2.5.2 Year or period 2.5.3 Method used - habitat	Absent data (0)		

02/04/2014 09:53:54

Good

Expert based

2001-2012

stable (0)

2.5.4 a) Quality of habitat

2.5.5 Short term trend period

2.5.6 Short term trend direction

2.5.4 b) Quality of habitat - method

2.5.7 Long-term trend period

2.5.8 Long term trend direction

2.5.9 Area of suitable habitat (km²)

2.5.10 Reason for change

N/A

<b>7</b>	N // - :	Pressures
/ h	MIDIN	Dracciirac
Z.U	ıvıaıı	r i essui es

Pressure	ranking	pollution qualifier(s)
pillaging of floristic stations (F04.01)	medium importance (M)	N/A
Biocenotic evolution, succession (K02)	low importance (L)	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

#### 2 7 Main Threats

2.7 Wall Hill Cats		
Threat	ranking	pollution qualifier(s)
pillaging of floristic stations (F04.01)	medium importance (M)	N/A
Biocenotic evolution, succession (KO2)	medium importance (M)	N/A

2.7.1 Method used - threats expert opinion (1)

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

Italian Red List (2013): LC

Source: ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

2.8.3 Trans-boundary assessment

### 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)

qualifiers N/A

2.9.2. Population assessment Favourable (FV)

2.9.3. Habitat assessment Favourable (FV)

qualifiers N/A

2.9.4. Future prospects assessment Favourable (FV)

qualifiers N/A

2.9.5 Overall assessment of

**Conservation Status** 

2.9.5 Overall trend in

**Conservation Status** 

qualifiers N/A

Favourable (FV)

N/A

## 3. Natura 2000 coverage and conservation measures - Annex II species

## 3.1 Population

3.1.1 Population Size Unit N/A

min max

3.1.2 Method used Absent data (0)

> 02/04/2014 09:53:54 Page 3 of 7

3.1.3 Trend of population size within N/A

_		_		-	_
<b>.</b>	7	010	LOKOOT		<b>leasures</b>
Э.	<b>Z</b>	.com	versau	ICHTI IV	neasures

3.2.1 Measure 3.2.2 Type 3.2.3 Ranking 3.2.4 Location 3.2.5 Broad Evaluation

()

No measure known/ impossible to carry out specific measures (1.3)

## 2. Biogeographical Or Marine Level

2.1 Biogeographical Region

## 2.2 Published sources

## Alpine (ALP)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino.

MARTINI E., 1984 - Segnalazioni Floristiche Italiane: 184-188. 185. Gentiana ligustica Villm. Et Chop. (Gentianaceae). Inf. Bot. Ital., 14 (2-3) (1982): 292-294. MARTINI E., 1986 - Fiori protetti in Liguria. Microart's, Recco (Genova). 190 pp. MORALDO B., 2001 - Gentiana ligustica. In: Pignatti S., Menegoni P., Giacanelli V. (eds.), Liste rosse e blu della flora italiana: 174-175. ANPA, Roma. PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

POLIDORI J.L., SALANON R., 2003 - Gentiana ligustica R. de Vilmorin et Chopinet, endémique des Alpes austro-occidentales franco-italiennes: analyse bibliographique, morphologie, aire de distribution et principaux biotopes. Bull. Soc. Linn. Provence, 54: 81-117.

REGIONE PIEMONTE, 2012 - Banche dati Naturalistiche.

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SELVAGGI A., GALLINO B., GARRAUD L., PASCAL R., VAN ES J., 2012 - Flora rara, protetta, endemica delle Alpi occidentali. Blu edizioni, Torino.

SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti).

## 2.3 Range

02/04/2014 Page 4 of 7 09:53:54

-			
<ul> <li>2.3.1 Surface area - Range (km²)</li> <li>2.3.2 Method - Range surface area</li> <li>2.3.3 Short-term trend period</li> <li>2.3.4 Short-term trend direction</li> <li>2.3.5 Short-term trend magnitude</li> <li>2.3.6 Long-term trend period</li> <li>2.3.7 Long-term trend direction</li> <li>2.3.8 Long-term trend magnitude</li> <li>2.3.9 Favourable reference range</li> </ul>	2900 Estimate based on p 2001-2012 stable (0) min  N/A min area (km²) operator unkown method Use of different met	max  max  approximately equa  No  Expert judgment	extrapolation and/or modelling (2)
2.4 Population			
<ul><li>2.4 Population</li><li>2.4.1 Population size</li><li>(individuals or agreed exception)</li></ul>	Unit N/A min	max	
2.4.2 Population size (other than individuals)	Unit number of min 51	localities (localities) max 51	
2.4.3 Additional information	Definition of locality	localities= grid 2x	42 km centroids
2.4.4 Year or period 2.4.5 Method – population size	Conversion method Problems 2012 Estimate based on po		for the number of individuals extrapolation and/or modelling (2)
<ul><li>2.4.6 Short-term trend period</li><li>2.4.7 Short term trend direction</li></ul>	2001-2012 stable (0)		
<ul><li>2.4.8 Short-term trend magnitude</li><li>2.4.9 Short-term trend method</li><li>2.4.10 Long-term trend period</li></ul>	min Estimate based on ex	max xpert opinion with no	confidence interval or minimal sampling (1)
<ul><li>2.4.11 Long term trend direction</li><li>2.4.12 Long-term trend magnitude</li><li>2.4.13 Long-term trend method</li><li>2.4.14 Favourable reference</li></ul>	N/A min N/A number	max	confidence interval
population	unknown No method Expert j	mately equal to (≈)	
2.4.15 Reason for change	Improved knowledge	e/more accurate data	Use of different method
2.5 Habitat for the Species			
<ul> <li>2.5.1 Surface area - Habitat (km²)</li> <li>2.5.2 Year or period</li> <li>2.5.3 Method used - habitat</li> </ul>	Absent data (0)		

02/04/2014 09:53:54

Page 5 of 7

Good

Expert based

2001-2012

stable (0)

2.5.4 a) Quality of habitat

2.5.5 Short term trend period

2.5.6 Short term trend direction

2.5.4 b) Quality of habitat - method

2.5.7 Long-term trend period

2.5.8 Long term trend direction

N/A

2.5.9 Area of suitable habitat (km²)

2.5.10 Reason for change

2	-6	Mai	in I	Pr	<b>'PS</b>	air	29
_		IVICI				, , ,	

Pressure	ranking	pollution qualifier(s)
pillaging of floristic stations (F04.01)	medium importance (M)	N/A
Biocenotic evolution, succession (KO2)	low importance (L)	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

#### 2 7 Main Threats

2.7 Wall Tilleats		
Threat	ranking	pollution qualifier(s)
pillaging of floristic stations (F04.01)	medium importance (M)	N/A
Biocenotic evolution, succession (KO2)	medium importance (M)	N/A

2.7.1 Method used - threats expert opinion (1)

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

Italian Red List (2013): LC

Source: ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

2.8.3 Trans-boundary assessment

### 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV) qualifiers N/A

2.9.2. Population assessment Favourable (FV)

qualifiers N/A

2.9.3. Habitat assessment Favourable (FV)

qualifiers N/A

2.9.4. Future prospects assessment Favourable (FV)

qualifiers N/A

2.9.5 Overall assessment of

**Conservation Status** 

2.9.5 Overall trend in

**Conservation Status** 

Favourable (FV)

N/A

## 3. Natura 2000 coverage and conservation measures - Annex II species

## 3.1 Population

3.1.1 Population Size Unit N/A

min max

3.1.2 Method used Absent data (0)

> 02/04/2014 09:53:54 Page 6 of 7

3.1.3 Trend of population s	ize within	N/A			
3.2 Conversation Measu	res				
3.2.1 Measure	3.2.2 Type		3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Maintaining grasslands and other open habitats (2.1)	Legal		medium importance (M)	Both	Not evaluated
Legal protection of habitats and species (6.3)	Legal		medium importance (M)	Both	Not evaluated

02/04/2014 09:53:54 Page 7 of 7

## Notes

Species name: Gentiana ligustica (1656)		
Field label	Note	User
1.1.1 Distribution Map	SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti).  REGIONI LIGURIA E PIEMONTE (Raccolta dati per articolo 17, 2012)	ISPRA_F LORA

02/04/2014 09:54:08 Page 1 of 1