0.1 Member State	ІТ
0.2.1 Species code	1866
0.2.2 Species name	Galanthus nivalis
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Mediterranean (MED)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma. CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

REGIONE LIGURIA, 2008 - Carta della Biodiversità. (www.ambienteinliguria.it)

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S.,

COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P.,

VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista

Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato

Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di

estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C.

(eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma.

SELVAGGI A., GALLINO B., GARRAUD L., PASCAL R., VAN ES J., 2012 - Flora rara,

protetta, endemica delle Alpi occidentali. Blu edizioni, Torino.

SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di

rischio di estinzione per specie vegetali di pregio e di interesse

conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del

2.3 Range

02/04/2014 09:51:11 Page 1 of 10

Mare, Società Botanica Italiana (dati inediti).

, , , , , , , , , , , , , , , , , , ,	<i>,</i>		
2.3.1 Surface area - Range (km²) 2.3.2 Method - Range surface area 2.3.3 Short-term trend period 2.3.4 Short-term trend direction 2.3.5 Short-term trend magnitude 2.3.6 Long-term trend period 2.3.7 Long-term trend direction 2.3.8 Long-term trend magnitude 2.3.9 Favourable reference range	2001-2012 stable (0) min N/A min area (km²) operator unkown method	max max approximately equal No Expert judgment	xtrapolation and/or modelling (2) to (≈)
2.3.10 Reason for change	Use of different meth	nod	
2.4 Population			
2.4.1 Population size (individuals or agreed exception)	Unit N/A min	max	
2.4.2 Population size (other than individuals)	Unit number of n min 173	nap 10x10 km grid cell max 173	s (grids10x10)
2.4.3 Additional information	Definition of locality		
	Conversion method		
	Problems	no data available f	or the number of individuals
 2.4.4 Year or period 2.4.5 Method – population size 2.4.6 Short-term trend period 2.4.7 Short term trend direction 2.4.8 Short-term trend magnitude 2.4.9 Short-term trend method 	2001-2012 stable (0) min	max	xtrapolation and/or modelling (2) confidence interval xtrapolation and/or modelling (2)
2.4.10 Long-term trend period	·		
2.4.11 Long term trend direction2.4.12 Long-term trend magnitude2.4.13 Long-term trend method2.4.14 Favourable reference	N/A min N/A number	max	confidence interval
population	operator approxir unknown No	mately equal to (≈)	
	method Expert ju	ıdgment	
2.4.15 Reason for change	Use of different meth	od	
2.5 Habitat for the Species			
 2.5.1 Surface area - Habitat (km²) 2.5.2 Year or period 2.5.3 Method used - habitat 2.5.4 a) Quality of habitat 	Absent data (0) Good		

02/04/2014 09:51:11 Page 2 of 10

expert based

2001-2012

stable (0)

2.5.4 b) Quality of habitat - method

2.5.5 Short term trend period

2.5.6 Short term trend direction

2.5.7 Long-term trend period

2.5.8 Long term trend direction

2.5.9 Area of suitable habitat (km²)

2.5.10 Reason for change

N/A

2.6 Main Pressures			
Pressure		ranking	pollution qualifier(s)
Taking / Removal of terrestrial plants, general (F04)		medium importance (M)	N/A
Water abstractions from surface water	rs (J02.06)	medium importance (M)	N/A
damage caused by game (excess popul (F03.01.01)	lation density)	low importance (L)	N/A
Changes in abiotic conditions (M01)		low importance (L)	N/A
use of biocides, hormones and chemica	als (A07)	low importance (L)	N/A
Fertilisation (A08)		low importance (L)	N/A
removal of forest undergrowth (B02.03	3)	high importance (H)	N/A
abiotic (slow) natural processes (K01)		low importance (L)	N/A
forestry clearance (B02.02)		high importance (H)	N/A
2.6.1 Method used – pressures	based only on exper	t judgements (1)	
·	basea only on exper	t Judgethierits (1)	
2.7 Main Threats	based offly off exper	t juugements (1)	
2.7 Main Threats Threat	sasea only on exper	ranking	pollution qualifier(s)
			pollution qualifier(s) N/A
Threat	general (F04)	ranking	
Threat Taking / Removal of terrestrial plants,	general (F04)	ranking medium importance (M)	N/A
Threat Taking / Removal of terrestrial plants, a reduction or loss of specific habitat features.	general (F04) atures (J03.01)	ranking medium importance (M) medium importance (M)	N/A N/A
Threat Taking / Removal of terrestrial plants, a reduction or loss of specific habitat feat Changes in abiotic conditions (M01)	general (F04) atures (J03.01)	ranking medium importance (M) medium importance (M) medium importance (M)	N/A N/A N/A
Threat Taking / Removal of terrestrial plants, a reduction or loss of specific habitat feat Changes in abiotic conditions (M01) use of biocides, hormones and chemical	general (F04) atures (J03.01)	ranking medium importance (M) medium importance (M) medium importance (M) low importance (L)	N/A N/A N/A
Threat Taking / Removal of terrestrial plants, a reduction or loss of specific habitat feat Changes in abiotic conditions (M01) use of biocides, hormones and chemical Fertilisation (A08)	general (F04) atures (J03.01) als (A07)	ranking medium importance (M) medium importance (M) medium importance (M) low importance (L) low importance (L)	N/A N/A N/A N/A N/A
Threat Taking / Removal of terrestrial plants, a reduction or loss of specific habitat feat Changes in abiotic conditions (M01) use of biocides, hormones and chemical Fertilisation (A08) forestry clearance (B02.02)	general (F04) atures (J03.01) als (A07)	ranking medium importance (M) medium importance (M) medium importance (M) low importance (L) low importance (L) high importance (H)	N/A N/A N/A N/A N/A N/A N/A

2.7.1 Method used – threats

2.8.1 Justification of % thresholds for trends

2.8 Complementary Information

2.8.2 Other relevant Information

Italian Red List (2013): LC

Source: ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

assessment Favourable (FV) 2.9.1 Range qualifiers N/A

> 02/04/2014 09:51:11 Page 3 of 10

2.9.2. Population

2.9.3. Habitat

2.9.4. Future prospects

2.9.5 Overall assessment of Conservation Status

2.9.5 Overall trend in Conservation Status

assessment Favourable (FV)

qualifiers N/A

assessment Favourable (FV)

qualifiers N/A

assessment Favourable (FV)

qualifiers N/A

Favourable (FV)

N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size

Unit N/A

min

max

3.1.2 Method used

N/A

3.1.3 Trend of population size within

N/A

3.2 Conversation Measures

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Continental (CON)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

REGIONE LIGURIA, 2008 - Carta della Biodiversità. (www.ambienteinliguria.it)

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S.,

COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P.,

VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista

Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato

Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di

estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C.

(eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma.

SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di

rischio di estinzione per specie vegetali di pregio e di interesse

conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del

Mare, Società Botanica Italiana (dati inediti).

2.3 Range

02/04/2014 09:51:11 Page 4 of 10

, , , , , , , , , , , , , , , , , , ,	,		
2.3.1 Surface area - Range (km²) 2.3.2 Method - Range surface area 2.3.3 Short-term trend period 2.3.4 Short-term trend direction 2.3.5 Short-term trend magnitude 2.3.6 Long-term trend period 2.3.7 Long-term trend direction 2.3.8 Long-term trend magnitude 2.3.9 Favourable reference range	2001-2012 stable (0) min N/A min area (km²) operator unkown method	max max approximately equal No Expert judgment	xtrapolation and/or modelling (2) to (≈)
2.3.10 Reason for change	Use of different meth	nod	
2.4 Population			
2.4.1 Population size (individuals or agreed exception)	Unit N/A min	max	
2.4.2 Population size	Unit number of n	nap 10x10 km grid cell	s (grids10x10)
(other than individuals)	min 236	max 236	
2.4.3 Additional information	Definition of locality		
	Conversion method		
	Problems	no data available f	or the number of individuals
 2.4.4 Year or period 2.4.5 Method – population size 2.4.6 Short-term trend period 2.4.7 Short term trend direction 2.4.8 Short-term trend magnitude 2.4.9 Short-term trend method 	2001-2012 stable (0) min	max	xtrapolation and/or modelling (2) confidence interval xtrapolation and/or modelling (2)
2.4.10 Long-term trend period			
2.4.11 Long term trend direction2.4.12 Long-term trend magnitude2.4.13 Long-term trend method2.4.14 Favourable reference	N/A min N/A number	max	confidence interval
population	operator approxir unknown No	mately equal to (≈)	
	method Expert ju	udgment	
2.4.15 Reason for change	Use of different meth	od	
2.5 Habitat for the Species			
 2.5.1 Surface area - Habitat (km²) 2.5.2 Year or period 2.5.3 Method used - habitat 2.5.4 a) Quality of habitat 	Absent data (0) Good		

02/04/2014 09:51:11 Page 5 of 10

expert based

2001-2012

stable (0)

2.5.4 b) Quality of habitat - method

2.5.5 Short term trend period

2.5.6 Short term trend direction

2.5.7 Long-term trend period

2.5.8 Long term trend direction

2.5.9 Area of suitable habitat (km²)

2.5.10 Reason for change

N/A

2 C Main Processes			
2.6 Main Pressures			
Pressure		ranking	pollution qualifier(s)
Taking / Removal of terrestrial plants, general (F04)		low importance (L)	N/A
damage caused by game (excess population density) (F03.01.01)		low importance (L)	N/A
Water abstractions from surface water	rs (J02.06)	medium importance (M)	N/A
Other ecosystem modifications (J03)		medium importance (M)	N/A
Changes in abiotic conditions (M01)		low importance (L)	N/A
use of biocides, hormones and chemic	cals (A07)	low importance (L)	N/A
Fertilisation (A08)		low importance (L)	N/A
forestry clearance (B02.02)		high importance (H)	N/A
removal of forest undergrowth (B02.0	3)	high importance (H)	N/A
abiotic (slow) natural processes (K01)		low importance (L)	N/A
2.6.1 Method used – pressures	mainly based on exp	ert judgement and other data	(2)
2.7 Main Threats			
Threat		ranking	pollution qualifier(s)
Taking / Removal of terrestrial plants, general (F04)		medium importance (M)	N/A
Water abstractions from surface waters (J02.06)		low importance (L)	N/A
Other ecosystem modifications (J03)		medium importance (M)	N/A
Changes in abiotic conditions (M01)		low importance (L)	N/A
use of biocides, hormones and chemic	cals (A07)	low importance (L)	N/A
Fertilisation (A08)		low importance (L)	N/A
removal of forest undergrowth (B02.0	3)	medium importance (M)	N/A
abiotic (slow) natural processes (K01)		low importance (L)	N/A
forestry clearance (B02.02)		high importance (H)	N/A
2.7.1 Method used – threats	expert opinion (1)		

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

Italian Red List (2013): LC

Source: ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

02/04/2014 09:51:11 Page 6 of 10

2.9.1 Range
2.9.2. Population

2.9.3. Habitat

2.9.4. Future prospects

2.9.5 Overall assessment of Conservation Status

2.9.5 Overall trend in Conservation Status

assessment Favourable (FV)

qualifiers N/A

Favourable (FV)

N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size

Unit N/A

min

max

3.1.2 Method used

z Method daed

3.1.3 Trend of population size within

N/A N/A

3.2 Conversation Measures

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Alpine (ALP)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

FEDERICI G., 2001 - Note floristiche per il Monte Albenza. Notiziario Floristico del Gruppo Flora Alpina Bergamasca, 20: 23-25. FALGHERI G., 1993 - Da Brembilla al Rifugio Lupi (Pizzo Cerro). In: itinerari naturalistici. Notiziario Floristico del Gruppo Flora Alpina Bergamasca, 4: 19. BARBAGLI M., MARCONI C., 2001 - Gita sociale ai fontanili e ai boschi della pianura. Notiziario Floristico del Gruppo Flora Alpina Bergamasca, 20: 11-13. PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

PROSSER F., BERTOLLI A., 2012 - Cartografia floristica della Provincia di Trento - Museo Civico di Rovereto.

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di

02/04/2014 09:51:11 Page 7 of 10

estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C. (eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma. SELVAGGI A., GALLINO B., GARRAUD L., PASCAL R., VAN ES J., 2012 - Flora rara, protetta, endemica delle Alpi occidentali. Blu edizioni, Torino. SOCIETÀ BOTANICA ITALIANA, 2012 - Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti).

2.3 Range

2.3.1 Surface area - Range (km²)

2.3.2 Method - Range surface area

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

20800

Estimate based on partial data with some extrapolation and/or modelling (2)

2001-2012 stable (0)

min max

N/A

min

max

area (km²)

operator approximately equal to (≈)

unkown No

method Expert judgment

2.3.10 Reason for change

Use of different method

2.4 Population

2.4.1 Population size

(individuals or agreed exception)

min

Unit

max

N/A

2.4.2 Population size

(other than individuals)

Unit number of map 10x10 km grid cells (grids10x10)

min 135 max 135

2.4.3 Additional information

Definition of locality

Conversion method

Problems no data available for the number of individuals

2.4.4 Year or period

2.4.5 Method – population size

2.4.6 Short-term trend period 2.4.7 Short term trend direction

2.4.8 Short-term trend magnitude

2.4.9 Short-term trend method

2.4.10 Long-term trend period

2.4.11 Long term trend direction

2.4.12 Long-term trend magnitude

2.4.13 Long-term trend method

2.4.14 Favourable reference

population

2012

Estimate based on partial data with some extrapolation and/or modelling (2)

2001-2012

stable (0)

Estimate based on partial data with some extrapolation and/or modelling (2)

confidence interval

N/A

confidence interval min max

N/A

number

operator approximately equal to (≈)

unknown

method Expert judgment

2.4.15 Reason for change

Use of different method

02/04/2014 09:51:11 Page 8 of 10

2.5 Habitat for the Species				
 2.5.1 Surface area - Habitat (km²) 2.5.2 Year or period 2.5.3 Method used - habitat 2.5.4 a) Quality of habitat 	Absent data (0) Good			
2.5.4 b) Quality of habitat - method	expert based			
2.5.5 Short term trend period2.5.6 Short term trend direction	2001-2012 stable (0)			
2.5.7 Long-term trend period	N1/A			
2.5.8 Long term trend direction2.5.9 Area of suitable habitat (km²)	N/A			
2.5.10 Reason for change				
2.6 Main Pressures				
Pressure		ranking	pollution qualifier(s)	
Taking / Removal of terrestrial plants, go	eneral (F04)	low importance (L)	N/A	
2.6.1 Method used – pressures	based only on expert	t judgements (1)		
2.7 Main Threats				
Threat		ranking	pollution qualifier(s)	
Taking / Removal of terrestrial plants, go	eneral (F04)	low importance (L)	N/A	
2.7.1 Method used – threats	expert opinion (1)			
2.8 Complementary Information				
2.8.1 Justification of % thresholds for trends				
2.8.2 Other relevant Information	Italian Red List (2013): LC Source: ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.			
2.8.3 Trans-boundary assessment				
2.9 Conclusions (assessment of cons	servation status at e	nd of reporting period)		
2.9.1 Range	assessment Favoura qualifiers N/A	ble (FV)		
2.9.2. Population	assessment Favoura qualifiers N/A	ble (FV)		
2.9.3. Habitat	assessment Favoura qualifiers N/A	ble (FV)		
2.9.4. Future prospects	assessment Favoura qualifiers N/A	ble (FV)		
2.9.5 Overall assessment of Conservation Status	Favourable (FV)			
2.9.5 Overall trend in	N/A			

02/04/2014 09:51:11 Page 9 of 10

Conservation Status

3. Natura 2000 coverage and conservation measures - Annex II species				
3.1 Population				
3.1.1 Population Size	Unit min	N/A	max	
3.1.2 Method used	N/A			
3.1.3 Trend of population size within	N/A			
3.2 Conversation Measures				

02/04/2014 09:51:11 Page 10 of 10

Notes

Species name: Galanthus niv	valis (1866)	
Field label	Note	User
1.1.2 Distribution Method	Data sources: SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti). PROV. AUTONOMA DI TRENTO, REGIONI: PIEMONTE, LOMBARDIA, FRIULI VENEZIA GIULIA, LIGURIA, EMILIA ROMAGNA, TOSCANA, UMBRIA, LAZIO, MOLISE, BASILICATA (Raccolta dati per articolo 17, 2012).	ISPRA_F LORA

02/04/2014 09:51:24 Page 1 of 1