CODE: 9260

NAME: Castanea sativa woods

1. National Level

1.1 Maps

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on partial data with some extrapolation and/or modelling (2)

2005-2012

No

Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Angelini P., Augello R., Bianco P.M., Gennaio R., La Ghezza V., Lavarra P., Marrese M., Papallo O., Perrino V. M., Sani R., M. Stelluti. 2012. Carta degli habitat della Regione Puglia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Puglia Bianco P.M., Laureti L., Papallo O., Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRABBiondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/2Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Camarda I., Carta L., Brunu A., Brundu G., Laureti L., Angelini P., Bagnaia R., 2011. Carta degli habitat della Regione Sardegna per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche Ecologiche e Geologiche dell'Università degli Studi di Sassari - ISPRA - Regione Sardegna (Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo -Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia -ISPRA2"

09/05/2013 11.39.06 Page 1 of 11

			or marine region

2.3.1 Surface area - Range (km²) 97600

2.3.2 Range method used Estimate based on partial data with some extrapolation and/or modelling (2)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction decrease (-)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change genuine change No improved knowledge Yes

different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 5051,25

2.4.2 Year or period
 2.4.3 Method used
 Estimate based on partial data with some extrapolation and/or modelling (2)

2.4.4 Short-term trend period 2001-2012
2.4.5 Short-term trend direction decrease (-)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator less than (<)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
removal of forest undergrowth (B02.03)	low importance (L)	N/A

09/05/2013 11.39.07 Page 2 of 11

electricity and phone lines (D02.01)	medium importance (M)	N/A
forestry clearance (B02.02)	medium importance (M)	N/A
forest replanting (B02.01)	low importance (L)	N/A
	artial data with some extrapolat	
2.6 Main Threats	artiai data witti soille extrapolat	non ana/or modelling(2)
Threat	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
removal of forest undergrowth (B02.03)	low importance (L)	N/A
electricity and phone lines (D02.01)	medium importance (M)	N/A
forestry clearance (B02.02)	medium importance (M)	N/A
forest replanting (B02.01)	low importance (L)	N/A
	. , ,	
	kpert opinion with no or minima	al sampling(1)
2.7 Complementary Information		
2.7.1 Species		
Castanea sativa		
Quercus petraea		
Quercus cerris		
Vinca minor		
Viola reichenbachiana		
Anemone apennina		
Brachypodium sylvaticum		
Dactylorhiza spp.		
Lathyrus grandiflorus		
Lathyrus niger		
Lathyrus jordanii		
Luzula forsteri		
Melampyrum italicum		
Oenanthe pimpinelloides		
Physospermum verticillatum		
Platanthera clorantha		
Polygonatum multiflorum		
Pulmonaria apennina		
Serapias spp.		

09/05/2013 11.39.07 Page 3 of 11

Teucrium siculum

2.7.2 Species method used Selected by ISPRA's expert from bibliographical and field research

2.7.3 Justification of % thresholds for trends

2.7.4 Structure and functions methods used

2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling (1)

2.8 Conclusions (assessment of conservation status at end of reporting period)

assessment Inadequate(U1) 2.8.1 Range

qualifiers N/A 2.8.2 Area

assessment Inadequate(U1)

qualifiers N/A

assessment Favourable (FV)

qualifiers N/A

assessment Favourable (FV)

qualifiers N/A

Inadequate(U1)

2.8.5 Overall assessment of **Conservation Status**

2.8.5 Overall trend in

2.8.3 Specific structures

and functions (incl Species) 2.8.4 Future prospects

Conservation Status

declining(-)

3. Natura 2000 coverage conservation measures -Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²) min 743,6781 max 743,6781

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

N/A

3.2 Conversation Measures

3.1.3. Trend of surface area

2.1 Biogeographical Region

2.2 Published

Continental (CON)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). "Bianco P.M., Laureti L., Papallo O., Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRABiondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a)

09/05/2013 11.39.07 Page 4 of 11

Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

http://vnr.unipg.it/habitat/\bar{2}Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura\bar{2}Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio\bar{2}ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.\bar{2}ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet\bar{2}Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia.

http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura@Pesaresi S, Biondi E, Casavecchia S, Catorci A, Foglia M., 2007. Il Geodatabase del Sistema Informativo Vegetazionale delle Marche. Fitosociol 44 (2) suppl. 1: 95-101

http://www.ortobotanico.univpm.it/cartography2"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)

2.3.2 Range method used

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

59100

Estimate based on partial data with some extrapolation and/or modelling (2)

2001-2012

decrease (-)

min max

N/A

min max

area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change

genuine change No improved knowledge Yes different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)

2.4.2 Year or period

2.4.3 Method used

2.4.4 Short-term trend period

2.4.5 Short-term trend direction

2.4.6 Short-term trend magnitude2.4.7 Short term trend method used

1760,82

2005-2012

Estimate based on partial data with some extrapolation and/or modelling (2)

2001-2012 decrease (-)

min m

confidence interval

Estimate based on expert opinion with no or minimal sampling (1)

09/05/2013 11.39.07 Page 5 of 11

2.4.8 Long-term trend period 2.4.9 Long-term trend direction N/A 2.4.10 Long-term trend magnitude confidence interval min max 2.4.11 Long term trend method used N/A 2.4.12 Favourable reference area area (km) operator less than (<) unknown No method 2.4.13 Reason for change Improved knowledge/more accurate datalise of different method

2.4.13 Neason for change	improved knowledge/more accurate dataose of different method

2.5 Main Pressures		
Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
Forest and Plantation management & use (B02)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
forest planting on open ground (native trees) (B01.01)	low importance (L)	N/A
forest replanting (B02.01)	low importance (L)	N/A
2.5.1 Method used – pressures Estimate based on pa	artial data with some extrapolat	ion and/or modelling(2)
2.6 Main Threats		
Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
Forest and Plantation management & use (B02)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
forest planting on open ground (native trees) (B01.01)	low importance (L)	N/A
forest replanting (B02.01)	low importance (L)	N/A
2.6.1 Method used – threats Estimate based on ex	spert opinion with no or minima	l sampling(1)
2.7 Complementary Information		
2.7.1 Species		
Castanea sativa		
Quercus petraea		
Quercus cerris		
Anemone nemorosa		
Anemone trifolia subsp. Trifolia		

09/05/2013 11.39.07 Page 6 of 11

napitat types (Annex	וט
Calluna vulgaris	
Deschampsia flexuosa	
Genista germanica	
Genista pilosa	
Luzula spp.	
Melampyrum italicum	
Melampyrum pratense	
Orchis spp.	
Physospermum cornubiense	
Dactylorhiza spp.	
Pulmonaria vallarsae	
Vaccinium myrtillus	
Teucrium scorodonia	
2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	
2.8 Conclusions (assessment of c	conservation status at end of reporting period)
2.8.1 Range	assessment Inadequate(U1) qualifiers N/A
2.8.2 Area	assessment Inadequate(U1) qualifiers N/A
2.8.3 Specific structures and functions (incl Species)	assessment Inadequate(U1) qualifiers N/A
2.8.4 Future prospects	assessment Inadequate(U1)

Conservation Status 2.8.5 Overall trend in

Conservation Status

2.8.5 Overall assessment of

qualifiers N/A

Inadequate(U1)

declining(-)

3. Natura 2000 coverage conservation measures -Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	304,8647	max	304,8647
3.1.2 Method used	Compl	ete survey/Co	mplete s	survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

> 09/05/2013 Page 7 of 11 11.39.07

3.2 Conversation Measures

2.1 Biogeographical Region2.2 Published

Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto.

http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_I%27Ambiente/Sistema_Carta_della_Natura@Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/@Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale -SINAnet Morra di Cella U., Cremonese E., Pari E., Siniscalco C., Amadei M., Angelini P., Cardillo A., 2008. Carta degli habitat della Regione Valle d'Aosta per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - ARPA Valle d'Aosta - Dipartimento Biologia Vegetale Università degli studi di Torino. http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura®Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia.

http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura [2]"

09/05/2013 11.39.07 Page 8 of 11

2 2 Dames -		Annual of the Albert	The form the second section of		
2.3 Kange of	the nabitat	type in the	biogeographicai	region	or marine region
		1, p =	100000 abilion.	6	01 111011110 1 001011

2.3.1 Surface area - Range (km²) 45000

2.3.2 Range method used Estimate based on partial data with some extrapolation and/or modelling (2)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction stable (0)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change genuine change No improved knowledge Yes

different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 2647,13 2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on partial data with some extrapolation and/or modelling (2)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction stable (0)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator less than (<)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	low importance (L)	N/A
removal of forest undergrowth (B02.03)	low importance (L)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
burning down (J01.01)	low importance (L)	N/A
forestry clearance (B02.02)	low importance (L)	N/A

09/05/2013 11.39.07 Page 9 of 11

nabitat types (Annex D)		
Forestry activities not referred to above (B07)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
Other human intrusions and disturbances (G05)	medium importance (M)	N/A
Biocenotic evolution, succession (K02)	medium importance (M)	N/A
2.5.1 Method used – pressures Estimate based on p	artial data with some extrapola	tion and/or modelling(2)
2.6 Main Threats		
Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	low importance (L)	N/A
removal of forest undergrowth (B02.03)	low importance (L)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
burning down (J01.01)	low importance (L)	N/A
forestry clearance (B02.02)	low importance (L)	N/A
Forestry activities not referred to above (B07)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
Other human intrusions and disturbances (G05)	medium importance (M)	N/A
Biocenotic evolution, succession (KO2)	medium importance (M)	N/A
	medium importance (M) xpert opinion with no or minim	
2.6.1 Method used – threats Estimate based on e		
2.6.1 Method used – threats Estimate based on e 2.7 Complementary Information		
 2.6.1 Method used – threats Estimate based on e 2.7 Complementary Information 2.7.1 Species 		
2.6.1 Method used – threats Estimate based on e 2.7 Complementary Information 2.7.1 Species Castanea sativa		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea Listera cordata		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea Listera cordata Dactylorhiza spp.		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea Listera cordata Dactylorhiza spp. Anemonoides nemorosa (= Anemone nemorosa)		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea Listera cordata Dactylorhiza spp. Anemonoides nemorosa (= Anemone nemorosa) Tilia cordata		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea Listera cordata Dactylorhiza spp. Anemonoides nemorosa (= Anemone nemorosa) Tilia cordata Calamagrostis arundinacea		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea Listera cordata Dactylorhiza spp. Anemonoides nemorosa (= Anemone nemorosa) Tilia cordata Calamagrostis arundinacea Carex pilulifera		
2.6.1 Method used – threats 2.7 Complementary Information 2.7.1 Species Castanea sativa Quercus petraea Quercus robur Betula pendula Calluna vulgaris Vaccinium myrtillus Vaccinium vitis-idaea Listera cordata Dactylorhiza spp. Anemonoides nemorosa (= Anemone nemorosa) Tilia cordata Calamagrostis arundinacea Carex pilulifera Hieracium racemosum		

09/05/2013 11.39.07 Page 10 of 11

		us		

Luzula luzuloides

Melampyrum pratense

2.7.2 Species method used

Selected by ISPRA's expert from bibliographical and field research

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling(1)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range assessment Inadequate(U1)

qualifiers N/A

2.8.2 Area assessment Inadequate(U1)

qualifiers N/A

2.8.3 Specific structures assessment Inadequate(U1)

qualifiers N/A

assessment Inadequate(U1)

qualifiers N/A Inadequate(U1)

2.8.5 Overall assessment of

and functions (incl Species)

Conservation Status

2.8.4 Future prospects

2.8.5 Overall trend in

Conservation Status

declining(-)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²) min 198,1809 max 198,1809

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

3.2 Conversation Measures

09/05/2013 11.39.07 Page 11 of 11

Notes

Habitat code: 9260 Region co	ode: ALP	
Field label	Note	User
2.4.12 b)Favourable reference area operators	Questo habitat favorito dall'uomo a scopi selvicolturali occupa supefici superiori al VFR. Tuttavia molte formazioni assumono caratteristiche prossimo naturali aventi composizione floristica varia ed apprezzabile. Nelle regioni alpine sono stati individuati diversi tipi forestali nell'ambito dei castagneti. Esistono certamente dei nuclei misti con rovere e/o altre latifoglie per i quali 9260 rappresenta l'unico codice Natura 2000 disponibile. Nelle cartografie fornite da alcune regioni è possibile che tali nuclei siano stati ignorati.	ISPRA_h abi
Habitat code: 9260 Region co	ode: CON	
Field label	Note	User
2.4.5 Short time trend direction	I castagneti in Italia sono attaccati da virosi e da parassiti vegetali che ne determinano un forte declino.	ISPRA_h abi
0.4.01\= 11		
2.4.12 b)Favourable reference area operators	Questo habitat favorito dall'uomo a scopi selvicolturali occupa supefici superiori al VFR	ISPRA_h abi
•	al VFR	_
reference area operators	al VFR	_

23/04/2014 12:08:36 Page 1 of 1