CODE: 3270

NAME: Rivers with muddy banks with Chenopodion rubri p.p. and Bidention p.p. vegetation

### 1. National Level

#### **1.1 Maps**

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on expert opinion with no or minimal sampling (1)

2005-2012

No

Yes

### 2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

### **Mediterranean (MED)**

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI).

"Bianco P.M., Laureti L., Papallo O., Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRABiondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

http://vnr.unipg.it/habitat/\bar{2}Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., \bar{2}Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio\bar{2}ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.\bar{2}ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet\bar{2}ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.\bar{2}Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia — ISPRA\bar{2}"

02/05/2013 10.48.59 Page 1 of 11

2 2 Dames -	C +      - ! + - +	According to the Alberta	The first and a second section of	l	
7.3 Kange of	r the nabitat	type in the	ningengraphical	region	or marine region
LIG Hange of	tile manitat	type iii tiic	biogcogi apinicai	. CB.O	or marmic region

2.3.1 Surface area - Range (km²) 30300

2.3.2 Range method used Estimate based on expert opinion with no or minimal sampling (1)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction increase (+)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change genuine change No improved knowledge Yes

different method Yes

### 2.4 Area covered by Habitat

2.4.1 Surface area (km²) 15,28

2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction increase (+)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator less than (<)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method

#### 2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
Fertilisation (A08)	high importance (H)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	high importance (H)	N/A
modifying structures of inland water courses (J02.05.02)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A

02/05/2013 10.48.59 Page 2 of 11

2.5.1 Method used – pressures	Estimate based on	partial data with some extrapol	lation and/or modelling( 2)
2.6 Main Threats			
Threat		ranking	pollution qualifier(s)
Pollution to surface waters (limnic & t brackish) (H01)	errestrial, marine &	medium importance (M)	N/A
Fertilisation (A08)		high importance (H)	N/A
Sand and gravel extraction (C01.01)		medium importance (M)	N/A
use of biocides, hormones and chemic	cals (A07)	high importance (H)	N/A
modifying structures of inland water of	courses (J02.05.02)	medium importance (M)	N/A
Discharges (E03)		medium importance (M)	N/A
2.6.1 Method used – threats	Estimate based on	expert opinion with no or minir	mal sampling( 1)
2.7 Complementary Information		•	1 00 7
2.7.1 Species			
Chenopodium rubrum			
Chenopodium botrys			
Bidens frondosa			
Bidens cernua			
Bidens tripartita			
Xanthium italicum			
Alopecurus aequalis			
Polygonum lapathifolium			
Polygonum persicaria			
Persicaria dubia			
Persicaria hydropiper			
Cyperus fuscus			
Cyperus glomeratus			
Cyperus flavescens			
Cyperus michelanius			
2.7.2 Species method used	Manuale Italiano d	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)	
2.7.3 Justification of % - thresholds for trends			
2.7.4 Structure and functions - methods used	Estimate based on	expert opinion with no or minir	mal sampling( 1)
2.7.5 Other relevant information			

02/05/2013 10.48.59 Page 3 of 11

### 2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Favourable(FV)
qualifiers N/A

2.8.2 Area

assessment Favourable(FV)
qualifiers N/A

2.8.3 Specific structures
and functions (incl Species)

qualifiers N/A

assessment Favourable (FV) qualifiers N/A

Favourable(FV)

2.8.5 Overall assessment of Conservation Status

2.8.5 Overall trend in Conservation Status

2.8.4 Future prospects

N/A

### 3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

### 3.1 Area covered by habitat

3.1.1 Surface area (km²) min 14,2768 max 14,2768

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3) N/A

#### **3.2 Conversation Measures**

### 2.1 Biogeographical Region2.2 Published

### Continental (CON)

Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). "Bianco P.M., Laureti L., Papallo O., Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRABBiondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/

Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi\_per\_l%27Ambiente/Sistema\_Carta\_della\_Natura@Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela

02/05/2013 10.48.59 Page 4 of 11

della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia.

http://www.isprambiente.gov.it/site/it-

IT/Servizi\_per\_l%27Ambiente/Sistema\_Carta\_della\_Natura®Pesaresi S, Biondi E, Casavecchia S, Catorci A, Foglia M., 2007. Il Geodatabase del Sistema Informativo Vegetazionale delle Marche. Fitosociol 44 (2) suppl. 1: 95-101

http://www.ortobotanico.univpm.it/cartography. PIANO DI GESTIONE del SICzps IT4070002 "BARDELLO". Rapporto tecnico non pubblicato. "

### 2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 68300

2.3.2 Range method used Estimate based on expert opinion with no or minimal sampling (1)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction stable (0)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change genuine change No improved knowledge Yes

different method Yes

### 2.4 Area covered by Habitat

2.4.1 Surface area (km²) 50,21 2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction stable (0)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.7 Short term trend method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.8 Long-term trend period2.4.9 Long-term trend directionN/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator more than (>)

unknown No

method

02/05/2013 10.48.59 Page 5 of 11

2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method
--------------------------	--

2.5 Main Pressures			
Pressure		ranking	pollution qualifier(s)
use of biocides, hormones and chemic	cals (A07)	medium importance (M)	N/A
Fertilisation (A08)		medium importance (M)	N/A
Pollution to surface waters (limnic & t brackish) (H01)	terrestrial, marine &	medium importance (M)	N/A
discontinuous urbanisation (E01.02)		medium importance (M)	N/A
Taking / Removal of terrestrial plants,	general (F04)	medium importance (M)	N/A
2.5.1 Method used – pressures	Estimate based on p	partial data with some extrapol	ation and/or modelling( 2)
2.6 Main Threats			
Threat		ranking	pollution qualifier(s)
use of biocides, hormones and chemic	cals (A07)	medium importance (M)	N/A
Fertilisation (A08)		medium importance (M)	N/A
Pollution to surface waters (limnic & t brackish) (H01)	errestrial, marine &	medium importance (M)	N/A
discontinuous urbanisation (E01.02)		medium importance (M)	N/A
Taking / Removal of terrestrial plants,	general (F04)	medium importance (M)	N/A
2.6.1 Method used – threats	Estimate based on e	expert opinion with no or minin	nal sampling( 1)
2.7 Complementary Information			
2.7.1 Species			
Chenopodium rubrum			
Chenopodium botrys			
Chenopodium album			
Bidens sp.			
Xanthium sp.			
Polygonum lapathifolium			
Polygonum persicaria			
Persicaria dubia			
Persicaria hydropiper			
Persicaria minor			
Rumex sanguineus			
Lepidium virginicum			
Alopecurus aequalis			
Mentha aquatica			
Lycopus europaeus			
Cyperus flavescens			

02/05/2013 10.48.59 Page 6 of 11

	Cy	peru:	s fuscus
--	----	-------	----------

Cyperus michelanius

Cyperus glomeratus

2.7.2 Species method used

Selected by ISPRA's expert from bibliographical and field research

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling(1)

#### 2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range assessment Favourable (FV)

qualifiers N/A

2.8.2 Area assessment Inadequate( U1) qualifiers N/A

assessment Favourable (FV)

qualifiers N/A

assessment Favourable (FV)

qualifiers N/A

2.8.5 Overall assessment of Inadequate( U1)

Conservation Status

2.8.3 Specific structures

2.8.4 Future prospects

and functions (incl Species)

2.8.5 Overall trend in

Conservation Status

declining( -)

### 3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

#### 3.1 Area covered by habitat

3.1.1 Surface area (km²) min 35,751 max 35,751

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

#### 3.2 Conversation Measures

### 2.1 Biogeographical Region

2.2 Published

#### Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

02/05/2013 10.48.59 Page 7 of 11

"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto.

http://www.isprambiente.gov.it/site/it-

IT/Servizi per I%27Ambiente/Sistema Carta della Natura

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/@Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale -SINAnet@Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. http://www.isprambiente.gov.it/site/it-IT/Servizi\_per\_l%27Ambiente/Sistema\_Carta\_della\_Natura [1]"

### 2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)

2.3.2 Range method used

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

8400

Estimate based on expert opinion with no or minimal sampling (1)

2001-2012

unknown (x)

min max

N/A

min max

area (km²)

operator more than (>)

unkown No

method

genuine change No improved knowledge Yes different method Yes

### 2.3.10 Reason for change

#### 2.4 Area covered by Habitat

2.4.1 Surface area (km²)

2.4.2 Year or period2.4.3 Method used

2 4 4 61

2.4.4 Short-term trend period

2.4.5 Short-term trend direction

2.4.6 Short-term trend magnitude

2.4.7 Short term trend method used

4,02

2005-2012

Estimate based on expert opinion with no or minimal sampling (1)

2001-2012

unknown (x)

min max confidence interval

Estimate based on expert opinion with no or minimal sampling (1)

02/05/2013 10.48.59 Page 8 of 11

2.4.8 Long-term trend period 2.4.9 Long-term trend direction N/A 2.4.10 Long-term trend magnitude min confidence interval max 2.4.11 Long term trend method used N/A 2.4.12 Favourable reference area area (km) approximately equal to (≈) operator unknown No method 2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method 2.5 Main Pressures ranking pollution qualifier(s) Pressure Leisure fishing (F02.03) medium importance (M) N/A Sand and gravel extraction (C01.01) N/A high importance (H) roads, motorways (D01.02) medium importance (M) N/A Pollution to surface waters (limnic & terrestrial, marine & high importance (H) N/A brackish) (H01) Fertilisation (A08) low importance (L) N/A canalisation (J02.03.02) low importance (L) N/A low importance (L) use of biocides, hormones and chemicals (A07) N/A

2.5.1 Method used – pressures Estimate based on partial data with some extrapolation and/or modelling( 2)

2.6 Main	Threats
Threat	

Threat	ranking	pollution qualifier(s)
Leisure fishing (F02.03)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	high importance (H)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	high importance (H)	N/A
Fertilisation (A08)	low importance (L)	N/A
canalisation (J02.03.02)	low importance (L)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A

2.6.1 Method used – threats Estimate based on expert opinion with no or minimal sampling(1)

#### 2.7 Complementary Information

#### 2.7.1 Species

Chenopodium rubrum

Chenopodium botrys

Chenopodium album

Bidens sp.

Xanthium sp.

02/05/2013 10.48.59 Page 9 of 11

Polygonum persicaria	
Persicaria dubia	
Persicaria hydropiper	
Persicaria minor	
Rumex sanguineus	
Lepidium virginicum	
Alopecurus aequalis	
Mentha aquatica	
Lycopus europaeus	
Cyperus glomeratus	
Cyperus fuscus	
Cyperus flavescens	
2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling( 1
2.7.5 Other relevant information	
2.8 Conclusions (assessment of con	servation status at end of reporting period)
2.8.1 Range	assessment Unknown( XX) qualifiers N/A
2.8.2 Area	assessment Unknown( XX) qualifiers N/A
2.8.3 Specific structures	assessment Inadequate( U1)
and functions (incl Species)	qualifiers N/A
2.8.4 Future prospects	assessment Inadequate( U1) qualifiers N/A
2.8.5 Overall assessment of Conservation Status	Inadequate( U1)
	declining( -)

02/05/2013 10.48.59 Page 10 of 11

4,0062

Complete survey/Complete survey or a statistically robust estimate (3)

4,0062

N/A

3.1.1 Surface area (km²)

3.1.3. Trend of surface area

3.1.2 Method used

**3.2 Conversation Measures** 

02/05/2013 10.48.59 Page 11 of 11

### Notes

Habitat code: 3270 Region	n code: MED	
Field label	Note	User
2.7.5 Other relevant information	Habitat secondario di sicuro favorito dalle attività antropiche in alveo e dalla distruzioni degli habitat ripariali naturali	ISPRA_h abitat

23/04/2014 08:21:23 Page 1 of 1