CODE: 3230

NAME: Alpine rivers and their ligneous vegetation with Myricaria germanica

1. National Level

1.1 Maps

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on expert opinion with no or minimal sampling (1)

2005-2012

No

Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Continental (CON)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_I%27Ambiente/Sistema_Carta_della_Natura ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura

02/05/2013 10.47.05 Page 1 of 7

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 1500

2.3.2 Range method used Estimate based on expert opinion with no or minimal sampling (1)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction stable (0)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator much more than (>>)

unkown No

method

2.3.10 Reason for change genuine change No improved knowledge Yes

different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 0,01

2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction stable (0)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator much more than (>>)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	high importance (H)	N/A
Mining and quarrying (C01)	high importance (H)	N/A
canalisation (J02.03.02)	high importance (H)	N/A
Other human induced changes in hydraulic conditions (J02.15)	high importance (H)	N/A
roads, motorways (D01.02)	high importance (H)	N/A
inundation (natural processes) (L08)	low importance (L)	N/A

02/05/2013 10.47.05 Page 2 of 7

2.5.1 Method used – pressures	Estimate based on partial data with sor	me extrapolation and/or modelling(2)	
2.6 Main Threats			
Threat	ranking	pollution qualifier(s)	
Urbanised areas, human habitation (E01) high importance	(H) N/A	
Mining and quarrying (C01)	high importance	(H) N/A	
canalisation (J02.03.02)	high importance	(H) N/A	
Other human induced changes in hy	raulic conditions (J02.15) high importance	(H) N/A	
roads, motorways (D01.02)	high importance	(H) N/A	
inundation (natural processes) (L08)	low importance (L) N/A	
2.6.1 Method used – threats	Estimate based on expert opinion with	no or minimal sampling(1)	
2.7 Complementary Information			
2.7.1 Species			
Myricaria germanica			
Salix eleagnos			
Salix purpurea			
Salix daphnoides			
Salix nigricans			
Equisetum variegatum			
Calamagrostis epigejos,			
Calamagrostis pseudophragmites			
Typha minima			
Populus nigra			
2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)		
2.7.3 Justification of % - thresholds for trends			
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)		
2.7.5 Other relevant information			

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment Bad(U2)
	qualifiers N/A
2.8.2 Area	assessment Bad(U2)
	qualifiers N/A

02/05/2013 10.47.05 Page 3 of 7

2.8.3 Specific structures and functions (incl Species)

2.8.4 Future prospects

2.8.5 Overall assessment of Conservation Status

2.8.5 Overall trend in Conservation Status

assessmentInadequate(U1) qualifiers N/A assessmentInadequate(U1) qualifiers N/A

Bad(U2)

declining(-)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)

min

0.0117

max

0,0117

3.1.2 Method used

3.1.3. Trend of surface area

Complete survey/Complete survey or a statistically robust estimate (3)

N/A

3.2 Conversation Measures

2.1 Biogeographical Region

2.2 Published

Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI).

"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto.

http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura®Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/®Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ®ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ®ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet®Morra di Cella U., Cremonese E., Pari E., Siniscalco C., Amadei M., Angelini P., Cardillo A., 2008. Carta degli habitat della Regione Valle d'Aosta per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - ARPA Valle d'Aosta - Dipartimento Biologia Vegetale Università degli studi di Torino.

http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura®Oriolo G., Dragan

02/05/2013 10.47.05 Page 4 of 7

M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia.

http://www.isprambiente.gov.it/site/it-

 $IT/Servizi_per_l\%27Ambiente/Sistema_Carta_della_Natura.\ WILHALM\ T.,$

NIKLFELD H. & GUTERMANN W., 2006 - Katalog der Gefäßpflanzen

Südtirols. Veröffentlichungen des Naturmuseums Südtirol Nr. 3. Folio Verlag,

Wien/Bozen, 218 pp 2"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 11000

2.3.2 Range method used Estimate based on expert opinion with no or minimal sampling (1)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction unknown (x)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator much more than (>>)

unkown No

method

2.3.10 Reason for change genuine change No

improved knowledge Yes different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 8,72

2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction unknown (x)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator much more than (>>)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method

2.5 Main Pressures

02/05/2013 10.47.05 Page 5 of 7

nabitat types (Annex B	7)		
Pressure		ranking	pollution qualifier(s)
roads, motorways (D01.02)		high importance (H)	N/A
Other human induced changes in hydr	raulic conditions (J02.15)	high importance (H)	N/A
Leisure fishing (F02.03)		medium importance (M)	N/A
Sand and gravel extraction (C01.01)		medium importance (M)	N/A
modifying structures of inland water courses (J02.05.02)		medium importance (M)	N/A
inundation (natural processes) (L08)		low importance (L)	N/A
2.5.1 Method used – pressures	Estimate based on pa	rtial data with some extrapo	lation and/or modelling(2)
2.6 Main Threats			
Threat		ranking	pollution qualifier(s)
roads, motorways (D01.02)		high importance (H)	N/A
Other human induced changes in hydr	raulic conditions (J02.15)	high importance (H)	N/A
Leisure fishing (F02.03)		medium importance (M)	N/A
Sand and gravel extraction (C01.01)		medium importance (M)	N/A
modifying structures of inland water courses (J02.05.02)		medium importance (M)	N/A
inundation (natural processes) (L08)		low importance (L)	N/A
2.6.1 Method used – threats	Estimate based on ex	pert opinion with no or minii	mal sampling(1)
2.7 Complementary Information			
2.7.1 Species			
Myricaria germanica			
Salix eleagnos			
Salix purpurea			
Salix daphnoides			
Salix nigricans			
Equisetum variegatum			
Cerinthe glabra			
Juncus alpinoarticulatus			
Calamagrostis epigejos			
Calamagrostis pseudophragmites			
Typha minima			
Populus nigra			
2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in:		

List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)

02/05/2013 10.47.05 Page 6 of 7

2.7.3 Justification of % -thresholds for trends2.7.4 Structure and functions -methods used2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling (1)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range assessment Unknown(XX) qualifiers N/A

2.8.2 Area assessment Unknown(XX)

qualifiers N/A

2.8.3 Specific structures assessment Bad(U2) and functions (incl Species) qualifiers N/A

assessment Bad(U2)

qualifiers N/A

2.8.5 Overall assessment of

Conservation Status

2.8.4 Future prospects

2.8.5 Overall trend in

Conservation Status

declining(-)

Bad(U2)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²) min 5,7397 max 5,7397

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

3.2 Conversation Measures

02/05/2013 10.47.05 Page 7 of 7