CODE: 5220

NAME: Arborescent matorral with Zyziphus

1. National Level

1.1 Maps

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on partial data with some extrapolation and/or modelling (2)

2005-2012

No

Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

http://vnr.unipg.it/habitat/\bar{Blasi} et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., \bar{BlSPRA}, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.\bar{BlSPRA}, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet\bar{BlSPRA}, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.\bar{BPapini} F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia – ISPRA\bar{B}"

02/05/2013 12.17.29 Page 1 of 4

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 700

2.3.2 Range method used Estimate based on partial data with some extrapolation and/or modelling (2)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction decrease (-)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator much more than (>>)

unkown No

method

2.3.10 Reason for change genuine change No improved knowledge Yes

different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 0,02

2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on partial data with some extrapolation and/or modelling (2)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction decrease (-)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator much more than (>>)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A
motorised vehicles (G01.03)	low importance (L)	N/A
roads, motorways (D01.02)	low importance (L)	N/A
Cultivation (A01)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Mining and quarrying (C01)	low importance (L)	N/A

02/05/2013 12.17.29 Page 2 of 4

Noise nuisance, noise pollution (H06.01) artificial planting on open ground (non-native trees) (B01.02)		low importance (L)	N/A N/A	
				2.5.1 Method used – pressures
2.6 Main Threats				
Threat		ranking	pollution qualifier(s)	
burning down (J01.01)		medium importance (M)	N/A	
motorised vehicles (G01.03)		low importance (L)	N/A	
roads, motorways (D01.02)		low importance (L)	N/A	
Cultivation (A01)		medium importance (M)	N/A	
discontinuous urbanisation (E01.02)		medium importance (M)	N/A	
Mining and quarrying (C01)		low importance (L)	N/A	
Noise nuisance, noise pollution (H06.01)		low importance (L)	N/A	
artificial planting on open ground (non-	-native trees) (B01.02)	low importance (L)	N/A	
2.6.1 Method used – threats	Estimate based on ex	d on expert opinion with no or minimal sampling(1)		
2.7 Complementary Information				
2.7.1 Species				
Periploca angustifolia				
Asparagus albus				
Asparagus stipularis				
Asparagus acutifolius				
Osyris alba				
Rhamnus alaternus				
Rubia peregrina				
Calicotome infesta				
Rhus tripartita				
Rhus pentaphylla				
Daphne gnidium				
Chamaerops humilis				
Lonicera implexa				
Lycium intricatum				
Phyllirea angustifolia				
Prasium majus				
Rhamnus oleoides				
Ziziphus lotus				
Arisarum vulgare				

02/05/2013 12.17.29 Page 3 of 4

2.7.2 Species method used

Selected by ISPRA's expert from bibliographical and field research

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling(1)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range assessment Bad(U2)

qualifiers N/A

2.8.2 Area assessment Bad(U2)

qualifiers N/A

assessment Bad(U2)

qualifiers N/A

assessment Bad(U2)

qualifiers N/A

2.8.5 Overall assessment of

2.8.3 Specific structures

2.8.4 Future prospects

and functions (incl Species)

Conservation Status

2.8.5 Overall trend in Conservation Status

declining(-)

Bad(U2)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²) min 0,0156 max 0,0156

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

3.2 Conversation Measures

02/05/2013 12.17.29 Page 4 of 4