CODE: 3160

NAME: Natural dystrophic lakes and ponds

1. National Level

1.1 Maps

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on expert opinion with no or minimal sampling (1)

2005-2012

No

Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI).

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed.

ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)

2.3.2 Range method used

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.10 Reason for change

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

1700

Estimate based on expert opinion with no or minimal sampling (1)

2001-2012

unknown (x)

min max

N/A

min max

area (km²)

operator more than (>)

unkown No

method

genuine change No improved knowledge Yes different method Yes

02/05/2013 10.46.10 Page 1 of 7

maistait types (rumen z	1		
2.4 Area covered by Habitat			
 2.4.1 Surface area (km²) 2.4.2 Year or period 2.4.3 Method used 2.4.4 Short-term trend period 2.4.5 Short-term trend direction 2.4.6 Short-term trend magnitude 2.4.7 Short term trend method used 	2001-2012 unknown (x) min	artial data with some extrapo max confid xpert opinion with no or mini	dence interval
2.4.8 Long-term trend period2.4.9 Long-term trend direction2.4.10 Long-term trend magnitude2.4.11 Long term trend method used	N/A min N/A	max confid	dence interval
2.4.12 Favourable reference area2.4.13 Reason for change	area (km) operator more th unknown No method Improved knowledge	nan (>) e/more accurate dataUse of d	lifferent method
2.5 Main Pressures			
Pressure		ranking	pollution qualifier(s)
Pollution to surface waters (limnic & te brackish) (H01)	rrestrial, marine &	medium importance (M)	N/A
canalisation (J02.03.02)		medium importance (M)	N/A
modifying structures of inland water co	ourses (J02.05.02)	medium importance (M)	N/A
Fertilisation (A08)		low importance (L)	N/A
use of biocides, hormones and chemica	als (A07)	low importance (L)	N/A
2.5.1 Method used – pressures	Estimate based on p	artial data with some extrapo	lation and/or modelling(2)
2.6 Main Threats			
Threat		ranking	pollution qualifier(s)
Pollution to surface waters (limnic & te brackish) (H01)	rrestrial, marine &	medium importance (M)	N/A
canalisation (J02.03.02)		medium importance (M)	N/A
modifying structures of inland water co	ourses (J02.05.02)	medium importance (M)	N/A
Fertilisation (A08)		low importance (L)	N/A
use of biocides, hormones and chemica	als (A07)	low importance (L)	N/A
2.6.1 Method used – threats	Estimate based on e	xpert opinion with no or mini	mal sampling(1)

02/05/2013 10.46.10 Page 2 of 7

2.7 Complementary Information

2	2./	'.1	Sp	ec	ies

Utricularia australis

Utricularia vulgaris

Rhynchospora alba

Rhynchospora fusca

Sparganium minimum (= S. natans)

Sphagnum spp.

2.7.2 Species method used

Selected by experts from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling(1)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

2.8.2 Area

assessment Unknown(XX)

assessment Unknown(XX)

qualifiers N/A

qualifiers N/A

2.8.3 Specific structures

and functions (incl Species)

qualifiers N/A

2.8.4 Future prospects

assessment Unknown(XX)

assessment Unknown(XX)

qualifiers N/A
Unknown(XX)

2.8.5 Overall assessment of

Conservation Status

2.8.5 Overall trend in

Conservation Status

N/A

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)

3.1.3. Trend of surface area

min 7,3102

max 7,3102

3.1.2 Method used

Complete survey/Complete survey or a statistically robust estimate (3)

N/A

3.2 Conversation Measures

02/05/2013 10.46.10 Page 3 of 7

2.1 Biogeographical Region 2.2 Published

Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI).

"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto.

http://www.isprambiente.gov.it/site/it-

IT/Servizi per I%27Ambiente/Sistema Carta della Natura@Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/2Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., 🛮 ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet®Morra di Cella U., Cremonese E., Pari E., Siniscalco C., Amadei M., Angelini P., Cardillo A., 2008. Carta degli habitat della Regione Valle d'Aosta per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - ARPA Valle d'Aosta - Dipartimento Biologia Vegetale Università degli studi di Torino.

http://www.isprambiente.gov.it/site/it-

IT/Servizi per l%27Ambiente/Sistema Carta della Natura

Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia.

http://www.isprambiente.gov.it/site/it-

IT/Servizi per l%27Ambiente/Sistema Carta della Natura 2"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 2.3.2 Range method used 2.3.3 Short-term trend period 2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

2.3.10 Reason for change

7300

Estimate based on expert opinion with no or minimal sampling (1)

2001-2012 unknown (x)

min max

N/A

min max

area (km²)

operator more than (>)

unkown No

method

genuine change No improved knowledge Yes different method

2.4 Area covered by Habitat

02/05/2013 10.46.10 Page 4 of 7

nabitat types (Annex D)		
2.4.1 Surface area (km²)	0,53		
2.4.2 Year or period	2005-2012	2	
2.4.3 Method used	Estimate b	pased on partial data with	some extrapolation and/or modelling (2)
2.4.4 Short-term trend period	2001-2012	2	
2.4.5 Short-term trend direction	unknown	(x)	
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate k	pased on expert opinion v	vith no or minimal sampling (1)
2.4.8 Long-term trend period2.4.9 Long-term trend direction2.4.10 Long-term trend magnitude2.4.11 Long term trend method used	N/A min N/A	max	confidence interval
2.4.12 Favourable reference area	area (km) operator unknown	more than (>) No	
	method		
2.4.13 Reason for change	Improved	knowledge/more accura	te dataUse of different method
2.5 Main Pressures			
Pressure		ranking	pollution qualifier(s)

2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		
2.5 Main Pressures			
Pressure		ranking	pollution qualifier(s)
Leisure fishing (F02.03)		low importance (L)	N/A
Other human induced changes in hydr	aulic conditions (J02.1	5) medium importance (M)	N/A
Pollution to surface waters (limnic & t brackish) (H01)	errestrial, marine &	high importance (H)	N/A
use of biocides, hormones and chemic	als (A07)	high importance (H)	N/A
2.5.1 Method used – pressures	Estimate based on	partial data with some extrapo	lation and/or modelling(2)
2.6 Main Threats			
Threat		ranking	pollution qualifier(s)
Leisure fishing (F02.03)		low importance (L)	N/A
Other human induced changes in hydr	aulic conditions (J02.1	5) medium importance (M)	N/A
Pollution to surface waters (limnic & t brackish) (H01)	errestrial, marine &	high importance (H)	N/A
use of biocides, hormones and chemicals (A07)		high importance (H)	N/A
2.6.1 Method used – threats	Estimate based on	expert opinion with no or mini	mal sampling(1)
2.7 Complementary Information			
2.7.1 Species			
Utricularia spp.			
Rhynchospora alba			
Rhynchospora fusca			
Sparganium minimum (= S. natans)			

Sphagnum spp

02/05/2013 10.46.10 Page 5 of 7

mabitat types (Amirex	
Utricularia minor	
Utricularia bermii	
Utricularia stygia	
Alisma lanceolatum	
Carex lasiocarpa	
Carex rostrata	
Equisetum fluviatile	
Potamogeton alpinus	
Potamogeton filiformis	
Potamogeton gramineus	
Scorpidium scorpioides	
Sparganium angustifolium	
Sparganium hyperboreum	
Veronica scutellata	
2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	
2.8 Conclusions (assessment of c	conservation status at end of reporting period)
2.8.1 Range	assessment Unknown(XX) qualifiers N/A
2.8.2 Area	assessment Unknown(XX) qualifiers N/A
2.8.3 Specific structures and functions (incl Species)	assessment Bad(U2) qualifiers N/A
2.8.4 Future prospects	assessment Inadequate(U1) qualifiers N/A
2.8.5 Overall assessment of Conservation Status	Bad(U2)
2.8.5 Overall trend in Conservation Status	declining(-)
3. Natura 2000 coverage	conservation measures -

3.1.1 Surface area (km²) min 0,53481 max 0,53481

Annex I habitat types on biogeographical level

3.1 Area covered by habitat

02/05/2013 10.46.10 Page 6 of 7

3.1.2 Method used3.1.3. Trend of surface area

Complete survey/Complete survey or a statistically robust estimate (3) N/A

3.2 Conversation Measures

02/05/2013 10.46.10 Page 7 of 7

Notes

ode: ALP	
Note	User
Nel calcolo delle superfici (campi 2.3.1, 2.4.1 e 3.1.1) rientra anche la superficie delle aree comprese nella regione continentale.	ISPRA_h abitat
ode: MED	
Note	User
Oltre alle specie indicate si possono ricordare: Utricularia minor, U. bremii, U. stygia, Alisma lanceolatum, Carex lasiocarpa, C. rostrata, Equisetum fluviatile, Potamogeton alpinus, Potamogeton filiformis, Potamogeton gramineus, Scorpidium scorpioides, Sparganium angustifolium, Sparganium hyperboreum, Veronica scutellata.	ISPRA_h abitat
	Nel calcolo delle superfici (campi 2.3.1, 2.4.1 e 3.1.1) rientra anche la superficie delle aree comprese nella regione continentale. Ode: MED Note Oltre alle specie indicate si possono ricordare: Utricularia minor, U. bremii, U. stygia, Alisma lanceolatum, Carex lasiocarpa, C. rostrata, Equisetum fluviatile, Potamogeton alpinus, Potamogeton filiformis, Potamogeton gramineus, Scorpidium scorpioides, Sparganium angustifolium, Sparganium hyperboreum,

23/04/2014 08:18:27 Page 1 of 1