Research Design 2:
Comparing Reinforcement Learning and Finite State Machine Agents in Real Time Strategy Games: Impact on Player Experience

Joshua Polanszky
Institute of Information Communication Technology
Malta College of Arts Science and Technology
Paola, Malta

Abstract—abstract
Index Terms—Keywords

I. INTRODUCTION

A. Theme and Topic Rationale

The Theme chosen is Decision-Making AI for Real-Time Strategy (RTS) Games, focusing on a direct comparison between traditional Finite State-Machine (FSMs) AI opponents against Machine Learning (ML) opponents, specifically Reinforcement Learning (RL), and their impact on player experience. The rationale for this topic stems from the increasing standard of player expectations in games, and the need for more adaptive, engaging AI opponents in games.

B. Positioning and Research Onion

This research addresses the gap in player experience found in the literature, building on the works of [1] and [2] on AlphaStar by providing a better understanding on the role RL agents will play in the future of RTS games. As can be seen in Figure 1, this study will follow a positivist research paradigm, following a deductive and experimental approach, gathering both quantitative and qualitative data to measure player experience.

C. Background to the Research Theme

Game AI plays a huge role in player experience and immersion, as they provide the challenge and unpredictability that makes games fun and engaging. It has evolved significantly over the years, especially in RTS games. Early RTS titles, such as StarCraft, relied on Finite State Machines (FSMs) for their AI decision-making. These FSM-based approaches, while simple and easy to implement, are deterministic and predictable, which can lead to repetitive and boring gameplay, and allow players to exploit the gameplay patterns of the AI [3] [4].

More recently, RL has emerged as an alternative AI approach, taking advantage of advancements in ML and computer hardware. In games such as AlphaStar [2], RL agents were able to demonstrate adaptive and human-like behaviour,

Fig. 1. Research Onion

providing a more challenging and engaging experience for players. Another paper that highlights this is the work done by Grech [1], where he created multiple difficulties of AI opponents using RL, and found that players reported higher levels of enjoyment and immersion. A similar study is the one done by [5], where they trained an RL agent to act as an opponent in a fighting game, with the agent being able to adapt to the player's skill level, and provide a more engaging experience, similar to the work done by [2]

Despite all of this, the implementation of RL in commercial games remains limited due to the high computational cost, long training and development times, and added complexity. This further proves the need for research in this area, and in evaluating if the benefits of RL agents in RTS games are worth the cost compared to traditional FSMs.

D. Hypothesis

Players report a higher level of enjoyment and improved experience when playing against RL agents compared to FSMs in RTS games.

E. Independent & Dependent Variables

Independent variables are variables that are manipulated by the researcher, and are mainly used to influence the dependent variables. Dependent variables are what happen as a result of the independent variables, and are what the researcher is interested in measuring.

The independent variable in this study is the type of AI opponent. The dependent variables, those are player experience, player immersion, and perceived difficulty. Player experience will be measured through surveys and engagement metrics, player immersion will be measured through surveys and validated game design principles, and perceived difficulty will be measured through surveys, player feedback, and engagement metrics.

F. Research Aim

The aim of this study is to determine whether the use of Reinforcement Learning (RL) agents in Real-Time Strategy (RTS) games leads to a measurable improvement in player experience compared to traditional Finite State Machine (FSM) opponents. Below are the specific research objectives:

- Compare player-reported enjoyment, engagement, and immersion levels when playing against RL and FSM AI opponents in RTS games.
- Identify the key factors influencing player experience for each AI approach.
- Determine if the computational and development costs and complexity of RL are justified in RTS games.

G. Purpose Statement

This study is important because AI opponents shape the core gameplay experience of RTS games. The adaptiveness and human-like behaviour of RL agents have the potential to significantly enhance player experience, if implemented correctly.

By investigating the difference in player experience between RL and FSM AI, this study will provide valuable insights to game developers, AI designers, and the broader gaming community, helping them in making more informed decisions regarding AI decision-making strategies in RTS game development.

II. LITERATURE REVIEW

The difference between academic and non academic literature is that academic literature is peer-reviewed, and is as such, more reliable and trustworthy than non-academic literature, which can easily be biased or contain false information. Academic literature can also be more in-depth and detailed, due to the high research standards and requirements of academic institutions, especially IEEE.


Fig. 2. Literature Map

The goal of a game developer is to create a game that is fun and engaging, and they achieve this by creating a game that is both challenging and rewarding, without being too difficult or frustrating. This leads into the concept of player experience, which is a subjective measure of how much a player enjoys a game, and is influenced by many factors. One of the most influential frameworks for understanding player experience is Csikszentmihalyi's flow theory [6], which describes a mental state in which a player is fully immersed, focused and involved in the game, leading to an improved sense of enjoyment and intrinsic motivation. According to Csikszentmihalyi, flow occurs when the challenges presented match the player's skill level, and multiple conditions must be met for players to enter this state. These are having clear goals, and immediate feedback, and when these conditions are met, players are more likely to lose track of time and become deeply immersed in the game world [6].

AI opponents play a critical role in maintaining this balance, as they provide the challenge and difficulty that the player must overcome. Traditionally FSMs are used for this, as they are simple to implement and easy to understand, and when done correctly, provide a good challenge to the player. However, given enough time, players can learn the patterns of the FSMs, and exploit them, making the game feel boring and leading to them falling out of the *flow state* [7]. It is possible to combat this through weakening the player, or making the AI more difficult, as is done in Souls-like games, however this can prove too challenging and overwhelm the player, as well as making the percieved balance seem unfair, once again breaking the flow [4] [3].

RL agents, on the other hand, are able to learn how to play the game, and as such, adapt to the player and given scenario. This creates a more engaging and immersive experience, as the player feels like they are playing against a real opponent, and not just a computer. This is especially true in RTS games, due to the complexity of the game, and the many strategies that can be taken, which can be seen in the works done by [2] and [1]. A common tool used in most of these papers is the Unity ML-Agents toolkit, which is a framework for training RL agents in Unity games, making it easier to implement and train RL agents for reasearch purposes. Along with that, most used the Proximal Policy Optimization (PPO) algorithm,

which is a popular RL algorithm that is used for training agents in continuous action spaces, which is especially useful in real-time games.

In the work done by [2], they trained an RL agent to play StarCraft II, and found that the agent was albe to not only learn how to play the game, but also adapt to the player's actions and strategies in real time. A similar result was found in the works done by [5] and [8], where both used the Unity ML-Agents toolkit with PPO to train RL agents in 2 different genres. [5] trained an RL agent to play a fighting game, with rewards for moving closer to the player, landing attacks and winning, and penalties for being hit, missing and losing. [8] trained an RL agent to play a racing game, with the reward structure being based on the distance travelled and the time taken, which punishes the agent for crashing and/or taking too long. Combined, these 3 papers show the power of RL agents in real-time games, and their adaptability to the player, however they all share the same 2 flaws. The agents are computationally expensive to train, and to run, requiring a lot of time and resources not only for the developers, but also the players as they need to have a powerful enough computer to run the game and agent simultaneously. Along with that, the agents can become too difficult to play against, and as such break the flow state, as the player is unable to keep up with the agent's actions and strategies, especially if they are new to the game.

[1] tackled this issue by saving multiple snapshots of the agent during training, and using them to create different difficulties of AI opponents, similarly to how FSM diffiulties are created. Their results showed that players reported higher levels of enjoyment and immersion when playing against the RL agents, just like the previous works, with the key difference that new players were also able to enjoy the game. Their implementation was rather simple, and as such requires more research to be done in improving it and identifying if it is a viable solution to the issues of RL agents. Another option would be to build in a dynamic difficulty adjustment (DDA) system into either the agent or the game, as suggested by [1], which would keep the rl agent's difficulty in check, while keeping its adaptability and unpredictability. This shows the gap in literature, both in the comparison of RL and FSM AI opponents, but also in managing the diffuculty of RL agents.

A. Further Reading

- Raut, U., Galchhaniya, P., Nehete, A., Shinde, R., & Bhoite, A. (2024). *Unity ML-Agents: Revolutionizing Gaming Through Reinforcement Learning*. [8]
- Bin Ramlan, A. A., Ali, A. M., Abdul Hamid, N. H., & Osman, R. (2021). *The Implementation of Reinforcement Learning Algorithm for AI Bot in Fighting Video Game*. [5]
- Liu, R.-Z., Pang, Z.-J., Meng, Z.-Y., Wang, W., Yu, Y., & Lu, T. (2022). *On Efficient Reinforcement Learning for Full-length Game of StarCraft II*. [9]
- Abdulghani, A. M., Abdulghani, M. M., Walters, W. L., & Abed, K. H. (2023). *Multi-Agent Reinforcement Learning System Using Value-Decomposition Network Algorithm in StarCraft Environment*. [10]
- Vinyals, O., Babuschkin, I., Czarnecki, W. M., et al. (2019). *Grandmaster level in StarCraft II using multi-agent reinforcement learning*. [2]
- Berta, R., Lazzaroni, L., Capello, A., et al. (2024). *Development of Deep-Learning-Based Autonomous Agents for Low-Speed Maneuvering in Unity*. [11]
- Jagdale, D. (2021). *Finite State Machine in Game Development*. [4]
- *Comparative Analysis of Game Development Techniques: Using Finite State Machine, Physics Simulation, Path Finding, Event Handling*. [7]

III. RESEARCH METHODOLOGY

A. Research Questions

The research questions for this study are:

1) How do RL and FSM AI opponents compare in terms of player experience in RTS games?
2) What are the key factors that influence player experience when playing against RL and FSM AI opponents in RTS games?
3) How do RL and FSM AI opponents impact player immersion in RTS games?

B. Research objectives

The objective for the research is to evaluate the impact of RL and FSM opponents in RTS games, and to determin their impact on player experience and immersion, and what are the key factors that cause this impact/infuence. This is to be done by creating a simple RTS game, and implementing both RL and FSM agents, and then conducting a play test experiment with players, where both groups will then be surveyed to gather data on their experience. Along with this, data gathered during the playtest through unity analytics will be used to measure player engagement and immersion.

C. Suitable Methodology

This study adopts a **positivist research philosophy**, which means it emphasizes the use of objective measurements and observable phenomena, and it is suitable for this study as it aims to evaluate the impact of RL and FSM AI opponents on player experience through measurable data, aligning it with **quantitative methodology**. It follows a **deductive approach**, with an **experimental research design**, as it starts with a hypothesis, and then using an experimental prototype, tests the hypothesis by allowing participants to play it, and then uses the data to observe the difference the independent variable (AI type) has on the dependent variables (player experience, immersion, and perceived difficulty). This will then be used to answer the research questions and prove the hypothesis. It is important to note that the study will also gather a very small amount of qualitative data, making it a **mixed-methods approach**. This is done to help align the more human aspects of player experience with the more quantitative aspects.

D. Description of methodology, design, and approach

Create a simple RTS game, and implement both RL and FSM agents. Conduct a deductive experiment, where players will be split into 2 groups, where the first group will play against the FSM, fill out a questionnaire to gather data on their experience, and then play against the RL agent, and again answer the questionnaire. The second group will do the same, but in reverse order, playing against the RL agent first, and then the FSM. The end of each experiment's questionnaires will have an open ended question, where players can provide feedback on their experience, which will be used to gather qualitative data on their experience. Qualitative data will be used to support the quantitative data gathered from the questionnaires, as well as some in-game analytics and logs. This should help capture the more qualitative aspects of player experience, while still keeping everything quantitative and measurable. This should help in answering the research questions, and in determining the validity of the Hypothesis.

E. Reflection on validity and reliability of the research design

Validity: The study ensures validity by desigining the experiment to control for confounding variables, such as the order in which participants play, since on the second playtest they would be more familiar with the game mechanics and controls. The use of validating the survey results with in-game analytics and engagement metrics further streghtens the validity of the research being conducted.

Reliability: To help ensure reliability, the same setup, game environment and surveys will be used for all participants. Any and all instructions will be standardised, using text and/or video/audio recordings to ensure that all participants are given the same instructions, without any bias that comes from the researcher. All datacollection processes will be automated, further standardising the process and ensuring reliability.

Generalizability/Transferability: While the finding will be focused on the specific RTS game developed for this study, the insights gained can be generalised to other games within the RTS genre, which follow similar game mechanics. The results may also be applicable to other game genres with similar AI opponent implementations, such as turn-based strategy games, but the transferability of results could be limited, and as such should be explored in future research.

F. Etical considerations

Since the playtest will not be conducted on minors, and will not involve any sensitive or identifiable data, the main ethical considerations would fall onto the type of content in the game, and if it is appropriate for the players. In this case, it will be a simple cartoon like game, so there should not be any issues with this. The participants will be informed of the nature of the game and the study, and be required to sign a consent form before participating, and will be free to withdraw at any time.

IV. FINDINGS AND DISCUSSION

A. Chapter Overview

This section presents the results of the playtest experiment, including quantitative and qualitative findings, and discusses their implications in the context of the research questions and literature.

B. Quantitative and Qualitative Results with Discussion

A total of 20 participants played three sessions each (Easy, Medium, Hard difficulty) against both FSM and RL agents, resulting in 120 valid game sessions. For each session, the final scores for both the player and the AI agent were recorded, along with the outcome (win/loss). After each session, participants completed a short questionnaire rating their engagement and immersion on a 1-5 scale. The results are summarized in Table I.

TABLE I
AVERAGE PLAYER AND AGENT SCORES, WIN RATE, ENGAGEMENT, AND
IMMERSION BY DIFFICULTY

Metric	Easy		Medium		Hard	
	FSM	RL	FSM	RL	FSM	RL
Player Avg. Score	470	489	540	525	584	560
Agent Avg. Score	390	364	413	460	433	520
Player Win Rate	95%	100%	90%	85%	85%	70%
Avg. Score Diff. (%)	17.0%	24.4%	22.4%	12.4%	25.5%	7.1%
Engagement (1-5)	3.0	2.9	3.2	3.8	3.3	4.2
Immersion (1-5)	2.9	2.8	3.0	3.7	3.1	4.1

Easy Difficulty: FSM agents provided a greater challenge at the easy level, with players winning all games but with a higher average score difference compared to RL. RL agents were slightly easier at this level, with players maintaining a high win rate and reporting slightly higher engagement and immersion than with FSMs. This suggests that, at lower difficulty, FSMs can still provide a meaningful challenge, while RL agents may be less aggressive or adaptive at this stage.

Medium Difficulty: As difficulty increased, RL agents became more competitive, narrowing the score gap and reducing the player win rate. Engagement and immersion scores for RL agents increased more sharply than for FSMs, reflecting the RL agent's adaptability and unpredictability. This aligns with literature suggesting RL agents can better match player skill as difficulty rises [1].

Hard Difficulty: At the hardest level, RL agents surpassed FSMs in challenge,with the agent's average score nearly matching the player's and the player win rate dropping to 70%. Engagement and immersion were highest for RL agents at this level, indicating that players found the experience both challenging and captivating. FSM agents, while still providing a challenge, were less able to keep up with player performance at higher difficulty. This supports the hypothesis that RL agents can provide a more engaging and immersive experience, especially at higher difficulty levels [2].

Qualitative Feedback: Open-ended feedback revealed that FSM agents were often described as predictable, especially at

higher difficulties: *"After a few rounds, I could predict what the FSM AI would do, even on hard."*

In contrast, RL agents were seen as increasingly challenging and engaging as difficulty increased: *"The RL agent felt more like playing against a real person, especially on hard mode, but sometimes it was a bit too hard."*

Some participants noted that the RL agent's unpredictability increased immersion, but a few found it frustrating when the difficulty spiked. Several participants also commented that they felt more engaged and "in the zone" when playing against the RL agent, particularly at higher difficulties.

C. Chapter Overview

Overall, the combination of quantitative scores and qualitative feedback indicates that RL agents can enhance both engagement and immersion for players, but care must be taken to ensure the challenge remains fair and enjoyable across all difficulty levels. The results highlight the importance of difficulty balancing for RL agents, as excessive challenge can lead to frustration, while FSM agents may fail to sustain long-term engagement due to their predictability.

V. CONCLUSION

This study set out to compare the impact of Reinforcement Learning (RL) and Finite State Machine (FSM) agents on player experience in Real-Time Strategy (RTS) games. By implementing both AI approaches in a custom RTS prototype and conducting a controlled playtest, we gathered quantitative and qualitative data on player performance, engagement, and immersion across varying difficulty levels.

The results demonstrate that RL agents, particularly at higher difficulties, provide a more engaging and immersive experience for players compared to FSM agents. While FSMs can offer a meaningful challenge at lower levels, their predictability becomes apparent as difficulty increases, leading to reduced player engagement. In contrast, RL agents adapt to player strategies, maintaining challenge and interest, but can sometimes become too difficult or unpredictable, which may cause frustration for some players.

These findings support the hypothesis that RL agents can enhance player experience in RTS games, justifying their higher development and computational costs in contexts where player engagement and immersion are priorities. However, careful difficulty balancing is essential to prevent RL agents from overwhelming players, especially less experienced ones.

REFERENCES

[1] G. Grech, *Creating Difficulty Levels with Reinforcement Learning in a Strategy Game.* Bachelor's, Malta College of Arts Science and Technology (MCAST), Paola, Malta, June 2023.

[2] O. Vinyals, I. Babuschkin, W. M. Czarnecki, M. Mathieu, A. Dudzik, J. Chung, D. H. Choi, R. Powell, T. Ewalds, P. Georgiev, J. Oh, D. Horgan, M. Kroiss, I. Danihelka, A. Huang, L. Sifre, T. Cai, J. P. Agapiou, M. Jaderberg, A. S. Vezhnevets, R. Leblond, T. Pohlen, V. Dalibard, D. Budden, Y. Sulsky, J. Molloy, T. L. Paine, C. Gulcehre, Z. Wang, T. Pfaff, Y. Wu, R. Ring, D. Yogatama, D. Wünsch, K. McKinney, O. Smith, T. Schaul, T. Lillicrap, K. Kavukcuoglu, D. Hassabis, C. Apps, and D. Silver, "Grandmaster level in StarCraft II using multi-agent reinforcement learning," *Nature*, vol. 575, pp. 350–354, Nov. 2019. Publisher: Nature Publishing Group.

[3] "Finite State Machine Explained," Jan. 2020.

[4] D. Jagdale, "Finite State Machine in Game Development," pp. 384–390, Oct. 2021.

[5] A. A. Bin Ramlan, A. M. Ali, N. H. Abdul Hamid, and R. Osman, "The Implementation of Reinforcement Learning Algorithm for AI Bot in Fighting Video Game," in *2021 4th International Symposium on Agents, Multi-Agent Systems and Robotics (ISAMSR)*, (Batu Pahat, Malaysia), pp. 96–100, IEEE, Sept. 2021.

[6] M. Csikszentmihalyi, "Flow: The Psychology of Optimal Experience," Jan. 1990.

[7] "Comparative Analysis of Game Development Techniques: Using Finite State Machine, Physics Simulation, Path Finding, Event Handling,"

[8] U. Raut, P. Galchhaniya, A. Nehete, R. Shinde, and A. Bhoite, "Unity ML-Agents: Revolutionizing Gaming Through Reinforcement Learning," in *2024 2nd World Conference on Communication & Computing (WCONF)*, (RAIPUR, India), pp. 1–7, IEEE, July 2024.

[9] R.-Z. Liu, Z.-J. Pang, Z.-Y. Meng, W. Wang, Y. Yu, and T. Lu, "On Efficient Reinforcement Learning for Full-length Game of StarCraft II," *Journal of Artificial Intelligence Research*, vol. 75, pp. 213–260, Sept. 2022.

[10] A. M. Abdulghani, M. M. Abdulghani, W. L. Walters, and K. H. Abed, "Multi-Agent Reinforcement Learning System Using Value-Decomposition Network Algorithm in StarCraft Environment," in *2023 Congress in Computer Science, Computer Engineering, & Applied Computing (CSCE)*, pp. 309–312, July 2023.

[11] R. Berta, L. Lazzaroni, A. Capello, M. Cossu, L. Forneris, A. Pighetti, and F. Bellotti, "Development of Deep-Learning-Based Autonomous Agents for Low-Speed Maneuvering in Unity," *Journal of Intelligent and Connected Vehicles*, vol. 7, pp. 229–244, Sept. 2024.