A: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Mugshot natural 0.300 0.200 0.100 -0.070 False negative identification rate, FNIR(T) enrolment_style consolidated-ONE-MATE recent-ONE-MATE 0.005 0.003 0.002 -0.001 -

False positive identification rate, FPIR(T)


3e-01

1e+00


1e-03


1e-04


B: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images



C: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 5e+01 3e+01 2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -Enrolled images: recent N = 1600000 7e-02 -7e-02 -7e-02 -3e-02 -3e-02 -1e-02 -7e-03 -Mugshot natural Mugshot profile Mugshot webcam 7e-03 5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 • 7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 1e-04 3e-04 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)







G: Datasheet

Algorithm: visionlabs_5

Developer: VisionLabs

Submission Date: 2018_06_22

Template size: 512 bytes

Template time (2.5 percentile): 284 msec

Template time (median): 284 msec

Template time (97.5 percentile): 388 msec

Frontal mugshot investigation rank 33 — FNIR(1600000, 0, 1) = 0.0024 vs. lowest 0.0010 from sensetime_004

natural investigation rank 52 -- FNIR(1600000, 0, 1) = 0.0187 vs. lowest 0.0067 from sensetime_003


natural investigation rank 32 -- FNIR(1600000, 0, 1) = 0.1679 vs. lowest 0.0492 from paravision_005


natural investigation rank 32 -- FNIR(1600000, 0, 1) = 0.1679 vs. lowest 0.0492 from paravision_005

Frontal mugshot identification rank 71 -- FNIR(1600000, T, L+1) = 0.0500 vs. lowest 0.0018 from sensetime_004


natural identification rank 89 -- FNIR(1600000, T, L+1) = 0.1467 vs. lowest 0.0122 from sensetime_003

natural identification rank 21 -- FNIR(1600000, T, L+1) = 0.6930 vs. lowest 0.1020 from sensetime_004





Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing

