A: Datasheet

Algorithm: imagus_3

Developer: Imagus Technology Pty Ltd

Submission Date: 2018_06_21

Template size: 512 bytes

Template time (2.5 percentile): 44 msec

Template time (median): 50 msec

Template time (97.5 percentile): 64 msec

Investigation:

Frontal mugshot ranking 266 (out of 279) -- FNIR(1600000, 0, 1) = 0.3559 vs. lowest 0.0009 from sensetime_005

Mugshot webcam ranking 225 (out of 241) -- FNIR(1600000, 0, 1) = 0.5133 vs. lowest 0.0062 from sensetime_005


Mugshot profile ranking 204 (out of 210) -- FNIR(1600000, 0, 1) = 0.9929 vs. lowest 0.0587 from xforwardai_002


Identification:

Frontal mugshot ranking 255 (out of 279) -- FNIR(1600000, T, L+1) = 0.8069, FPIR=0.001000 vs. lowest 0.0018 from sensetime_004


Mugshot webcam ranking 217 (out of 236) -- FNIR(1600000, T, L+1) = 0.9091, FPIR=0.001000 vs. lowest 0.0122 from sensetime_003

Mugshot profile ranking 172 (out of 209) -- FNIR(1600000, T, L+1) = 0.9999, FPIR=0.001000 vs. lowest 0.1331 from cloudwalk_hr_000






D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals




False positive identification rate, FPIR(T)


E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images




Threshold

F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 - 7e-02 - 3e-02 - 3e-02 - 2e-02 - 1e-02 **Enrolled images:** recent N = 1600000 Mugshot natural Mugshot webcam 1e-02 -7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 -7e-05 -5e-05 -3e-05 -2e-05 -1e-05 3e-05 1e-04 3e-04 1e-03 3e-03 1e-02 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)






K: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime_005) Immigration **Immigration** visa-border visa-kiosk 0.700 0.500 -0.300 -0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -Ealse negative identification rate, FNIR(N) 0.003 - 0.001 - 0.500 - 0.500 - 0.200 - 0. enrolment_style consolidated ---- random --- recent Mugshot webcam Mugshot natural FNIR@Rank = 1 imagus_3 sensetime_005 0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N



M: Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



Q: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



