A: Datasheet

Algorithm: everai_3

Developer: Paravision (EverAI)

Submission Date: 2018_10_30

Template size: 2048 bytes

Template time (2.5 percentile): 716 msec

Template time (median): 717 msec

Template time (97.5 percentile): 794 msec

Investigation:

Frontal mugshot ranking 49 (out of 259) -- FNIR(1600000, 0, 1) = 0.0031 vs. lowest 0.0009 from sensetime_005

Mugshot webcam ranking 63 (out of 221) -- FNIR(1600000, 0, 1) = 0.0194 vs. lowest 0.0062 from sensetime_005

Mugshot profile ranking 20 (out of 190) -- FNIR(1600000, 0, 1) = 0.2523 vs. lowest 0.0591 from sensetime_005

Immigration visa-border ranking 65 (out of 142) -- FNIR(1600000, 0, 1) = 0.0154 vs. lowest 0.0014 from visionlabs_009

Immigration visa-kiosk ranking 62 (out of 139) -- FNIR(1600000, 0, 1) = 0.1667 vs. lowest 0.0694 from cib_000

Identification:


Frontal mugshot ranking 52 (out of 259) -- FNIR(1600000, T, L+1) = 0.0349, FPIR=0.001000 vs. lowest 0.0018 from sensetime_004

Mugshot webcam ranking 56 (out of 219) -- FNIR(1600000, T, L+1) = 0.0955, FPIR=0.001000 vs. lowest 0.0122 from sensetime_003

Mugshot profile ranking 90 (out of 189) -- FNIR(1600000, T, L+1) = 0.9943, FPIR=0.001000 vs. lowest 0.1733 from sensetime_005


Immigration visa-border ranking 44 (out of 139) -- FNIR(1600000, T, L+1) = 0.0575, FPIR=0.001000 vs. lowest 0.0059 from sensetime_004

Immigration visa-kiosk ranking 32 (out of 134) -- FNIR(1600000, T, L+1) = 0.2978, FPIR=0.001000 vs. lowest 0.1048 from sensetime_005





D: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals **Immigration Immigration** Mugshot visa-border visa-kiosk natural 0.700 -0.500 -0.300 -0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -Ealse negative identification rate, FNIR(T) 0.003 - 0.0001 - 0.700 - 0.500 - 0.200 - 0.100 - 0 enrolment_style consolidated-ONE-MATE random-ONE-MATE recent-ONE-MATE unconsolidated-ALL-MATES unconsolidated-ANY-MATE 0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -

E: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images



F: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 -2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -7e-02 -5e-02 -3e-02 -3e-02 -1e-02 -**Enrolled images:** recent N = 1600000 Mugshot natural Mugshot webcam 7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 -7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-03 3e-03 1e-02 3e-02 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)





I: Investigational mode: FNIR(N, 1, 0) vs. most accurate (sensetime_005) Immigration **Immigration** visa-border visa-kiosk 0.200 -0.100 -0.070 -0.050 -0.030 -0.020 -0.010 -0.007 -0.005 -Palse negative identification rate, FNIR(N) 0.002 - 0.001 - 0.200 - 0.100 - 0.070 - 0.050 - 0. enrolment_style consolidated ---- random --- recent Mugshot webcam Mugshot natural FNIR@Rank = 1 everai_3 sensetime_005 0.030 -0.020 -0.010 -0.007 -0.005 -0.003 -0.002 -0.001 -1e+06 3e+06 1e+07 1e+06 3e+06 1e+07 Enrolled population size, N


J: Investigational mode: FNIR(1600000, R, 0) by probe type everai_3 sensetime_005 0.200 -0.100 -0.070 -0.050 -0.030 enrolment_style False negative identification rate, FNIR(N)


0.000

0.000

0.000 lifetime_consolidated ---- random --- recent FNIR(R) N = 1600000 Immigration visa-border Immigration visa-kiosk Mugshot natural Mugshot webcam 0.003 -0.002 -0.001 -10 30 3 10 30 Rank, R

Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations





M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing



