A: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Mugshot natural 0.500 0.300 0.200 0.100 -False negative identification rate, FNIR(T) enrolment\_style consolidated-ONE-MATE recent-ONE-MATE 0.005 -0.003 -0.002 -0.001 -

False positive identification rate, FPIR(T)

3e-01

1e-01


1e+00

3e-04


1e-04


1e-03


B: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images



C: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 -5e+01 -3e+01 2e+01 -1e+01 7e+00 -5e+00 -3e+00 -2e+00 -1e+00 -7e-01 -5e-01 -3e-01 -2e-01 -1e-01 -Enrolled images: recent N = 1600000 7e-02 - 7e-02 - 7e-03 Mugshot natural Mugshot profile Mugshot webcam 7e-03 -5e-03 -3e-03 -2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 • 7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)








## G: Datasheet


Algorithm: ntechlab\_3
Developer: N-Tech Lab
Submission Date: 2018\_06\_21
Template size: 3482 bytes
Template time (2.5 percentile): 806 msec
Template time (median): 827 msec
Template time (97.5 percentile): 877 msec
Frontal mugshot investigation rank 80 — FNIR(1600000, 0, 1) = 0.0062 vs. lowest 0.0010 from sensetime\_004 natural investigation rank 74 — FNIR(1600000, 0, 1) = 0.0229 vs. lowest 0.0067 from sensetime\_003 natural investigation rank 52 — FNIR(1600000, 0, 1) = 0.2983 vs. lowest 0.0492 from paravision\_005 natural investigation rank 52 — FNIR(1600000, 0, 1) = 0.2983 vs. lowest 0.0492 from paravision\_005

Frontal mugshot identification rank 80 — FNIR(1600000, T, L+1) = 0.0536 vs. lowest 0.0018 from sensetime\_004


natural identification rank 68 — FNIR(1600000, T, L+1) = 0.1175 vs. lowest 0.0122 from sensetime\_003

natural identification rank 18 -- FNIR(1600000, T, L+1) = 0.6499 vs. lowest 0.1020 from sensetime\_004





Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations



M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing

