A: 1:N error tradeoff by dataset and enrollment type. N = 1600000 individuals Mugshot natural 0.300 0.200 0.100 -0.070 -False negative identification rate, FNIR(T) enrolment_style consolidated-ONE-MATE recent-ONE-MATE 0.005 0.003 0.002 -0.001

False positive identification rate, FPIR(T)

3e-01


1e+00

3e-04


1e-04


1e-03


B: Dependence of error rates on T by number enrolled identities, N, for Mugshot natural images



C: FPIR vs. Selectivity for mugshot images, N = 1600000 subjects enrolled with one recent mate 7e+01 5e+01 3e+01 2e+01 -1e+01 -7e+00 -5e+00 -3e+00 -2e+00 -1e+00 • 7e-01 -5e-01 -3e-01 2e-01 -1e-01 **-**Enrolled images: recent N = 1600000 7e-02 -7e-02 -7e-02 -3e-02 -3e-02 -1e-02 -7e-03 -Mugshot natural Mugshot profile Mugshot webcam 7e-03 5e-03 -3e-03 • 2e-03 -1e-03 -7e-04 -5e-04 -3e-04 -2e-04 -1e-04 **-**7e-05 -5e-05 -3e-05 -2e-05 -1e-05 -1e-05 3e-05 1e-04 3e-04 1e-01 3e-01 False Positive Idenification Rate, FPIR(T)







G: Datasheet

Algorithm: visionlabs_4

Developer: VisionLabs

Submission Date: 2018_06_22

Template size: 256 bytes

Template time (2.5 percentile): 281 msec

Template time (median): 313 msec

Template time (97.5 percentile): 354 msec

Frontal mugshot investigation rank 40 — FNIR(1600000, 0, 1) = 0.0027 vs. lowest 0.0010 from sensetime_004

natural investigation rank 57 -- FNIR(1600000, 0, 1) = 0.0198 vs. lowest 0.0067 from sensetime_003


natural investigation rank 34 -- FNIR(1600000, 0, 1) = 0.1723 vs. lowest 0.0492 from paravision_005


natural investigation rank 34 -- FNIR(1600000, 0, 1) = 0.1723 vs. lowest 0.0492 from paravision_005

Frontal mugshot identification rank 86 -- FNIR(1600000, T, L+1) = 0.0577 vs. lowest 0.0018 from sensetime_004


natural identification rank 99 -- FNIR(1600000, T, L+1) = 0.1589 vs. lowest 0.0122 from sensetime_003


natural identification rank 22 -- FNIR(1600000, T, L+1) = 0.6994 vs. lowest 0.1020 from sensetime_004





Template duration; search duration vs. N. The blue and pink ribbon covers 95 percent of observed measurements. The template generation time is independent of N. The log and power–law models are fit to the first two (N,T) observations





M: Identification FNIR(N, T, L+1) and Investigational FNIR(N, 0, R) under ageing

