Assignment 1

Jaswanth Chowdary Madala

- 1) A coin is tossed three times, where. Determine $Pr(E \mid F)$ where
 - a) E: head on third toss, F: heads on first two
 - b) E: at least two heads, F: at most two heads
 - c) E: at most two tails, F: at least one tail

Solution: Consider the random variables X_1, X_2, X_3, X , which denotes the first, second, third toss and number of heads in the 3 tosses respectively as described in table 1.

RV	Values	Description
X	{0, 1, 2, 3}	Number of heads in 3 tosses
X_1	{0, 1}	0: Heads, 1: Tails
X_2	{0, 1}	0: Heads, 1: Tails
X_3	{0, 1}	0: Heads, 1: Tails

TABLE 1: Random variables X_1, X_2, X_3, X

The random variable X follows binomial distribution

$$X = X_1 + X_2 + X_3 \tag{0.0.1}$$

The PMF of the random variable X is given by,

$$P_X(n) = \begin{cases} {}^{3}C_0 \left(\frac{1}{2}\right)^0 \left(\frac{1}{2}\right)^3 = \frac{1}{8} & n = 0 \\ {}^{3}C_1 \left(\frac{1}{2}\right)^1 \left(\frac{1}{2}\right)^2 = \frac{3}{8} & n = 1 \\ {}^{3}C_2 \left(\frac{1}{2}\right)^2 \left(\frac{1}{2}\right)^1 = \frac{3}{8} & n = 2 \\ {}^{3}C_3 \left(\frac{1}{2}\right)^3 \left(\frac{1}{2}\right)^0 = \frac{1}{8} & n = 3 \end{cases}$$
(0.0.2)

The CDF of the random variable X is given by,

$$F_X(n) = \Pr(X \le n) \tag{0.0.3}$$

From the equation (0.0.3) we get,

$$F_X(n) = \begin{cases} 0 & n < 0 \\ \frac{1}{8} & 0 \le n < 1 \\ \frac{1}{2} & 1 \le n < 2 \\ \frac{7}{8} & 2 \le n < 3 \\ 1 & \text{otherwise} \end{cases}$$
 (0.0.4)

a) The events E, F can be described by the RV

as

$$E: X_3 = 0 (0.0.5)$$

$$F: X_1 + X_2 = 0 \tag{0.0.6}$$

The required probability is given by,

$$Pr(X_3 = 0 \mid X_1 + X_2 = 0) \tag{0.0.7}$$

$$= \frac{\Pr(X=0)}{\Pr(X_1 + X_2 = 0)}$$
 (0.0.8)

$$=\frac{1}{2}$$
 (0.0.9)

b) The events E, F, F' can be described by the RV as

$$E: X \le 1$$
 (0.0.10)

$$F: X \ge 1$$
 (0.0.11)

$$F': X = 0 \tag{0.0.12}$$

The required probability is given by,

$$= \frac{\Pr(X=1)}{1 - \Pr(X=0)} \tag{0.0.13}$$

$$=\frac{\frac{3}{8}}{1-\frac{1}{9}}\tag{0.0.14}$$

$$=\frac{3}{7} \tag{0.0.15}$$

c) For the events E, F, their complements are E': all 3 tails, F': zero tails. The events E', F' can be described by the RV as

$$E': X = 3$$
 (0.0.16)

$$F': X = 0$$
 (0.0.17)

By using property of conditional probability we have,

$$\Pr(E \mid F) = \frac{\Pr(EF)}{\Pr(F)}$$
 (0.0.18)
= $\frac{1 - \Pr(E' \text{ or } F')}{\Pr(F)}$ (0.0.19)

$$= \frac{1 - \Pr(E' \text{ or } F')}{\Pr(F)} \quad (0.0.19)$$

The required probability is given by,

$$= \frac{1 - \Pr(X = 0 \text{ or } 3)}{1 - \Pr(X = 0)} \tag{0.0.20}$$

$$= \frac{1 - \Pr(X = 0 \text{ or } 3)}{1 - \Pr(X = 0)}$$

$$= \frac{1 - \left(\frac{1}{8} + \frac{1}{8}\right)}{1 - \frac{1}{8}}$$

$$= \frac{6}{7}$$
(0.0.20)

$$=\frac{6}{7}$$
 (0.0.22)