

# Assignment 1

Jaswanth Chowdary Madala

1) A coin is tossed three times, where. Determine  $\Pr(E | F)$  where

a)  $E$  : head on third toss,  $F$  : heads on first two tosses

b)  $E$  : at least two heads,  $F$  : at most two heads

c)  $E$  : at most two tails,  $F$  : at least one tail

**Solution:** Consider the random variables  $X_1, X_2, X_3, X$ , which denotes the first, second, third toss and number of heads in the 3 tosses respectively as described in table 1.

| RV    | Values           | Description                 |
|-------|------------------|-----------------------------|
| $X$   | $\{0, 1, 2, 3\}$ | Number of heads in 3 tosses |
| $X_1$ | $\{0, 1\}$       | 0: Heads , 1: Tails         |
| $X_2$ | $\{0, 1\}$       | 0: Heads , 1: Tails         |
| $X_3$ | $\{0, 1\}$       | 0: Heads , 1: Tails         |

TABLE 1: Random variables  $X_1, X_2, X_3, X$

The random variable  $X$  follows binomial distribution. The probabilities for the random variables  $X, X_i$  is listed in table 1.

| Event                | Probability   |
|----------------------|---|
| $\Pr(X = 0)$         | ${}^3C_0 \left(\frac{1}{2}\right)^0 \left(\frac{1}{2}\right)^3 = \frac{1}{8}$ |
| $\Pr(X = 1)$         | ${}^3C_1 \left(\frac{1}{2}\right)^1 \left(\frac{1}{2}\right)^2 = \frac{3}{8}$ |
| $\Pr(X = 2)$         | ${}^3C_2 \left(\frac{1}{2}\right)^2 \left(\frac{1}{2}\right)^1 = \frac{3}{8}$ |
| $\Pr(X = 3)$         | ${}^3C_0 \left(\frac{1}{2}\right)^3 \left(\frac{1}{2}\right)^0 = \frac{1}{8}$ |
| $\Pr(X_1 + X_2 = 0)$ | $\frac{1}{4}$   |

TABLE 1: Probabilities

By using property of conditional probability we have,

$$\Pr(E | F) = \frac{\Pr(EF)}{\Pr(F)} \quad (0.0.1)$$

$$= \frac{1 - \Pr(E' \text{ or } F')}{\Pr(F)} \quad (0.0.2)$$

a) The events  $E, F$  can be described by the RV

as

$$E : X_3 = 0 \quad (0.0.3)$$

$$F : X_1 + X_2 = 0 \quad (0.0.4)$$

The required probability is given by,

$$\Pr(X_3 = 0 | X_1 + X_2 = 0) \quad (0.0.5)$$

$$= \frac{\Pr(X = 0)}{\Pr(X_1 + X_2 = 0)} \quad (0.0.6)$$

$$= \frac{1}{2} \quad (0.0.7)$$

b) The events  $E, F, F'$  can be described by the RV as

$$E : X \leq 1 \quad (0.0.8)$$

$$F : X \geq 1 \quad (0.0.9)$$

$$F' : X = 0 \quad (0.0.10)$$

The required probability is given by,

$$= \frac{\Pr(X = 1)}{1 - \Pr(X = 0)} \quad (0.0.11)$$

$$= \frac{\frac{3}{8}}{1 - \frac{1}{8}} \quad (0.0.12)$$

$$= \frac{3}{7} \quad (0.0.13)$$

c) For the events  $E, F$ , their complements are  $E' : \text{all 3 tails}$ ,  $F' : \text{zero tails}$ . The events  $E', F'$  can be described by the RV as

$$E' : X = 3 \quad (0.0.14)$$

$$F' : X = 0 \quad (0.0.15)$$

The required probability is given by,

$$= \frac{1 - \Pr(X = 0 \text{ or } 3)}{1 - \Pr(X = 0)} \quad (0.0.16)$$

$$= \frac{1 - \left(\frac{1}{8} + \frac{1}{8}\right)}{1 - \frac{1}{8}} \quad (0.0.17)$$

$$= \frac{6}{7} \quad (0.0.18)$$